

LIBRARY

OF THE

University of California.

No. 1085.

Division


Range

Shelf...

Received Vel

1870.





SMITHSONIAN MISCELLANEOUS COLLECTIONS.

140

LIST

OF THE

COLEOPTERA

OF

NORTH AMERICA.

PREPARED FOR THE SMITHSONIAN INSTITUTION.

JOHN L. LECONTE, M.D.

PART I.



WASHINGTON:
SMITHSONIAN INSTITUTION:
MARCH, 1863.—APRIL, 1866.

ADVERTISEMENT.

A CATALOGUE of the described Coleoptera of the United States, prepared by Dr. F. E. Melsheimer, and revised by Prof. Haldeman and Dr. LeConte, was published by the Smithsonian Institution in 1853. This work furnished a reference to all the species described at the time, and known to the author or editors, but did not profess to indicate what were synonymes and what actual species.

Dr. LeConte has since had in view a new and improved catalogue, and by his own researches, and by reference to those of others, has endeavored to ascertain the proper synonymy of the North American Coleoptera, adding the new species described since the date of the Melsheimer Catalogue.

The portion of the New List, now published, includes all the families treated of in Part I of the Classification of the Coleoptera of North America, by Dr. LeConte, who will complete that work, with its companions, the "List," and the "Descriptions of New Species of North American Coleoptera," at the earliest practicable moment.

Pages 1—49 were published in March, 1863; pp. 50—70 in April, 1866.

JOSEPH HENRY, Secretary S. I.

SMITHSONIAN INSTITUTION, WASHINGTON, April, 1866.

> PHILADELPHIA: COLLINS, PRINTER.

NOTICE.

THE present catalogue was commenced in 1861, and the portion now issued was, in great part, printed as early as June, 1862. The official duties of the author have since left him but little time for scientific research; but believing that the catalogue, even in its present incomplete condition, will be of service to students, he has considered it proper not to retard its appearance any longer. He trusts that at a future period he may be able to complete the work, and in the meantime, invites contributions from all those who have it in their power to aid him in his object of making a personal examination of all the accessible species of Coleoptera found within the limits of the United States, for the purpose of presenting an authentic synonymical catalogue.

The following marks are used in the catalogue: —— after a species indicates that it is unknown to the author, who is therefore not responsible for its value as a distinct species: || signifies that the name has been previously employed for another species: ‡ denotes erroneous determinations: Greek letters are employed to distinguish forms which are considered as races of the preceding species.

JOHN L. LECONTE.

Jan., 1863.

month (the roof) Bloom of the contract of the Ly Epino

LIST

OF

COLEOPTERA OF NORTH AMERICA.

CICINDELIDAE.

MANTICORINI.

Amblychila Say.

cylindriformis Say.
picolominii Reiche.
Chaleposomus c. Chaudoir.

Omus Esch.

audouinii Reiche. californicus Esch. dejeanii Reiche.

MEGACEPHALINI.

Tetracha West.

carolina Hope.
Cicindela carolina Linn.
Megacephala c. Dej.
Meg. carolinensis Latr.
virginica Hope.
Cicindela virginica Linn.
Megacephala virg. Dej.

CICINDELINI.

Cicindela Linn.

obsoleta Say.
a. vulturina Lec.
b. prasina Lec.
unipunctata Fabr.
longilabris Say.
albilabris Kirby.
montana Lec.
pulchra Say.

lecontel Hald. rugifrons Dej. denticulata Hentz. a. unicolor Dej. B. modesta Dej. obscura | Say. scutellaris Say. nigrocoerulea Lec. viatica Chevr. sexguttata Fabr. violacea Fabr. patruela Dej. consentanea Dej. decemnotata Say. splendida Hentz. a. limbalis var. Lec. B. limbalis Klug. marginalis var. Dej. var. spreta Lec. var. amoena Lec. y. splendida Hentz. sexguttata var. Fabr. purpurea Oliv. marginalis Fabr. var. audubonii Lec. ancocisconenis Harris. venusta Lec. generosa Dej ?obliquatat Kirby. formosa Say. latesignata Lec. vulgaris Say. obliquata Dej. tranquebarica Herbst. fulgida Say. oregona Lec. guttifera Lec. duodecimguttata Dej. proteus Kirby.

repanda Dej. hirticollist Gould. baltimorensist Lec. hirticollis Say. albohirta Dej. unita Kollar. gravida Lec. hyperborea Lec. n. sp. tenuisignata Lec. imperfecta Lec. pusilla Say. a. terricola Say. cinctipennis Lec. cyanella Lec. dorsalis Say. signata Dej. a. media Lec. saulcyi Guérin. venusta Ferté. lacerata Chaudoir. marginata Fabr. variegata Dej. limbata Say. cuprascens Lec. blanda Dej. tarsalis Lec. macra Lec. blandat Lec. sperata Lec. lepida Dej. serpens Lec. a. ascendens Lec. sigmoidea Lec. tortuosa Dej. trifasciatat Klug. punctulata Fabr. var. micans Fabr. texana Lec. decostigmat Lec.

¹ Dr. Schaum informs me that C. baltimorensis Herbst. is the East Indian C. minuta Fabr, with an erroneous locality.

hemorrhagica Lec. hentzii Dej. 'hæmorrhoidalis | Hentz. sedecempunctata Klug. rubriventris Chevr. rufiventris Dej. cumatilis Lec. guexiana Chevr. abdominalis Fabr. marginipennis Dej. severa Ferté. californica Ménétriés. circumpicta Ferté. johnsonii Fitch. praetextata Lec. togata Ferté. gratiosa Guérin. lemniscata Lec. cursitans Lec. celeripes Lec. pilatei Lec.1 Dromochorus pil. Guérin.

CARABIDAE.

CARABIDAE (genuini).

OMOPHRONINI.

Omophron Latr.

dentatum Lec.
gilae Lec.
tesselatum Say.
lecontei Dej.
americanum Dej.
sayi Kirby.
labiatum Say.
Scolytus labiatus Fabr.
nitidum Lec.

ELAPHRINI.

Elaphrus Fabr.

politus Lec.
laevigatus Lec. olivaceus Lec. n. sp.
cicatricosus Lec.
clairvillei Kirby.
?fuliginosus Say.
?americanus Dej.
obliteratus Mann.
intermedius Kirby.

californicus Mann.
var. punctatissimus Lec.
var. sinuatus Lec.
var. gratiosus Mann.
var. similis Lec.
ruscarius Say.
riparius † Dej.
obscurior Kirby.—

Diachila Motsch. subpolaris Lec. n. sp.

Blethisa Bon. quadricollis Hald. oregonensis Lec. julii Lec. n. sp.

LORICERINI.

Loricera Latr.

pilicornis Latr.
Carabus p. Fabr.
semipunctata Esch.
californica Lec. n. sp.
neoscotica Lec. n. sp.
decempunctata Esch.
foveata Lec.
congesta Mann.—

TRACHYPACHINI.

Trachypachys Mots.

inermis Motsch.
holmbergi Mann.
gibbsii Lec.

semiopacus Esch.

sylvaticus Esch.

nitens Lec.

CARABINI.

Notiophilus Dumeril.

semistriatus Say. (f.Lec.)
aquaticus f. Kirby.
novemstriatus Lec.
confusus Lec.
sibiricus Motsch.
punctatus Lec.
semistriatus Say. (f. Harr.)
aeneus Lec.

Elaphrus aeneus Herbst. Not. porrectus Say. Opisthius Kirby.

Nebria Latr.

pallipes Say.
metallica Fisch.
gebleri Dej. —
rathvoni Lec.
gregaria Esch.
mannerheimii Esch.
castanipes Lec.
Helobia cast. Kirby.
?N. eschscholtzii|| Mén.
diversa Lec.
livida|| Lec.

hudsonica Lec. n. sp. nivalis Gyll.

Carabus niv. Paykull.

moesta Lec.

moesta Lec.
an sequentis gens?
sahlbergii Fisch.
eschscholtzii Lec.
Pelophila esch. Mann.

Pelophila esch. Mann.
Pel. borealis var. ‡ Dej.
rudis Lec. n. sp.
bifaria Mann.
carbonaria † Mann.
suturalis Lec.

Leistus Fröhlich.

ferruginosus Mann. ferrugineus || Dej.

Calosoma Fabr.

externum Say. longipenne Dej. macrum Lec. protractum Lec. scrutator Fabr. willcoxi Lec. frigidum Lec. sayi Dej. prominens Lec. angulatum | Lec. carbonatum Lec. triste Lec. obsoletum Say. luxatum‡ Dej. semilaeve Lec. calidum Fabr. var. lepidum Lec. tepidum Lec. cancellatum Esch. var. aenescens Lec.

¹ The following species quoted by authors are not North American: C venosa Kollar = nitida Dej.: C. obscura Fabr. = germanica Linn.: C. coerulea || Herbst. = germanica Linn.: C. triguttata Herbst.

discors Lec.
moniliatum Lec.
laqueatum Lec.
wilkesii Lec.
luxatum Say.
a. striatulum Lec.
β. zimmermanni Lec.

Carabus Linn.

vietinghovii Adams. californicus Motsch. an rite Am. bor.? limbatus Say. goryi Dej. serratus Say. lineatopunctatus Dej. lapilayi Laporte. vinctus Weber. interruptus Say. ligatust Lec. a. ligatus Germ. B. carinatus Dej. finitimus Hald. sylvosus Say. Olherminieri Dej. taedatus Fabr. a. baccivorus Fischer. B. agassii Lec. y. oregonensis Lec. chamissonis Fischer. brachvderus Wiedem. groenlandicus Dej. truncaticollis Esch. an rite Am. bor.?

Nomaretus Lec.

debilis Lec.
cavicollis Lec.
fissicollis Lec.
bilobus Lec.
Cychrus bilobus Say.
Sphaeroderus bil. Dej.
imperfectus Horn.

Cychrus Fabr.

§ SPHAERODERUS Dej. nitidicollis (Chev.) bicarinatus Lec. lecontei (Dej.)
S. niagarensis Lap.
S. brevoorti Lec. stenostomus Weber.

§ SCAPHINOTUS Dej. unicolor Oliv.

elevatus Fabr.
S. flammeus Hald.
var. S. dilatatus Lec.
heros Hurris.

§ IRICHROA Newman.
viduus Dej.
unicolor Herbst.
var. leonardi Harris.
violaceus Lec. n. sp.
andrewsii Harris.

§ CYCHRUS Dej. tuberculatus Harris. velutinus Men. angusticollis Fischer. angulatus Harris. cristatus Harris. reticulatus Motsch. marginatus Dej. striatus Lec. crenatus Motsch. interruptus Mén. ventricosust Chaud. ventricosus Dej. striatopunctatus Chaud. constrictus Lec. ventricosust Motsch. cordatus Lec. alternatus Motsch. ventricosus var. ‡ Esch.

METRIINI.

punctatus Lec.

Metrius Esch.

PROMECOGNATHINI.

Promecognathus Chaud.

laevissimus Chaud. Eripus laev. Dej.

SCARITINI.

Pasimachus Bon.

marginatus Bon.
Scarites marg. Fabr.
subsulcatus Say.
sublaevis Bon.
Scarites subl. Beauv.
var. P. rugosus Lec.
var. P. assimilis Lec.
substriatus Hald.

viridans Lec.
elongatus Lec.
depressus var.† Say.
punctulatus Hald.
depressus Bon.; Putz.
?Scarites depr. Fabr.
morio Lec.
var. laevis Lec.
corpulentus Lec.
validus Lec.
punctulatus† Lec.
californicus Chaud.—
an a praec. diff.?
obsoletus Lec.
duplicatus Lec.
duplicatus Lec.

Scarites Fabr.

substriatus Hald.
quadriceps Chaud.
distinctus Hald.
ephislites Lee.
intermedius Lee.
subterraneus Fabr.
var. californicus Lee.
var. vicinus Chaud.
affinis Lee.
var. denticollis Chaud.
patruelis Lee.

Dyschirius Bon.

tridentatus Lec. quadridens Motsch. var. convexus Lec. patruelis Lec. basalis Lec. dejeanii Putz. integer Lec. nigripes Lec. apicalis | Lec. consobrinus Lec. gibbipennis Lec. aeneolus Lec. longulus Lec. an a seq. diff.? pumilus Putz. globulosus Putz. Clivina gl. Say. var. parvus Lec. haemorrhoidalis Putz. Clivina haem. Dej. terminatus Lec. analis Lec. sphaericollis Putz. Clivina sph. Say. edentulus Putz. truncatus Lec. erythrocerus Lec.

¹ The following species are not found in North America; C. carolinus Fabr. = C. splendens: C. beauvoisii Dej. = C. catenulatus Fabr.

marinus Lec. Acephorus mar. Lec. sellatus Lec. pallipennis Putz. Clivina pall. Say. curvispinus Putz. filiformis Lec. sublaevis Putz. dentiger Lec. aratus Lec. rufiventris Lec. transmarinus Mann. frigidus Mann. setosus Lec. pilosus Lec. hispidus Lec. n. sp.

Ardistomis Putz.

obliquata Putz.
schaumii Lec.
viridis Lec.
clivina viridis Say.
clivina rostrata Dej.
Ard. rostrata Putz.
var. Ard. vicina Putz.
puncticollis Putz.
an praec. gens?

Aspidoglossa Putz.

subangulata Lec.
Cliv. bipustulata‡ Say
Cliv. crenata‡ Dej.
Dyschirius subang. Chaud.
Dysch. humeralis Chaud.
Asp. vicina Putz.
Asp. fraterna Putz.

Clivina Latr.

corvina Putz.

a. confusa Lec. β. georgiana Lec. dentipes Dej. fissipes Putz. impressifrons Lec. planicollis Lec. punctulata Lec. punctigera Lec. rubicunda Lec. rufescens Dej. ?pallida Say. rufa Lec. randalli Lec. elongata || Randall. analis Putz. americana Dei. acuducta Hald.

morula Lec. cordata Putz. morio Dej. striatopunctata Dej. ferrea Lec. convexa Lec. an a seq. diff.? bisignata Putz. bipustulata Dej. Scarites bip. Fabr. S. quadrimaculatus Beauv. Clivina quadr. Say. marginipennis Putz. postica Lec. picea Putz. stigmula Putz. -1

Schizogenius Putz.

crenulatus Lec.
planulatus Lec. n. sp.
lineolatus Lec.
Clivina lin. Say.
Sehiz. sulcifrons Putz.
ferrugineus Putz.
Cliv. sulcata Lec.
amphibius Lec.
clivina amph. Hald.
Cliv. frontalis Lec.
depressus Lec.
pluripunctatus Lec.
var. simplex Lec.

OZAENIDAE.

PSEUDOMORPHINI.

PseudomorphusKir.

excrucians Kirby.
Drepanus lecontei Dej.

HARPALIDAE.

BRACHININI.

Brachinus Weber.

tormentarius Lec.
alternans Dej.
strenuus Lec.
?deyrollii Ferté.
perplexus Dej.
var. viridipennis Dej.
var. viridis Lec.
var. lecontei Lec.
americanus Lec.
ballistarius Lec.

fumans Fabr. librator Dej. var. perplexust Lec. var. suffians Lec. var. similis Lec. var. cyanopterus Lec. costipennis Motsch. var. lecontei | Motsch. tschernikhii Mann. carinulatus Motsch. fidelis Lec. kansanus Lec. cordicollis Dej. conformist Lec. velox Lec. var.? cephalotes Dej. stygicornis Say. rejectus Lec. cordicollist Lec. janthinipennis Lec. Aptinus janth. Dej. quadripennis Dej. medius Lec. ovipennis Lec. cephalotest Lec. conformis Dej. patruelis Lec. pumilio Lec. lateralis Dej.

PANAGAEINI.

Panagaeus Latr.

crucigerus Say. fasciatus Say.

Micrixys Lec.

distinctus Lec.
Panagaeus dist. Hald.
Eugnathus || dist. Lec.

MORIONINI.

Morio Latr.

georgiae Lec.
Scarites georg. Beauv.
Harp. mon. Latr.
M. monilicornis Dej.

HELLUONINI.

Helluomorpha Lap.

clairvillei Lap.
Helluo clairv. Dej.
praeusta Lap.
Helluo prae. Dej.

¹ C. picipes Bon. is probably not North American: Scar. attenuatus Herbst. is irrecognizable.

laticornis Lap.

Helluo lat. Dej.
Zuphium bicolor Harris.
ferruginea Lec.
texana Lec.
nigripennis Lap.
Helluo nigr. Dej.

DRYPTINI.

Galerita Fabr.

atripes Lec.
janus Fabr.
americana† Dej.
var. cyanipennis Dej.
var. cordicollis Chaud.
californica Mann.
lecontei Dej.
bicolor Klug.
?Carabus bic. Drury.
G. longicollis Chaud.
G. dubia Lec.

Zuphium Latr. americanum Dej.

Diaphorus Dej. lecontei Dej. tenuicollis Lec.

Thalpius Lec.

pygmaeus Lec.
Helluo pygm. Dej.
dorsalis Lec.
?Diaphorus dor. Brullé.
rufulus Lec.
Enaphorus ruf. Lec.

ODACANTHINI.

Casnonia Latr.

pensylvanica Dej.
Attelabus pens. Linn.
ludoviciana Sallé.

Leptotrachelus Lat.

dorsalis Latr.
Odacantha dors. Fabr.
Spheraera dors. Say.

Ega Lap.

sallei Chevr. laetula Lec.

Lachnophorus Dej.

pubescens Dej.
elegantulus Mann.
Tachypus mediosignatus Mén.

Eucaerus Lec.

LEBIINI.

Plochionus Dej.

timidus Hald.
bonfilsii Dej.
amandus Newman.
vittatus Lec.
valens Lec. n. sp.

grandis Hentz.

Lebia Latr.

atriventris Say. atriceps Lec. n. sp. tricolor Say. pleuritica Lec. viridipennis Dej. borea Hentz. cupripennis Boh. ruficollis Lec. cyanipennis Dej. cyanella. -Lamprias cyan. Motsch. an praec. var.? viridis Say; Dej. smaragdula Dej. vix a praec. differt. moesta Lec. maculicornis Lec. pumila Dej. floricola Harris. marginicollis Dej. an a seq. diff.? affinis Dej. Lamp. limbicollis Motsch. ornata Say. analis Dej. var. marginella Dej. scapularis Dej. solea Hentz. furcata Lec. bilineata Motsch. vittata Say. Carabus vitt. Fabr. var. L. conjungens Lec. axillaris Dej brunnea Hald.

fuscata Dej.
guttula Lec.
collaris Dej.
var nigripennis Dej.
lobulata Lec. n. sp.
pulchella Dej.
bivittata Er.
Carabus biv. Fabr.
L. quadrivittata Dej.
abdominalis Chaud.
divisa Lec.
concinna|| Lec.
angulata Boh. —
an potius Rhombodera?

Nemotarsus Lec. elegans Lec.

Tetragonoderus Dej.

intersectus Lec.

Bembidium int. Germ.
T. lecontei Dej.
fasciatus Lec.
Coptodera fasc. Hald.
Thyreopterus fasc. Lec.
undulatus Lec. n. sp.

Trechicus Lec. umbripennis Lec. pallipennis Lec.

Dromius Bon.

piceus Dej.
a. quadricollis Lec.²

Apristus Chaud.

cordicollis Chaud.
Dromius cord. Lec.
subsulcatus Chaud.
Dromius subs. Dej.
laticollis Lec.
latens Lec.
Dromius l. Lec.

Metabletus Schmidt.

americanus Schaum. Dromius am. Dej. Bomius am. Lec.

Blechrus Motsch.

linearis Schaum.

Dromius angustus || Lec.

Bomius linearis Lec.

Dromius apicalis Hald.

Apiodera rufipes Chaud. (Casnonia rufipes Dej.) is probably not a North American species;
 Casnonia picta Chaud. is a Mexican and not a Californian species.
 D. geminatus Hald. = quadrinotatus of Europe.

nigrinus Schaum.
Dromius nig. Mann.
lucidus Schaum.
Bomius luc. Lec.
pusio Lec. n. sp.

Axinopalpus Lec.

biplagiatus Lec.
Dromius bipl. Dej.
californicus Lec.
Dromius cal. Motsch.
fusciceps Lec.

Apenes Lec.

lucidula Lec.
Cymindis luc. Dej.
opaca Lec.
sinuata Lec.
Cymindis sinuata Say.
Cym. pustulata Dej.

Glycia Chaud.

viridicollis Lec.
Cymindis vir. Lec.
purpurea Lec.
Cymindis purp. Say.
var. Cym. amoena Lec.

Philophuga Motsch.

viridis Motsch. — Cymindis vir. Dej. cyanea Motsch. —

laticollis Say.

Cymindis Latr.

cribricollis Dej.
abstrusa Lec.
planipennis Lec. n. sp.
reflexa Lec.
?marginata Kirby.
elegans Lec.
hudsonica Lec. n. sp.
pilosa Say.
pubescens Dej.
borealis Lec. n. sp.
americana Dej.
var. venator Dej.
cribrata Lec.
neglecta Hald.
?unicolor Kirby.

Pinacodera Schaum.

limbata Schaum. Cymindis limb. Dej. fuscata Schaum.
Cymindis f. Dej.
platicollis Schaum.
Cymindis pl. Say.
Cym. complanata Dej.
Lebia russata Newman.
punctigera Lec.
Cymindis punct. Lec.

Callida Dej.

planulata Lec.
smaragdina Dej.
cyanipennis Chaud. —
viridipennis Say.
marginata Dej.
fulgida Dej.
cyanoptera Lec.
decora Dej.
Carabus d. Fabr.
punctata Lec.⁴

Philotecnus Lec.

croceicollis Lec.
Callida croceic. Mén.
Phil. ruficollis Lec.
chloridipennis Motsch.
vix a prace. diff.
nigricollis Lec.

Rhombodera Reiche.

pallipes Lec.
Didetus pall. Lec.
bicolor Lec. n. sp.

Coptodera Dej.

signata Dej. var. collaris Lec. aerata Dej. var. viridipennis Lec

PTEROSTICHINI.

Calathus Bon.

gregarius Dej.
Feronia greg. Say.
ingratus Dej.
incommodus Mann.
confusus Lec.
opaculus Lec.
quadricollis Lec.
behrensii Mann.
obscurus Lec.
ruficollis Dej.

advena Schaum.
Pristodactyla adv. Lec.
var. Anchom, lenis Mann.
mollis Schaum.
Anchomenus m. Dei

Anchomenus m. Dej.
Agonum m. Esch.
?var. Anch. dulcis Mann.
dubia Lec.

impunctata Lec. Feronia imp. Say. Pristodactyla americ. Dej. var. Pr. corvina Lec.

Platynus Bon. (emend. Brullé).

larvalis Lec. Rhadine lar. Lec. caudatus Lec. n. sp. dissectus Lec. n. sp. agilis Lec. fragilis | Lec. hypolithos Lec. Feronia hyp. Say. Pl. erythropus Dej. angustatus Dej. stygicus Lec. octofoveolatus Lec. Anchomenus oct. Mükl. pusillus Lec. Stomis americanat Lec. Anchus pusillus Lec. tenuicollis Lec. marginatus Lec. Colpodes marg. Chaud.

cincticollis Lec.
Feronia cinct. Say.
Anchomenus cinct. Say.
Platynus blandus Germ.
Anch. corvinus Dej.
var. A. deplanatus Chaud.
Anch. marginalis Hald.
opaculus Lec. n. sp.

bicolor Lec. brunneomarginatus Lec. Anchomenus brun. Mann. Plat. einetellus Lec. ?Anch. rugiceps Mann.

ovipennis Lec.
Anch. ovipennis Mann.
decens Lec.

Feronia decentis Say.
Anch. gagates Dej.
Anch. decentis Say.
Anch. coracinus Lec.
sinuatus Lec.
Anchomenus sin. Dej.

Anchomenus sin. Dej.
a. depressus (Hald.)

⁴ C. morto Dej. does not occur in the United States.
2 C. rubricollis Dej. is not found within the present limits of the United States, but is confined to Suba.

8. angusticollis! Kirby. funebris Lec. Scaphiod. opacus Motsch. micans Lec. Anchomenus mic. Mén. Scaphiodact. mic. Chaud. aeneolus Lec. clemens Lec. n. sp. extensicollis Lec. Feronia ext. Say. Fer. (Anch.) proxima Har. Anch. ext. Dej. a. obscuratus (Chaud.) Anch. elongatulust Lec. 8. viridis (Lec.) 7. cyanescens (Motsch.) simplex Lec. decorus Lec. Feronia dec. Say. Anch. dec. Dej. var. Anch. obscurus Lec. anchomenoides Lec. Agonum anch. Randall. bicolor Lec. Anch. bicolor Dej. Pl. marginellus Lec. californicus Lec. Anchomenus cal. Dei. collaris Lec. Anchomenus coll. Say. moerens Lec. Anchomenus moer. Dej. molestus Lec. laevis | Lec. melanarius Lec. Agonum mel. Dej. Agonum maurum Hald. ?Fer. scutellaris Say. metallescens Lec. tenuis Lec. harrisii Lec. Agonum harr. Lec. piceus Lec. Agonum pic. Lec. carbo Lec. atratus Lec. corvus Lec. frater Lec. quadratus Lec. cupripennis Lec. Feronia cupr. Say. Agonum cupr. Dej. subscriceus Lec. n. sp. punctiformis Lec. Feronia punct. Say. Agonum rufipes Dej. Agonum punct. Say. Ag. foveicolle Chaud.

limbatus Lec. Feronia limb. Say. Ag. palliatum Dej. crenistriatus Lec. n. sp. aeruginosus Lec. Agonum aer. Dej. excavatus Lec. Agonum exo. Dej. ferreus Lec. Agonum ferr. Hald. Ag. ocreatum Hald. albicrus Lec. Agonum alb. Dej. picticornis Lec. Anchomenus pict. Newm. errans Lec. Feronia err. Say. Agonum err. Say. subcordatus Lec. ?Ag. erythropum || Kirby. basalis Lec. Agonum bas. Lec. vagans Lec. sulcatus (Dej.) striatus (Dej.) nutans Lec. Feronia n. Say. Agonum n. Say Ag. femoratum Dej. crenulatus Lec. striatopunctatus Lec. Agonum str. Dej. Ag. decipiens Lec. retractus Lec. Agonum retr. Lec. ?Ag. lenum Dej. picicornis Lec. ruficornis Lec. ?Ag. picipenne var. Kirby. gratiosus Lec. Anchomenus gr. Mann. picipennis Lec. Agonum pic. Kirby. Ag. lenum‡ Lec. lutulentus Lec. nigriceps Lec. Agonum nigr. Lec. sordens Kirby. (Ag.) - octopunctatus Lec. Carabus oct. Fabr.

placidus Lec. Feronia pl. Say. Ag. morosum Dej. maculicollis Lec. Agonum mac. Dej. Anchomenus mac. Mann. variolatus Lec. Ag. limbatum | Motsch. deplanatus Lec. Agonum depl. Men. fossiger Lec. Agonum foss. Dej. Ag. famelicum Min. Agonothorax robustus Mot. consimilis Lec. obsoletus Lec. Feronia obs. Say. Ag. luctuosum Dej. Ag. obsoletum Say. Ag. placidumt Lec. strigicollis Lec. Anchomenus str. Mann. bogemanni Lec. Harpalus bog. Gyll. Agonum bog. Dej. Anchomenus bog. Gaubil. bembidioides Lec. Sericoda bemb. Kirby. Agonum bemb. Lec. stigmosus Lec. quadripunctatust Lec. an octocolus? octocolus (Mann.) seminitidum (Kirby.) affine (Kirby.) simile (Kirby.) maculifrons (Say.) elongatulus (Dej.) nitidulum (Dej.) cupreum (Dej.) brevicolle (Dej.) ferruginosus (Dej.) fragilis (Mann.) exaratus (Mann.)'-

Olisthopus Dej.

parmatus Dej.
Feronia parm. Say.
var. Ol. cinctus Say.
micans Lec.

Loxandrus Lec.

saphyrinus Lec. Megalostylus || saph. Chaud.

Ferenia oct. Say.

Agonum oct. Dej.

Agonum ch. Lec.

crassicollis Lec.

?Ag. cupreum Dej.

chalceus Lec.

perforatus Lec. n. sp. protractus Lec.

⁴ Several marked as not recognized are probably identical with other species, but references to original types will be necessary to establish the synonyms.

rectus Lec. Feronia r. Say. Pogonus r. Say. Feronia lucidula Dej. var. Meg. laticollis Chaud. brevicollis Lec. Argutor brev. Lec. Arg. minort Lec. erraticus Lec. Feronia err. Dej. minor Lec. Megalostylus m. Chaud. Argutor nitidulus Lec. celer Lec. Feronia celeris Dej. agilis Lec. Feronia ag. Dej. pusillus Lec. velox Lec. Feronia vel. Dei. Argutor rectust Lec. taeniatus Lec. piciventris Lec. crenatus Lec.

Evarthrus Lec.

gravidus Hald. engelmanni Lec. sigillatus Lec. Feronia sig. Say. Fer. vidua Dej. seximpressus Lec. americanus Lec. Feronia am. Dej. conviva Lec. vagans Lec. Feronia vag. Lec. unicolor Lec. Feronia un. Say. rotundatus Lec. brevoorti Lec. Feronia br. Lec. faber Lec. Molops faber Germ. Fer. tenebricosa Dej. Fer. spoliata Newm. acutus Lec. obsoletus Lec. Feronia obs. Say. approximatus Lec. Brosens appr. Lec. laevipennis Lec. Broscus laev. Lec. morio Lec. Feronia morio Dej. vinctus Lec.

abdominalis Lec. Feronia abd. Lec. lixa Lec. Feronia lixa Lec. incisus Lec. Feronia inc. Lec. ovipennis L c. Feronia ov. Lec. latebrosus Lec. constrictus Lec. Feronia cons. Say. substriatus Lec. Feronia subs. Lec. colossus Lec. Feronia col. Lec. heros Lec. Feronia heros Say. torvus Lec. n. sp. orbatus Lec. Feronia orb. Newm. var. Fer. sodalis Lec. var. Fer. corax Lec. var. Ev. fatuus Lec. furtivus Lec.

Pterostichus Bon. (emend. Er.)

§ Hypherpes Chaud.1

herculaneus Mann. planctus Lec. algidus Lec. Br. subparallelus Motsch. validus Mann. Feronia val. Dej. curtipennis. Brachystylus curt. Motsch. vicinus Mann. californicust Lec. protractus Lec. amplicollis Lec. Brachystylus amp. Motsch. parallelus. Brachystylus par. Motsch. amethystinus Mann. castaneus Mann. Feronia cast. Dej. brunneus Mann. Feronia brunnea Dej. angustus Mann. Feronia ang. Dej. P. linearis Lec. muticus Lec. californicus Mann. Feronia cal. Dej. Pter. simplex Lec.

menetriesii Lec. Brachystylus m. Motsch. Br. megas Chaud. Feronia atra Mén. castanipes Lec. Feronia cast. Men. contractus Lec. longicollis Motsch. isabellae Lec. congestus Lec. Feronia cong. Mén. Pter. illustris Lec. sustentus Lec. rejectus Lec. adoxus Lec. * Feronia ad. Say. Fer. tristis Dej. Fer. interfector Newm. subarcuatus Lec. sphodrinus Lec. n. sp. longicollis Lec. rostratus Lec. Feronia rostr. Newm. var. Pt. grandiceps Lec. § Poecilus Bon. subcordatus (Lec.) scitulus (Lec.) laetulus Lec. Poec. occidentalist Lec. occidentalis Mann. Feronia occ. Dej. cyaneus (Lec.)

chalcites Lec. Feronia chalcites Say. Poec. sayi Brulla Poecilus chalc. Kirby. Poec. micans Chaud. cursitor (Lec.) Poec. cursorius | Lec. atratus Lec. Feronia atrata Newm. lucublandus Lec. Feronia luc. Say. Poec. lucublandus Kirby. var. Poec. fraternus Say. var. Poec. castanipes Kirb. var. Poec. dilatatus Lec. bicolor (Lec.) convexicollis Lec. Feronia conv. Say. Poecilus conv. Lec. splendidulus Lec. n. sp.

texanus Lec. n. sp.

§ LAGARUS Chaud.? erythropus Lec. Feronia er. Dej. Platyderus nitidus Kirby.

¹ This division includes all the American species without dorsal punctures, and consequently embraces also Brachystylus Chaud.

& Piesmus Lec. submarginatus Lec. Feronia subm. Say. Poec. monedula Germ. ?Fer. picipes Newm.

§ OMASEUS Ziegl. acutangulus Lec. Lyperus ac. Chaud. caudicalis Lec. Feronia caud. Say. Om. nigritat Kirby. Stereocerus caud. Lec. luctuosus Lec. Feronia luct. Dej. Fer. hamata Harris. Pt. abjectus Lec. corvinus Lec. Feronia corv. Dej. Fer. subpunctata Harris. Om. tenebrosus Chaud. rufiscapus (Mann.) -

§ ARGUTOR Meg. patruelis Lec. Feronia pat. Dej. desidiosus Lec. n. sp. femoralis (Kirby.) bicolor (Kirby.) linearis (Mann.) -

§ Dysidius Chand. purpuratus Lec. mutus Lec. Fer. polita Harris. Feronia muta Say. Fer. morosa Dej. Om. picicornis Kirby. lustrans Lec. puncticollis. Platysma punct. Motsch.

§ PLATYSMA Bon oregonus Lec. maeklini Lec. Fer. vitrea auct. (var. am.) adstrictus Esch. Poecilus adstr. Germ. Feronia adstr. Dej. Pl. oblongiuscula Motsch. luczotii Lec. Feronia lucz. Dej. Fer. oblongonotata Say. Om. orinonum‡ Kirby Pt. motschulskyi Mäklin. a. sexpunctatus (Mann.) Pl. obtusangula Motsch. seriepunctatus Mann.

commixtus Mäkl. -Bothriopterus com. Chaud fuscoaeneus Mann. -Omaseus fusc. Chaud.

& CRYOBIUS Chaud. rugulosus Mann. Steropus rug. Motsch. vindicatus Mann. ventricosus Mann. Poecilus ventr. Esch. Feronia ventr. Dej. subexaratus (Mann.) pinguedineus Mann. Poecilus ping. Esch. Feronia ping. Dej. hyperboreus Mann. similis Mann. quadricollis (Mann.) fatuus (Mann.) riparius Mann. Feronia rip. Dej. hudsonicus Lec. n. sp. subcaudatus (Mann.) empetricola Mann. Feronia emp. Dej. fastidiosus (Mann.) mandibularis Lec.
Argutor mand. Kirby Feronia ochotica Sahl. brevicornis. Argutor brev. Kirby. an Pt. fastidiosus? ruficollis (Mann.) rotundicollis (Mann.) -

§ STEROPUS Meg. obscurus Lec. Feronia obs. Say. ventralis Lec. Feronia ventr. Say. tumescens Lec. n. sp.

§ PTEROSTICHUS Bon. mancus Lec. Evarthrus manc. Lec. lubricus Lec. ?Feronia carbonaria Dej. coracinus Lec. Feronia cor. Newm. adjunctus Lec. flebilis Lec. stygicus Lec. eronia styg. Say. Fer. bisigillata Harris. Omaseus rugicollis Hald. monedula (Newm.) -

moerens (Newm.) picipes (Newm.) an P. submarginatus? protensus Lec. n. sp. moestus Lec.

Feronia moest. Say. Fer. superciliosa Say. Fer. relicta Newm. punctatissimus Randall.

§ HAPTODERUS Chaud.? honestus Lec. Feronia hon. Say. Fer. fastidita Dej. Stomis americana Lap. lachrymosus Lec. Feronia lachr. Newm.

§ ABACIDUS Lec. fallax Lec. Feronia fallax Dej. sculptus Lec. Feronia striata | Dej.

§ PERISTETHUS Lec. permundus Lec.3 Feronia perm. Say.

Holciophorus Lec

ater Lec. Feronia atra Dej. Percus lama Min.

Lophoglossus Lec.

haldemani Lec. Lyperus hald. Lec. tartaricus Lec. Feronia tart. Say. Feronia complanata Dej. strenuus Lec. scrutator Lec. Lyperus scrut. Lec.

Myas Dej.

coracinus Brullé. Feronia cor Say. M. cyanescens Dej. foveatus Lec.

Amara Bon.

& LIOCNEMIS Zim. avida Lec. Zabrus avidus Say. Am. confinis Dej.

Bothriopterus Chand.
 Fronia quadricollis Lec = Pt. parallelus of Europe. ² Feronia ebenina Dej. is probably not a North American species.

§ STEREOCERUS Kirby. similis Lec. Stereocerus sim. Kirby.

& LIRUS Zim.

jacobinae Lec. lacustris Lec. laticollis Lec.

?Curtonotus convexiusculust Kirby. carinata Lec. californica (Motsch.) stupida Lec. eschscholtzii Lec. Leirus esch. Chaud. Infausta Lec.

Leir. rufimanus | Motsch. Leir. carinatust Mann. melanogastrica Dej.

obtusa Lec. eschscholtzii‡ Mann. hyperborea Dej. brunnipennis Dej. ovipennis (Motsch.) -

elongata Lec.1 § BRADYTUS Zim.

exarata Dej. furtiva Say. oregona Lec. libera Lec.

Isopleurus hyp. ‡ Lec. septentrionalis Lec. Isopleurus sept. Lec. ?Isopl. nitidus | Kirby. glacialis Lec. Bradytus glac. Mann.

§ AMARA Bon.; Zim.

angustata Say. Feronia ang. Say. Am. indistincta Hald. pallipes Kirby. Triaena depressa Lec. scitula Zimm. longula Zimm. insignis Dej.

var. Celia coerulea Motsch. basillaris Say. Feronia bas. Say. Am. lucidula Dej.

chalcea Dej. impuncticollis Say. Feronia imp. Say. Am. trivialist De Am. anthracina Hald.

Am. difficilis Lec. Am. brunnipes Motsch.

littoralis Zimm. inepta Lec. crassispina Lec. conflata Lec. impressicollis Motsch. fallax Lec. subpunctata Lec. confusa Lec. polita Lec.

convexa Lec.2 § CELIA Zimm.

erratica Sturm. Celia err. Zimm. Am. punctulata Dej. laevipennis Kirby. discors Kirby. interstitialis Dej. Celia int. Zimm. ?Am. patruelis Dej. Am. inaequalis Kirby. Am. splendida Hald. farcta Lec. californica Dej. Celia cal. Zimm. obesa Say. patriciat Dej. Percosia ob. Hald. diffinis Lec. Percosia diff. Lec. an prace. gens? terrestris Lec. Isopleurus terr. Lec. remotestriata Dej. Celia remota Zimm. C. relucens Mann. indistincta (Mann.) amplicollis (Mann.) purpurascens (Motsch.) gibba Lec. Celia gibba Lec. rubrica Hald.

subaenea Lec. Acrodon sub. Lec.

musculus Say. (—lis). Acrodon musc. Lec. Ac. contempta Lec. harpalina Lec.

rectangula Lec. aurata Dej. Celia aur. Zimm.

LICININI.

Badister Clairv. notatus Hald.

terminalis Lec. pulchellus Lec. maculatus Lec. flavipes Lec. micans Lec. submarinus Motsch. ferrugineus Dej. . anthracinus Lec.

Diplochila Brullé.

laticollis Lec. Rembus lat. Lec. R. assimilis Lec. a. major Lec. (Rembus). impressicollis Brullé. Rembus imp. Dej. obtusus Lec. Rembus obt. Lec.

Dicaelus Bon.

laevipennis Lec. costatus Lec. dejeanii Dej. dilatatus Say. quadratus Ferté. splendidus Say. var. decoloratus Lec. purpuratus Bon. var. chalybeus Dej. var. confusus Lec. var. violaceus Bon. var. cyaneus Dej. var. iricolor Lec. quadratus Lec. lecontei Ferté. carinatus Dej. alternans Dej. sculptilis Say. crenatus Lec. planicollis Lec. furvus Say. ovalis Lec. simplex Dej. var. obscurus Lec. opacus Ferté. elongatus Dej. turbulentus Lec. n. sp. reflexus Lec. ?ambiguus Ferté. teter Bon. politus Dej. leonardii Harris.

CHLAENIINI.

Anomoglossus Ch.

emarginatus Chaud. Chlaenius emarg Say.

¹ What are Curtonotus rufimanus and brevilabris Kirby! ² The European A. vulgaris is said by Kirby to occur in the northern part of the continent; and A. spreta is cited as an American species by Zimmermann.

rogator Motsch. -

pusillus Chaud.
Chlaenius pus. Say.
Chl. elegantulus Dej.
amoenus Lec.
Chlaenius am. Dej.

Chlaenius Bon.

posticus Lec. apicalis | Lec. ruficauda Chaud. viridifrons Esch. patruelis Lec. aestivus Say. cobaltinus Dej. var. congener Lec. erythropus Germ. rufilabris Dej. fuscicornis Dej.1 laticollis Say. diffinis Chaud. ?var. platyderus Chaud. regularis Lec. rufipes Dej. var. brevicollis | Lec. brachyderus Chaud. lithophilus Say. viridanus Dej. augustus Newm. lecontei Hald. sericeus Say. Carabus ser. Forster. var. Chl. perviridis *Lec.* prasinus *Dej.* smaragdinus Chaud. sparsus Lec. n. sp. cumatilis Lec. leucoscelis Chevr. monachus Lec. chlorophanus Dej. cordicollis Kirby. solitarius Say. nemoralis Say. pensylvanicus Say. pubescens Harris. vicinus Dej. oxygonus Chaud. longicollis Chaud. ?fulgiceps Newm. ?quadricollis Kirby. tricolor Dej. brevilabris Lec. ?impunctifrons Kirby. var. consimilis Lec. nebraskensis Lec. simillimus Chand.

glaucus Lec. sericinitens Chaud. vafer Lec. variabilipes Esch. asperulus M. n. obscurus Lec. a. obsoletus Lec. circumcinetus Say. virens Chaud. harpalinus Esch. impunctifrons Say. emarginatust Kirby. niger Randall. exaratus Ferté. purpuricollis Randall. tomentosus Dej. Epomis tom. Say.

Atranus Lec.

Amara luctuosa Germ.

amplus Lec. 2

pubescens Lec.
Anchomenus pub. Dej.
Anch. obconicus Hald.

Lachnocrepis Lec.

parallelus Lec. Oodes? parall. Say.

Anatrichis Lec.

minuta Lec. Oodes min. Dej.

Oodes Bon.

fluvialis Lec. n. sp. americanus Dej. amaroides Dej. texanus Lec. n. sp. 14-striatus Chaud. picipes Lec. stenocephalus Ferté. Crossocrepis qu. Chaud. lecontei Lec. Stenous lec. Chaud. 0. 14-striatus Lec. cupræus Chaud. leucodactylus Ferté. elegans Lec.

Evolenes Lec.

impressus Lec.

exaratus Lec.
0. exaratus Dej.

BROSCINI.

Miscodera Esch.

insignis Mann. — americana Mann. —

Haplochile Lec.

pygmaea Lec. Morio pygm. Dej.

Psydrus Lec. piceus Lec.

HARPALINI.

Nothopus Lec.

zabroides Lec. Euryderus || zab. Lec. ?Amara grossa Say.

Geopinus Lec.

incrassatus Lec.
Daptus incrassatus Dej.

Cratocara Lec.3

erro Lec.
Melanotus erro Lec.

Cratacanthus Dej.

dubius Lec.

Harpalus dub. Beauv.
Cr. pensylvanicus Dej.

Cratognathus Dej.

setosus Lec.
Piosoma set. Lec.
alternatus Lec. n. sp.
cordatus Lec.

Agonoderus Dej.

lineola Dej.
Carabus lin. Fabr.
Car. furcatus Fabr.
pallipes Dej.
Carabus pall. Fabr.
dorsalis Lec.
rugicollis Lec.

3 Melanotus Dej.

vicinust Mann.

By a typographical error, the names of this and the preceding species have been exchanged on p. 2; of the Proc. Acad. Nat. Sc. Phil. 1856; No. 8 should be erythropus and No. 9 fuscicornis.
 Dinodes rotundicollis Dej. is probably not North American.

infuscatus Dej. suturalis Lec.

Discoderus Lec.

impotens Lec.
Harpalus imp. Lec.
amoenus Lec. n. sp.
parallelus Lec.
Selenophorus par. Hald.
tenebrosus Lec.
Selenophorus ten.
Lec.
americanus.
Pangus am. Motsch.

Anisodactylus Dej.

§ Dichirus Mann. dilatatus Lec.

Harpalus dil. Dej.
hirsutus (Mén.)
brunneus. —
Harpalus br. Dej.
obtusus Lec.
villosus (Motsch.) —
irregularis (Motsch.) —
piceus (Mén.)
parallelus Lec.
pallidus (Motsch.) —

§ TRIPLECTRUS Lec.

merula Dej.
Harpalus mer. Germ.
rusticus Dej.
var. pinguis Lec.
var. crassus Lec.
var. gravidus Lec.
var. tristis Dej.
ellipticus Lec.
carbonarius Lec.
Harpalus carb. Say.
An. luctuosus Dej.
var. An. rufipennis Lec.

§ Anisodactylus Dej.

nigerrimus Lec.
Harpalus nig. Dej.
Harp. laticollis Kirby.
punctulatus Lec. n. sp.
furvus Lec. n. sp.
harrisii Lec. n. sp.
melanopus Lec.
Harpalus mel. Hald.
An. agricolat Lec.

An. agricolat Lec.
var. interpunctatus Lec.
?Harpalus int. Kirby.
nigrita Dej.
agricola Dej.

Harpalus agr. Say.
Harp. paradoxus Hald.
An. striatus Lec.
semipunctatus Lec.

consobrinus Lec. var. brevicollis Lec. var. confusus Lec. californicus Dej. similis Lec. discoideus Dej. baltimorensis Dej. Harpalus balt. Say. ?Carabus st. crucis Fabr. pitychrous Lec. chalceus Lec. viridescens Lec. sublaevis Lec. Ophonus subl. Motsch. alternans Lec. rudis Lec. n. sp. porosus. Ophonus por. Motsch.

§ HAPLOCENTRUS Lec. laetus Dej. amaroides Lec. coenus Dej. Harpalus coenus Say. var. An. subaeneus Lec. obscurus Lec.

§
sericeus Lec.
Harpalus ser. Harris.
Harp. femoratus Dej.
An. femoratus Brulte.
Amphasia fem. Lec.

Xestonotus Lec.

lugubris Lec. Selenophorus lug. Dej.

Spongopus Lec. verticalis Lec.

Amphasia Newm.

interstitialis Lec.
Harpalus int. Say.
Harp. obscuripennis Dej.
Amph. fulvicollis Newm.

Eurytrichus Lec.

maculicornis Lec.
?Harpalus mac. Chaud.
flebilis Lec. n. sp.
piceus Lec.
terminatus Lec.
Feronia term. Say.
Harpalus term. Dej.
Harp. testaceus Hald.
agilis Lec.
Harpalus ag. Dej.
?Harp. similis Say.

nitidipennis Lec.

Agaosoma Mén.

californicum Mén. Stenomorphus cal. Mann.

Stenomorphus Dej. rufipes *Lec*.

Gynandrotarsus Ferté.

harpaloides Ferté. opaculus Lec. n. sp.

Gynandropus Dej.

hylacis Lec.
Harpalus hyl. Say.
Gyn. americanus Dej.
elongatus Lec.

Bradycellus Er.

dichrous Lec. Harpalus dichr. Dej. Harp. iricolor Say. vulpeculus Lec. Harpalus vulp. Say. Harp. nigripennis Dej. besulus Lec. Harp. obesulus Lec. autumnalis Lec. Harpalus aut. Say. Geobaenus aut. Lec. arenarius Lec. Geobaenus ar. Lec. quadricollis Lec. Geobaenus qu. Lec. nigrinus Lec. Harpalus nigr. Dej. tibialis Lec. Trechus tib. Kirby. atrimedius Lec. Feronia atr. Say Trechus similis Kirby.

badiipennis Lec.
Stenolophus bad. Hald.
Geob. ruficrus† Lec.
lugubris Lec.
Geobaenus lug. Lec.
conflagratus Lec.
Acupalpus confl. Mann

axillaris Lec.
Acupalpus ax. Mann.
cognatus Schiödte.
Harpalus cogn. Gyll.
Ac. longiusculus Mann.
var. B. nitens Lec.

Geobaenus cong. Lec. ?Acup. debilipes Say.

nebulogus Lec. Acup. saturalis | Lec. ?indistinctus. Acupalpus ind. Dej. rupestris Lec. Trechus rup. Say. Acup. elongatulus Dej. Trechus flavipes Kirby. symmetricus. -Acupalpus sym. Motsch. nubifer Lec. ventralis Lec. rivalis Lec. linearis Lec. n. sp. ?immunis. -Trechus im. Kirby. ?ruficrus. -Trechus ruf. Kirby. nitidus Mann. Acupalpus nit. Dej. Harpalus Latr.

§ SELENOPHORUS Dej. stigmosus Germ. Selen. impressus Dej. laesus Lec. beauvoisii (Dej.) fossulatus (Dej.) opalinus Lec. Selen. iripennist Lec. gagatinus (Dej. Selen. maurus Hald. var. S. viridescens Lec. iripennis Say. S. varicolor Lec. pedicularius (Dej.) troglodytes (Dej.) aereus (Lec.) var. S. planipennis Lec. fatuus Lec. n. sp. ovalis (Dej.) ellipticus (Dej.) granarius (Dej.)

§ HARPALUS Latr.

caliginosus Say.
Carabus cal. Fabr.
Selenophorus cal. Dej.
testaceus Lec.
Pangus test. Lec.
gravis Lec.
erraticus Say.
Car. pensylvanicus Oliv.
retractus Lec.
impiger || Lec.
amputatus Say.
stephensii Kirby.
var. rotundicollis Kirby.
viridiaeneus Beauv.
viridis Say.
assimilis Dej.

desertus Lec. faunus Say. badius Dej. longior Kirby. . pensylvanicus Lec. Carabus pens. Degeer. C. bicolor Fabr. Harpalus bic. Say. Harp. faunust Dej. compar Lec. bicolorf Dej. pensylvanicust Say. var. longicollis | Lec. erythropus Dej. megacephalus Lec. spadiceus Dej. ?comis Hald. fallax Lec. fulvilabris Mann. ochropus Kirby. curtatus Mann. basilaris Kirby. pleuriticus Kirby. herbivagus Say. Ophonus mutabilis Hald. var. H. proximus Lec. opacipennis Lec. Ophonus opac. Hald. nitidulus Chaud. ventralis Lec. albionicus Mann. somnolentus Dei. fraternus Lec. oblitus Lec. funestus Lec. innocuus Lec. n. sp. cautus Dej. var. advena Lec. ellipsis Lec. varicornis Lec. carbonatus Lec. laticeps Lec. stupidus Lec. rufimanus Lec. dulcicollis Ferté. alternans Motsch. -

depressicollis Motsch. Stenolophus Dej.

carbonarius Brullé. limbalis Lec. indistinctus Motsch. spretus Dej. fuliginosus Dej. versicolor Kirby. var. fuscipennis Lec. plebejus Dej. versicolor var.‡ Kirby. fuscatus Dej.

conjunctus Lec.
Trechus con. Say.
Acupalpus misellus Dej.
var. Ac. rotundicollis Hald.
var. Ac. lugubris Hald.
rotundatus Lec. n. sp.

flavipes Lec.
ochropezus Dej.
Feronia ochr. Say.
var. S. convexicollis Lec.
anceps Lec.
rotundicollis Motsch.
dissimilis Dej.
cincticollis Lec.
unicolor Dej.

ACUPALPUS Dej. humilis (Dej.) partiarius Lec. Trechus part. Say. Ac. pauperculus Dej. Ac. consimilis Dej. testaceus (Dej.) Ac. micros Lec. californicus Lec. neglectus Lec. Geobaenus neg. Lec. tantillus (Dej.) difficilis (Dej.) hydropicus Lec. n. sp. carus Lec. n. sp. longulus (Dej.)

Philodes Lec.

alternans Lec.
Badister testaceus Lec.
Aepus testaceus Lec.
Stenolophus test. || Lec.
tener Lec.
Stenolophus tener Lec.

POGONINI.

Patrobus Dej.

longicornis Say.
Feronia long. Say.
P. americanus Dej.
tenuis Lec.
Pterostichus ten. Lec.
hyperboreus Dej.
fossifrons Dej.
longiventris Mann.
rufipes Lec. n. sp.
fulvus Mann.
angusticollis Mann.
foveicollis Dej.

angicollis Randall. aterrimus Dej. californicus Motsch.

TRECHINI.

Anophthalmus St.

tellkampfil Er. angulatus Lec. n. sp.

Trechus Claivr.

rubens Schiödte.
Carabus rub. Fabr.
T. paludosus Sturm.
micans Lec.
Epaphius mic. Lec.
var. E. fulvus Lec.
californicus Motsch.
chalybeus Mann.
ovipennis Motsch.
laevigatus Lec.

BEMBIDIINI.

Anillus Duval. debilis Lec.

Lymnaeum Steph. laticeps Lec.

Bembidium Latr.

punctatostriatum Say.
stigmaticum Dej.
?stigillare Say.
impressum Gyll.
Carabus imp. Fabr.
paludosum Sturm.
a. lacustre Lec.
inaequale Say.
arenarium Dej.

§ ODONTIUM Lec.
carinatum Lec.
sculpturatum (Motsch.)
coxendix Say.
nitidulum Dej.
an praec. var.?

§ Eudromus Kirby. nitidum (Kirby.) obliquulum Lec. var. aptum Lec. erasum Lec. bifossulatum Lec.
Ochthedromus bif. Lec.
americanum Lej.
dilatatum Lec.
Ochthedromus dil. Lec.
antiquum Dej.

var. 0. basalis Lec. ?B. honestum Say. chalceum Dej.

§
salebratum Lec.
Ochthedromus sal. Lec.
var. O. purpurascens Lec.
longulum Lec.
Ochthedromus long. Lec.
var. O. subaeneus Lec.
quadrulum Lec.
recticolle Lec. n. sp.

8

nigrum Say.

planatum Lec. Ochthedromus pl. Lec. simplex Lec. planiusculum Mann. complanulum Lec. Peryphus comp. Mann. incertum Mann. Notaphus incert. Motsch. tetraglyptum Lec. Peryphus tetr. Mann. kuprianovi Mann. biimpressum Mann. breve Mann. -4-foveolatum Mann. funereum Lec. maeklini Lec. incertum var. † Mann. nebraskense Lec. n. sp.

§ PERYPHUS Meg.

fugax Lec.
Ochthedromus f. Lec.
Och. planipennis Lec.
planum Lec.
Peryphus pl. Hald.
perspicuum Lec.
Ochthedromus per. Lec.
transversale Dej.
var. Och. compar Lec.
mannerheimil Lec.
Ochthedromus mann. Lec.
B. transversale † Mann.
Peryphus erosus Motsch.

lugubre Lec. parallelocolle (Mot.) —

§ PERYPHUS Meg. striola Lec. Ochthedromus str. Lec. bimaculatum (Kirby.) sordidum (Kirby.) — subinflatum (Motsch.)—lucidum Lec.

Ochthedromus luc. Lec. var. 0. substrictus Lec. rupestre Dej. Carabus rup. Fabr.

Carabus rup. Fabr.
B. tetracolum Say.
var. rupicola Kirby.
mixtum Lec.
Per lucidus var. ht M.

Per. lucidus var. b‡ Mann. picipes (Kirby.) concolor (Motsch.) — gelidum Lec. Ochthedromus gel. Lec.

Ochthedromus gel. Lec. postremum Say.
Per. scopulinus Kirby.
aratum Lec.
Ochthedromus ar. Lec.
grapii Gyll.
nitens Lec.

nitens Lec.
Ochthedromus nit. Lec.
Per. picipes‡ Mann.
dyschirinum Lec.

spectabile Lec.
Trechus spect. Mann.
oblongulum Lec.
Trechus obl. Mann.

§ NOTAPHUS Meg, insulatum Lec.
Ochthedromus ins. Lec.
cordatum Lec.
Ochthedromus cord. Lec.
laticolle Lec.
Ochthedromus lat. Lec.
laterimaculatum(Mot.)—undulatum Sturm.
incrematum Lec.
nigripes† Mann.
obtusangulum Lec. n. sp.
approximatum Lec.
N. Genmulicanis Metel.

Ochthedromus app. Lec.
N. flammulipennis Motsch.
var. O. consentaneus Lec.
indistinctum Dej.
fraternum Lec.
viridicolle (Ferté.)
variolosum (Motsch.)

dorsale Say.

umbratum Lec. Ochthedromus umb. Lec. intermedium (Kirby.) nigripes (Kirby.)
?N. quadricollis Mann. obscuromaculatum (Motsch.) tesselatum Lec. Ochthedromus tess. Lec. aeneicolle Lec. Ochthedromus aen. Lec. patruele Dej. vix a seq. differt. variegatum Say. var. N. posticus Hald. rapidum Lec. Ochthedromus rap. Lec. versicolor Lec. Ochthedromus vers. Lec. N. variegatus || Kirby. var. Och. mimus Lec. ?var. Och. timidus Lec. pictum Lec. Ochthedromus pict. Lec. constrictum Lec. Ochthedromus cons. Lec. Bemb. contractumt Dej. contractum Say. ephippiger Lec. Ochthedromus eph. Lec. morlum Lec. n. sp. grandicolle Lec. Ochthedromus gr. Lec. vile Lec.

sexpunctatum Lec.
Ochthedromus sexp. Lec

Ochthedromus vilis Lec.

sulcatum Lec.
Ochthedromus sulc. Lec.
var. O. trepidus Lec.
fortistriatum Mann. —
Omals fort. Motsch.
an a praec. diff.?

§ LEIA Meg.

affine Say, fallax Dej, decipiens Dej, decipiens Dej, dubitans Lec.
Ochthedromus d. Lec. crurale Lec.
Ochthedromus cr. Lec. angulifer Lec.
Ochthedromus ang. Lec.
'Omala polita Motsch.
Connivens Lec.
Ochthedromus conn. Lec.

cautum Lec.
Ochthedromus c. Lec.
frontale Lec.
Ochthedromus f. Lec.
mundum Lec.
Ochthedromus m. Lec.
Lopha bifasciata Motsch.

§ Lopha Meg.

axillare Lec.
Ochthedromus ax. Lec.
quadrimaculatum Gyll.
Cicindela qu. Linn.
Bemb. oppositum Say.
pedicellatum Lec.
§

semistriatum Lec. Leia semis. Hald.

laevigatum Say.

§
trechiforme Lec.
Ochthedromus tr. Lec.
iridescens Lec.
Ochthedromus ir. Lec.

Tachys Ziegler.

vittiger Lec. var. marginellus Lec. mordax Lec. proximus Lec. Bembidium pr. Say. virgo Lec. scitulus Lec. vorax Lec. pumilus (Dej.) sequax Lec. corruscus Lec. corax Lec. edax Lec. albipes Lec. n. sp. ventricosus Lec. n. sp. laevus Lec. Bembidium laev. Say B. (T.) troglodytes Dej. misellus Ferté. aenescens Lec. Blemus aen. Lec.

§ TACHYTA Kirby.

nanus Schaum.
Bembidium n. Gyll.
B. inornatum Say.
Tachyta picipes Kirby.
rivularis Mann.
flavicauda Lec.
Bembidium flav. Say.
nigriceps (Dej.)—

Bembidium tr. Say.
vivax Lec.
var. mendax Lec.
capax Lec. n. sp.
xanthopus (Dej.)
anthrax Lec.
ferrugineus (Dej.)
truncorum Hald.
obesulus Lec.
incurvus Lec.
Bembidium inc. Say.
B. (T.) granarium Dej.
var. T. anceps. Lec.
pulchellus Ferté.
dolosus Lec.
audax Lec.

rapax Lec.

occultus Lec.

tripunctatus Lec.

Pericompsus Lec.

sellatus Lec.
ephippiatus Lec.
Bembidium eph. Say.
laetulus Lec.

AMPHIZOIDAE.

Amphizoa Lec.

DYTISCIDAE.

HALIPLIDAE.

Haliplus Latr.

fasciatus Aubé.
triopsis Say.
pantherinus Aubé. —
punctatus Aubé.
borealis Lec.
concolor Lec.
nitens Lec.
cribrarius Lec.
immaculicollis Harris.
americanus Aubé.
?impressus Kirby.
longulus Lec.

Cnemidotus III.

callosus Lec. simplex Lec. 12-punctatus Aubé. Halipus duod. Say. muticus Lec. n. sp. edentulus Lec. n. sp. interruptus Say.

griseostriatus Steph.

Dytiscus gr. De Geer. humeralis Mann.

-parallelus Say.

signatus Mann.

modestus Aubé.

ruficeps Aubé.

DYTISCIDAE (genuini). catascopium Say.

HYDROPORINI.

Hydroporus Clairv.

hydropicus Lec. punctatus Aube. Laccophilus punct. Say. Hyphidrus punct. Harris.

ouspidatus Germ.
Hygrotus pustulatus Mels.
latissimus Lec.
acaroides Lec.
contractulus Mann.—

var. granum Lec. farctus Lec. exiguus Aubé. —

an rite Am. bor.? obscurellus Lec. affinis Say.

nanus Aubé.
erythrostomus Mann.
macularis Lec.
pullus Lec.
lacustris Say.
pulicarius Aubé.
cinctellus Lec.
amandus Lec.
subtilis Lec.
inconspicus Lec.
granarius Aubé.
flavicollis Lec.

duodecimlineatus Lec. ?laevis Kirby.
alpinus Payk. (f. White).
scitulus Lec.
striatellus Lec.
eximius Motsch.
pulcher Motsch.
rotundatus Lec. n. sp.
venustus Lec.
striatopunctatus Mels.
consimilis Lec.

undulatus Say.
fasciatus Harris.
7 pubipennis Aubé.
9 velutinus Aubé.
oppositus Say.

oppositus Say.
?proximus Aubé.
punctatissimus Aubé.
spurius Lec.
mixtus Lec.
sericeus Lec.
semirufus Lec.
lineolatus Lec.
vittatus Lec.
vittosus Lec.

oblongus Aubé.

axillaris Lec. humeralis|| Lec. fortis Lec. notabilis Lec. niger Say. subpubescens Lec. 9 hirtellus Lec. truncatus Mann. tartaricus Lec. americanus Aubé. dichrous Mels. ?discicollis Say. puberulus | Mann. caliginosus Lec. subtonsus Lec. rufinasus Mann. varians Lec. ruficapillus Mann. puberulus Lec. nigellus Mann. planatus Mann. tenebrosus Lec. lutulentus Lec. luridipennis | Lec. an praec. var.? vilis Lec. oblitus Aubé. luridipennis Mels. Q limbalis Mels. collaris Lec.

concinnus Lec.
concinnus Lec.
pulcher Lec.
conoideus Lec.
difformis Lec.
similis Kirby.
picatus Kirby.
dispar Lec.
decemlineatus Mann.
quadrilineatus Mann.
turbidus Lec.
suturalis Lec.

ovoideus Lec.

medialis *Lec*.
?Hyg. impressifrons *Motsch*.
fraternus *Lec*.
patruelis *Lec*.

nigrolineatus Steph. lutescens Lec. nubilus Lec. discoideus Lec. aulicus Aubé. hybridus Lec. mellitus Lec.

Celina Aubé.

grossula Lec. n. sp. angustata Aubé.

NOTERINI.

Colpius Lec.

inflatus Lec. n. sp.

Suphis Aubé.

bicolor Lec.
Noterus bicolor Say.
8. gibbulus Aubé.

Hydrocanthus Say.

iricolor Say. atripennis Say. nanulus Lec. n. sp.

COLYMBETINI.

Laccophilus Leach.

maculosus Say.
Dytiscus mac. Germ.
truncatus Mann.
californicus Motsch.
fasciatus Aubé.
var. rufus Mels.
?biguttatus Kirby.
proximus Say.
americanus Aubé.
undatus Aubé.
gentilis Lec. n. sp.

Coptotomus Say.

difficilis Lec.
Interrogatus Aubé.
Dytiscus int. Fabr.
Colymbetes venustus Say.
?Copt. serripalpis Say.
longulus Lec.

Matus Aubé.

bicarinatus Aubé. Colymbetes bicar. Say.

Copelatus Er.

glyphicus Lec.
Colymbetes glyph. Say.
Cop. decemstriatus Aubé.

punctulatus Aubé. chevrolatii Aubé.

Anisomera Aubé. cordata Lec.

Agabus Leach (em. Er.)

subopacus Mann. parallelus Lec. hypomelas Mann. seriatus Lec. Colymbetes seriatus Say. Ag. striatus Aubé. Ag. arctus Mels. obsoletus Lec. aeruginosus Aubé. punctatus Mels. punctulatus Aubé. laevidorsus Lec. discolor Lec. Colymbetes disc. Harris. -morulus Lec. glabrellus. -Colymbetes gl. Motsch. taeniolatus Lec. Colymbetes taen. Harris. Ag. taeniatus Aubé. lineellus Lec.

semipunctatus Lec. Colymbetes sem. Kirby. confertus Lec. semivittatus Lec.

var. spilotus Lec. stagninus Lec. Colymbetes st. Say. Ag. striola Aubé. gagates Aubé.

nitidus Lec. Colymbetes nit. Say. obtusatus Lec. Colymbetes obt. Say.

regularis Lec. Ilybius reg. Lec. lugens Lec. brevicollis Lec. brachynotus Lec. strigulosus Lec. tristis Aubé. var. dubius Mann.

scapularis Mann. var. anthracinus Mann. morosus Lec.

fimbriatus Lec. reticulatus | Aube. intersectus Lec. griseipennis Lec. bifarius Lec.

Colymbetes bif. Kirby. inscriptus Lec.

acuductus Lec. Colymbetes ac. Harris. Ag. rugulosus Aubé. discors Lec. erythropterus Aubé. Colymbetes er. Say. ovoideus Lec. atratus Mann. ambiguus Lec.

Colymbetes amb. Say. Ag. infuscatus Aubi. lutosus Lec. obliteratus Lec.

?Colym. phaeopterus Kirby. Ag. discolor | Lec. subfasciatus Lec. clavatus Lec. bicolor. -Colymbetes bic. Kirby.

irregularis Mann. sobrinus. -Colymbetes sobr. Motsch.

fossiger. -Colymbetes foss. Motsch.

Colymbetes Clairv.

§ ILYBIUS Er. ungularis Lec. biguttulus Lec. Dytiscus big. Germ. Col. fenestralis Say. Ilybius fen. Aub's. var. Il. pleuriticus Lec. quadrimaculatus (Aubé.) fraterculus Lec. laramaeus (Lec.) picipes Kirby. ignarus Lec. sinuatus Lec. ?oblongus. -Ilyobius obl. Motsch. an Ag. breyicollis Lec.?

§ MELADEMA Lap. angustus Lec. Agabus ang. Lec.

§ CYMATOPTERUS Esch. obscuratus (Mann.) seminiger Lec. longulus Lec. strigosus Lec. exaratus Lec. sculptilis Harris. triseriatus Kirby. densus Lec. dolabratus Payk. groenlandicus Aubé. drewsenii Lec.

binotatus Harris. maculicollis Aubi. divisus Aube. consimilis. -Rhantus cons. Motsch. agilis Aube. Dytiscus agilis Fabr. calidus Aubi. Dytiscus cal. Fabr. Col. taeniolis Say. Hydat. meridionalis Mels.

DYTISCINI.

Hydaticus Leach.

bimarginatus Lec. Dytiscus bim. Say. Hyd. fulvicollis Aub?. cinctipennis Aubé. piceus Lec. n. sp.

§ GRAPHODERUS Esch. fascicollis Harris. Hyd. zonatus var. Aubi. liberus Lec. Dytiscus lib. Say. D. (H.) thoracicus Harris. Colymb. rugicollis Kirby.

§ THERMONECTES Esch. ornaticollis Lec. Acilius orn. Aubé. Therm. irroratus Mels. latecinctus Lec. Acilius lat. Lec. basillaris Lec. Dytiscus bas. Harris. Acilius incisus Aub Therm. nimbatus Mels. marmoratus Aub . Colymbetes marm. Hope. Hyd. flavomaculatus Chevr. Acilius maculatus | Lec.

Acilius Leach.

mediatus Aubė. Dytiscus med. Say. Col. maccullochii Kirby, simplex Lec. latiusculus Lec. abbreviatus Mann. fraternus Lec. Dytiscus frat. Harris. Ao. semisulcatus Aubi.

Eunectes Er.

sticticus Er. Dytiscus stict. Linn. Dyt. griseus Fabr.

Dytiscus Linn.

confluens Say. ooligbukii Kirby var. franklinii Kirby. z. ventralis Motsch. fuscostriatus Motsch. anxius Mann. parvulus Mann. marginicollis Lec. var. albionicus Motsch. cordieri Aubé. sublimbatus Lec. fasciventris Say. carolinus Aubi. harrisii Kirby. verticalis Say. hybridus Aubé. compar Mels.

Cybister Curtis.

fimbriolatus Mels.
Dytiscus fimb. Say.
Cyb. dissimilis Aubé.
ellipticus Lec.
explanatus Lec.

GYRINIDAE.

Gyrinus Linn.

sayi Aubé. aubei Lec. analist Aub'. borealis Aubé. impressicollis Kirby. opacus Sahlberg. picipes Aubé. affinis Aubé. plicifer Lec. consobrinus Lec. fuscipes Motsch. marginiventris Motsch. limbatus Say. conformis Aubé. lateralis Aubi. ventralis Kirby. analis Say. dichrous Mels. minutus Linn.

Dineutus McLeay.

sublineatus Aubé.

Q integer Lec.

vittatus Aubs.
Gyrinus vitt. Germ.
emarginatus White.
Gyrinus em. Say.
D. americanus Aubs.
opacus Mels.
americanus White.
Gyrinus am. Linn.
D. assimilis Aubs.
Cyclinus assimilis Kirby.
discolor Aubs.
labratus Mels.

Gyretes Brullé. sinuatus Lec. compressus Lec. n. sp.

HYDROPHILIDAE.

HELOPHORINI.

Helophorus Fabr.

oblongus Lec. lacustris Lec. obscurus Lec. nitidulus Lec. linearis Lec. alternatus Lec. ventralis Motsch. an seq. gens? lineatus Say. obsoletesulcatus Mot .granularis Motsch. angustulus Mann. inquinatus Mann. var. consimilis Mann. an a seq. diff.? auricollis Esch. -

Hydrochus Germ.

scabratus Muls.
gibbosus Mels.
callosus Lec.
squamifer Lec.
rugosus Muls.
grandis Motsch.
inaequalis Lec.
excavatus Lec.
rufipes Mels.
foveatus Hald.
variolatus Lec.
vagus Lec.
simplex Lec.

scaber Lec.

Ochthebius Leach.

puncticollis Lec.
interruptus Lec.
lineatus Lec.
cribricollis Lec.
nitidus Lec.
fossatus Lec.
holmbergi Mäklin.

Hydraena Kug. pensylvanica Kies. punctata Lec. marginicollis Kies.

HYDROPHILINI.

Hydrophilus Geoffr.

ovalis Ziegl.
triangularis Say.²
tristis Motsch.
Stethoxus subsulcatus Lec

& TROPISTERNUS Sol.

lateralis Herbst.
?lateralis Fabr.
nimbatus Say.
limbalis Lec.
Trop. marginatus Motsch.
var. T. humeralis Motsch.
californicus Lec.
sublaevis Lec.
glaber Herbst.
mixtus Lec.
ellipticus Lec.
Trop. affinis Motsch.
striolatus Lec.

Hydrocharis Latr.

glaucus Lec.substriatus Lec.obtusatus Lec.Hydrophilus ob. Say.castus Lec.Hydrophilus cast. Say.

HYDROBIINI.

Berosus Leach.

punctatissimus Lec. maculosus Mann. tesselatus Motsch. miles Lec. pugnax Lec. n. sp. aculeatus Lec. subsignatus Lec.

The European G. aeneus is, according to Kirby, found in North America.
 H. lugubris Motsch. is an Arabian, and not a Californian, species: vide Bull. Mosc. 1860.

pantherinus Lec.
peregrinus Lec.
Hydrophilus per. Herbst.
Ber. auritus Mels.
fraternus Lec.
striatus Say.
infuscatus Lec.
californicus Motsch.
punctulatus Lec.
exilis Lec.
exiguus Lec.
Hydrophilus ex. Say.
Ber. pallescens Lec.

§ Volvulus Brullé. altus Lec.

Laccobius Er.

agilis Randall.
punctulatus Mels.
ellipticus Lec.

Sperchopsis Lec.

tesselatus Lec. Spercheust tess. Zeigler.

Cyllidium Er.

atrum Lec. n. sp. nigrellum Lec. pallidum Lec. nigriceps Lec.

Philhydrus Sol.

§ HELOCHARES Muls. rotundatus Lec.
Hydrophilus rot. Say. fimbriatus Mels. fuscus Motsch.
lacustris Lec. simplex Lec. n. sp. imbellis Lec.
maculicollis (Muls.)

§ PHILHYDRUS Muls.

nebulosus Lec.
Hydrophilus neb. Say.
pectoralis Lec.
maculifrons Motsch.
cristatus Lec.
?obtusiusculus Motsch.
carinatus Lec.
diffusus Lec.
latiusculus Motsch.
perplexus Lec.

ochraceus Mels.
cinctus Lec.
Hydrophilus einet. Say.
Ph. limbalis Mels.
blifidus Lec.
normatus Lec.

Hydrobius Leach.

tumidus Lec.
globosus Lec.
Hydrophilus gl. Say.
insculptus Lec.
regularis Lec.
seriatus Lec.
fuscipes Curtis.
Dytiscus fusc. Linn.
dorsalis Motsch.—
digestus Lec.
infuscatus (Motsch.)—
subcupreus Lec.
Hydrophilus subc. Say.
Cyclonotum subc. Lec.

despectus Lec. n. sp.
SPHAERIDIINI.

Cyclonotum Er.

cacti Lec.
estriatum Er.
Hydrophilus est. Say.
Cyc. globulosum Muls.

Cercyon Leach.

pubescens Lec.

fimbriatum Mann. flavipes Er. nigricolle Lec. Sphaeridium nig. Say. lunigerum Mann. limbatum Mann. fulvipenne Mann. centrimaculatum Er. Cerc. mundum Mels. praetextatum Say. adumbratum Mann. ocellatum Mels, Sphaeridium oc. Say. anale Er. maculatum Mels. apicale Mels. Sphaeridium ap. Say. posticatum Mann. nanum Mels. minusculum Mels.

§ Pelosoma Muls. capillatum Lec.

Megasternum Muls. costatum Lec.

Cryptopleurum Muls.

vagans Lec.

SILPHIDAE.

SILPHIDAE (genuini).

SILPHINI.

Necrophorus Fabr.

mediatus Fabr. marginatus Fabr.

melsheimeri Kirby.

guttula Motsch. americanus Oliv. grandis Fabr. pustulatus Herschel. bicolon Newm. nigrita Mann. pollinctor Lec. mortuorum Fabr. pygmaeus Kirby. crispetus Motsch. orbicollis Say. hallii Kirby. var. tibialis Lec. lunatus Lec. confossor Lec. tardus Mann. maritimus Mann. var. infodiens Mann. var. pollinctor | Mann. var.? labiatus Motsch. defodiens Mann. velutinus Fabr. tomentosus Weber. obscurus Kirby. hebes Kirby. -

Silpha Linn.

§ Necrodes Wilkin.
surinamensis Fabr.

¹ Sphaeridium pallidum, laeve, and unistriatum Beauv. cannot be identified by the figures and descriptions: the first two, according to Chevrolat, are Camptodes. If this determination be correct, they are not found within our territories.

§ Тнакаторнииз Leach.
lapponica Herbst.
caudata Say.
tuberculata Germ.
granigera Chevr.
truncata Say.
marginalis Fabr.
noveboracensis Forster.
inaequalis Fabr.
trituberculata Lec.
Оісеорtоma (Т.) trit. Kirby.
Silpha sagax Mann.

§ NECROPHILA Kirby.

peltata Lec.
Scarabaeus pelt. Catesby.
Silpha americana Linn.
var. O. terminatum Kirby.
var. O. affine Kirby.
var. O. canadense Kirby.

ramosa Say.
a. cervaria Mann.
bituberosa Lec.

Necrophilus Latr. hydrophiloides Mann. ater Motsch. latus Mann. longulus Lec. tenuicornis Lec.

Pteroloma Dej.

forstroemii Dej.
§ Lyrosoma Mann.

opaca (Mann.)

Adelops Tellkampf. hirtus Tellk.

Catoptrichus Murray.

frankenhaeuseri Mur. Catops fr. Mann.

Catops Fabr.

opacus Say.
luridipennis Mann.
simplex Say.
brunnipennis Mann.
spencianus Murray.
Choleva spenc. Kirby.
Cat. cadaverinus Man

Cat. cadaverinus Mann. clavicornis Lec. californicus Lec. consobrinus Lec.

lecontei Murray.
strigosus|| Lec.
terminans Lec.
oblitus Lec.
brachyderus Lec. n. sp.
parasitus Lec.
cryptophagoides Mann.
basillaris Say.
an C. spencianus?

Colon Herbst.

dentatus Lec. inermis Maekl. magnicollis Maekl. clavatus Maekl. —

SPHAERITINI.

Sphaerites Duftsch.
glabratus Mann.

ANISOTOMINI.

Hydnobius Schmidt.

punctostriatus Mann. —

Leiodes punct. Kirby.

substriatus Lec. n. sp.

Anisotoma III.

alternata Lec.
Leiodes alt. Mels.
assimilis Lec.
indistincta Lec.
collaris Lec.
strigata Lec.
obsoleta Lec.
Pallodes obs. Mels.
lateritia Mann.—
laeta Mann.—
curvata Mann.—
?pallida.—
Agathidium pall. Say.

Cyrtusa Er. egena Lec.

Colenis Er.

impunctata Lec. ?laevis Lec.

Liodes Latr.
globosa Lec.
Cyrtusa gl. Lec.
polita Lec.
discolor Mels.
basalis Lec.

dichroa Lec.

Amphicyllis Er. picipennis Lec. n. sp.

Agathidium III.

oniscoides Beauv.
piceum Mels.
exiguum Mels.
ruficorne Lec.
revolvens Lec.
angulare Mann.
concinnum Mann.
pulchrum Lec.
effluens Mann.
difforme Lec.
rotundulum Mann.
mandibulatum Mann.

CLAMBINI.

Empelus Lec.

brunnipennis Lec. Litochrus‡ brunn. Mann.

Calyptomerus Redt.
oblongulus Lec.
Clambus oblong. Mann.

Clambus Fischer. puberulus Lec. n. sp. gibbulus Lec.

Sternuchus gibb. Lec.

BRATHINIDAE.

Brathinus Lec.
nitidus Lec.
varicornis Lec.

SCYDMAENIDAE.

Microstemma Motsc. grossa Lec. n. sp. motschulskii Lec. n. sp.

Eumicrus Lap.

zimmermanni Lec. Scydmaenus zim. Schaum.

Scydmaenus Latr.

subpunctatus Lec. mariae Lec. cribrarius Lec. perforatus Schaum. sparsus Lec.

angustus Lec. cautus Lec. magister Lec. schaumii | Lec. flavitarsis Lec. fossiger Lec. capillosulus Lec. basalis Lec. hirtellus Lec. analis Lec. brevicornis Say. rasus Lec. obscurellus Lec. clavatus Lec. pyramidalis Lec. n. sp. clavipes Say. consobrinus Lec. bicolor Lec. salinator Lec. fatuus Lec. misellus Lec. gravidus Lec. fulvus Lec. gracilis Lec. biformis Maeklin. californicus Motsch. -

Eutheia Stephens. scitula Maeklin. -

Cephennium Müller. corporosum Lec.

PSELAPHIDAE.

CLAVIGERIDAE.

Adranes Lec.

PSELAPHIDAE(genuini).

PSELAPHINI.

Ceophyllus Lec. monilis Lec.

Cedius Lec.

coecus Lec.

ziegleri Lec. spinosus Lec.

Tmesiphorus Lec.

carinatus Lec. Ctenistes car. Say. costalis Lec.

Ctenistes Reichenb.

piceus Lec. pulvereus Lec. zimmermanni Lec. consobrinus Lec.

Tyrus Aubé.

humeralis Lec. Hamotus hum. Aubé. Tyrus compar Lec.

Circocerus Motsch. batrisoides Lec. n. sp.

Pselaphus Herbst.

longiclavus Lec. erichsonii Lec.

Tychus Leach.

puberulus Lec. tenellus Lec. longipalpus Lec. minor Lec.

Bryaxis Leach.

conjuncta Lec. dentata Lec. Pselaphus dent. Say. abdominalis Aubé. dentatat Aubé. haematica Leach. an rite Am. bor.? luniger Lec. albionica Motsch. puncticollis Lec. compar Lec. subtilis Lec. foveata Lec. rubicunda Lec. propinqua Lec. tomentosa Lec.

abnormis Lec. velutina Lec. longula Lec. formiceti Lec.

Eupsenius Lec.

glaber Lec. rufus Lec. n. sp.

Batrisus Aubé.

ionae Lec. armiger Lec. monstrosus Lec. ferox Lec. cristatus Lec. confinis Lec. frontalis Lec. schaumii Aubé. punctatus Lec. riparius Aubé. Pselaphus rip. Say. scabriceps Lec. nigricans Lec. striatus Lec. globosus Lec. spretus Lec. albionicus Aubé. aculeatus Lec. n. sp. bistriatus Lec.

lineaticollis Aubé. § ARTHMIUS Lec. globicollis (Lec.)

EUPLECTINI.

Rhexius Lec.

insculptus Lec.

Trimium Aubé. clavicorne Maeklin. globifer Lec. Euplectus gl. Lec. dubium Lec. Euplectus dub. Lec. parvulum Lec. Euplectus parv. Lec.

americanum Lec. n. sp. Euplectus Leach.

linearis Lec. confluens Lec. interruptus Lec. difficilis Lec. cavifrons Lec. n. sp. pumilus Lec. arcuatus Lec. ruficeps Lec. n. sp. canaliculatus Lec.

Faronus Aubé.

tolulae Lec. isabellae Lec. parviceps Lec. Euplectus parv. Maeklin.

STAPHYLINIDAE.

STAPHYLINIDAE (genuini).

ALEOCHARINI.

Falagria Mann.

dissecta Er. venustula Er. bilobata. — Aleochara bilo. Say.

Phytosus Curtis.
opacus Lee, n. sp.

Hoplandria Kraatz.

pulchra Kraatz. ochracea Kraatz.

Homalota Mann.

plana Er. Aleochara pl. Gyll. trimaculata Er. aemula Er. dichroa Er. Aleochara dichr. Grav. vestigialis Er. festinans Er. luteola Er. flaveola Mels. silacea Er. recondita Er. ambigua Er. polita Mels. modesta Mels. analis Grav. lividipennis Er. Oxypoda liv. Mann. pedicularis Lec. Oligota ped. Mels. lateralis Lec. Gyrophaena lat. Mels. granularis Mann. maritima Mann. picipennis Mann. laevicollis Mäkl. cursor Mäkl. nitens Mäkl. moesta Mäkl. pratensis Mäkl. geniculata Mäkl. planaris Mäkl. breviuscula Mäkl. comparabilis Mäkl. littoralis Mäkl.

vasta Mäkl. -

fucicola Mäkl.
Tachyusa fuc. M::kl.
?indenta (Say).
?propera (Say).
Aleochara prop. (Say).
?falsifica (Say).
?simplicicollis (Say).
?minima (Say).
?quadripunctata (Say).
?pallitarsis (Kirby).

Stenusa Kraatz.

alternans Kraatz.
Silusa alt. Sachse.
gracilis Kraatz.
Silusa grac. Sachse.

Placusa Er. despecta Er.

Tachyusa Er.

pygmaea Kraatz. — Myrmedonia pyg. Sachse. cavicollis Lec. n. sp. nigrella Lec. n. sp. baltifera Lec. n. sp. gracillima Lec. n. sp.

Bolitochara Mann. notata Mäkl. —

Philotermes Kraatz.

pilosus Kraatz. —
pensylvanicus Kraatz.
fuchsii Kraatz.

Myrmedonia Er. angularis Mäkl. —

Atemeles Steph. cava Lec. n. sp.

Aleochara Grav.

valida Lec.
fuscipes Grav.
Staphylinus fusc. Fabr.
Al. lustrica Say.
bimaculata Grav.
castaneipennis Mann.
sulcicollis Mann.
cognata Mükl.
nitida Grav.
verna Say.
languida Sachse.—

Oxypoda Mann. sagulata Er. irrasa Mäkl. minuta Sachse.

Phloeopora Er. latens Er.

Gyrophaena Mann.

vinula Er.

Aleoch, fasciata || Say.
dissimilis Er.
flavicornis Mels.
geniculata $M\ddot{u}kl$.
corruscula Er.
socia Er.

Myllaena Er. fuscipennis *Kraatz*.

Dinopsis Matthews. americanus Kraatz. myllaenoides Kraatz.

TACHYPORINI.

Hypocyptus Mann.

ziegleri Lec. n. sp. testaceus Lec. n. sp. ?depressus Lec. n. sp.

Leucoparyphus Kraatz.

silphoides Kraatz.
Staphylinus silph. Linn.
Tachinus silph. Gyll.
T. geminatus Randall.
Cilea silph. Duvul.
discoideus Lec.
Tachinus disc. Mels.

Coproporus Kraatz.

grossulus Lec. n. sp.
punctipennis Lec. n. sp.
ventriculus Kraatz.
Tachinus ventr. Er.
var. T. punctulatus Mels.
laevis Lec. n. sp.

Tachinus Grav.

luridus Er.
colonus Sachse. —
an fumipennis?
rufus Sachse. —

memnonius Grav.
batychrous Grav.
fumipennis Er.
Tachyporus fum. Say.
T. axillaris Er.
maculicollis Mackl.
propinquus Mann.
nigricornis Mann.
instabilis Mackl.
frigidus Er.
picipes Er.
fimbriatus Grav.
circumcinctus Mackl.
limbatus Mels.
apterus Mackl.—

Tachyporus Grav.

acaudus Say.
jocosus Say.
arduus Er.
brunneus Er.
Oxyporus br. Fabr.
T. faber Say.
nanus Er.
acuductus Kirby.—
affinis Kirby.—

Conosoma Kraatz.

crassum Lec.
Tachyporus er. Grav.
Conurus er. Er.
basale Lec.
Conurus bas. Er.
C. pulicarius Sachse
opicum Lec.
Tachyporus op. Say.
Conurus cinetulus Er.

Boletobius Leach.

niger Er. Tachinus niger Grav. axillaris Er. Tachinus ax. Grav. poecilus Mann. biseriatus Mann. pygmaeus Mann. Oxyporus pyg. Fabr. Tach. trimaculatus | Say. B. venustus Mels. var. B. binotatus Mels cincticollis Er. Tachinus cinct. Say. dimidiatus Er. obsoletus Er. Tachinus obs. Say. sellatus Sachse. cinctus Er. Tachinus cinct. Grav. T. atricapillus Say.

angularis Sachse. gentilis Lec. n. sp. rostratus Lec. n. sp. longiceps Lec. n. sp.

Bryoporus Kraatz.

flavipes Lec. n. sp. rubidus Lec. n. sp. rufescens Lec. n. sp. testaceus Lec. n. sp.

Mycetoporus Mann. lepidus Mann.

Tachinus lep. Grav.
T. humidus Sny.
americanus Er.
insignis Maekl.—
nigrans Maekl.—
flavicollis Lec. n. sp.
lucidulus Lec. n. sp.
consors Lec. n. sp.

STAPHYLININI.

Acylophorus Nordm flavicollis Sachse. pronus Er. gilensis Lec. n. sp. pratensis Lec. n. sp.

Euryporus Er. puncticollis Er.

Heterothops Steph.

fusculus Lec. n. sp. fumigatus Lec. n. sp. californicus Lec. n. sp. pusio Lec. n. sp.

Quedius Stephens.

explanatus Lec.
fulgidus Er.
Staphylinus fulg. Fabr.
S. iracundus Soy.
S. groenlandicus Zett.
var. Q. erythrogaster Man.
laevigatus Er.
Staphylinus laev. Gyll.
plagtatus Mann.
longipennis Mann.
marginalis Maekl.
melanocephalus Man.—
brunneus Mann.—
hyperboreus Er.—
transparens Motsch.—

bardus Mels.—
capucinus Er.
Staphylinus cap. Grav.
S. inversus Say.
Philonthus ater Ziegler.
pediculus Er.
Philonthus ped. Nordm.
terminatus Mels.—
molochinus Er.
Staphylinus nol. Grav.
S. laticollis Grav.
aenescens Mackl.
sublimbatus Motsch.

Thinopinus Lec.

pictus Lec. variegatus Lec. Trichocanthus va. Motsch.

Creophilus Stephens.

villosus Kirby.
Staphylinus vill. Grav.
bicinctus Lec.
Staphylinus bic. Mann.

Acylophorus Nordm. Leistotrophus Perty.

cingulatus Kroatz.
Staphylinus eing. Grav.
S. chrysurus Kirby.
S. speciosus Mann.

Hadrotes Mén.

crassus Min.
Staphylinus er. Mann.
extensus Lec.

Trigonophorus Nordm.

subcoeruleus Lec. n. sp.

Staphylinus Linn.

maculosus Grav.
erythropennis Mann.
mysticus Er.—
comes Lec. n. sp.
exulans Er.
vulpinus Nordm.
?inmaculatus Mann.
fossator Grav.
submetallicus Lec.
tomentosus Grav.
carbonatus Lec. n. sp.
badipes Lec. n. sp.
cinnamopterus Grav.
saphyrinus Lec.

luteipes Lec.

praelongus Mann. — violaceus Grav. cicatricosus Lec. n. sp. varipes Sachse. femoratus Grav. — ornaticauda Lec. n. sp. pleuralis Lec. tarsalis Mann. —

Ocypus Kirby.

ater Er. Staphylinus ater Grav.

Belonuchus Nordm.

ephippiatus Er.
Staphylinus eph. Say.
formosus Lec. (nec Er.)
Staphylinus form. Grav.
B. pallipes Mels.

Philonthus Curtis.

cyanipennis Er. Staphylinus ey. Fabr. S. coeruleipennis Mann. aeneus Nordm. Staphylinus aen. Rossi. & Phil. politus Kirby. O Ph. mandibularis Kirby. Ph. harrisii Mels. californicus Mann. umbratilis Er. Staphylinus umb. Grav. cautus Er. hepaticus Er. nanus Mels. inquietus Er. blandus Er. Staphylinus bl. Grav. St. laetulus Say. var. Phil. pulchellus Mels. Phil. paederinus Sachse. niger Mels. ventralis Nordm. Staphylinus ventr. Grav. St. immundus Grav. brevis Mels. Staph. dimidiatus | Say. umbrinus Er. Staphylinus umb. Grav. St. moestus Grav. niger Mels. promtus Er. debilis Er. Staphylinus deb. Grav. cinctutus Mels. palliatus Er. Staphylinus pall. Grav. flavolimbatus Er. ruficornis Mels.

thoracicus Er. Staphylinus thor. Grav. lomatus Er. micans Nordm. Staphylinus mic. Grav. fulvipes Nordm. Staphylinus fulv. Fabr. Phil. fusiformis Mels. brunneus Er. Staphylinus br. Grav. St. sericans Grav. Phil. picatus Kirby. siegwaldii Mann. georgianus Sachse. aterrimus Er. Staphylinus at. Grav. albionicus Mann. picipennis Mäklin. canescens Mann. confertus Lec. n. sp. lepidulus Lec. n. sp. baltimorensis Nordm. Staphylinus balt. Grav.

apicalis Er. Staphylinus ap. Say. Phil. haematurus Er. sobrinus Er. terminalis Lec. n. sp. paederoides Lec. n. sp. gratus Lec. n. sp. umbripennis Lec. n. sp. femoralis Mäklin. lithocharinus Lec. n. sp. dubius Lec. n. sp. opacus Lec. n. sp. carinatus Lec. n. sp. bistriatus Er. sulcicollis Lec. n. sp. varicolor Boh. -

Xantholinus Serv.

fulgidus Er.
Staphylinus fulg. Fabr.
cephalus Say.
Gyrohypnus cons. Nordm.
Gyro. flavipennis Nordm.
X. consentaneus Er.
Gyro. assimilis Kirby.
X. palliatus Mels.
X. kiesenwetteri Sachse.
emmesus Say.
Staphylinus em. Grav.
X. sanguinolentus Mels.
obsidianus Mels.
hamatus Say.
obscurus Er.

Leptacinus Er. flavipes Lec. n. sp.

pusillus Sachse.

Leptolinus Kraatz.

parous Lec. n. sp.
grandiceps Lec. n. sp.
longicollis Lec. n. sp.
ruficollis Lec. n. sp.
nigripennis Lec. n. sp.

Othius Stephens. californicus Mann. —

Baptolinus Kraatz.

melanocephalus Kraatz. Othius mel. Nordm.

Diochus Er. schaumii Kraatz.

PAEDERINI.

Lathrobium Grav.

grande Lec. n. sp. punctulatum Lec. n. sp. angulare Lec. n. sp. jacobinum Lec. n. sp. puncticolle Kirby. pedale Lec. n. sp. simile Lec. n. sp. concolor Lec. n. sp. brevipenne Lec. n. sp. armatum Say. nigrum Lec. n. sp. californicum Lec. n. sp. tenue Lec. n. sp. seriatum Lec. n. sp. longiusculum Grav. var. politum Grav.

var. castaneum Grav. collare Er. dimidiatum Say.

Cryptobium Mann.

badium Er.
Lathrobium bad. Grav.
pimerianum Lec. n. sp.
bicolor Er.

Lathrobium bie. Grav. melanocephalum Er. carolinum Er. — sellatum Lec. n. sp. despectum Lec. n. sp. pallipes Nordm.

Lathrobium pall. Grav.
Lathr gravenhorstii Kirby.
latebricola Nordm.
?Lathr. cinctum Say.

pusillum Lec. n. sp. cribratum Lec. n. sp. serpentinum Lec. n. sp.

Stilicus Latr.

tristis Mels.
rudis Lec. n. sp.
angularis Er.
dentatus Er.
Rugilus dent. Say.

Echiaster Er.

opacus Lec. n. sp. nitidus Lec. n. sp.

Scopaeus Er. exiguus Er.

Lithocharis Er.

corticina Er.
Lathrobium cort. Grav.
L. millepunctatum Say.
confluens Er.
Lathrobium confl. Say.

Dacnochilus Lec.

laetus Lec. n. sp.

Liparocephalus

Mäklin. brevipennis Mäklin.

Sunius Steph.

Prolixus Er.
Paederus cinctus Say.
linearis Er.
Phinotatus Er.—
Paederus bin. Say.
longiusculus Er.
Paederus long. Mann.
P. discopunctatus Say.
trinotatus Boh.—

monstrosus Lec. n. sp.

Stilicopsis Sachse.
paradoxa Sachse.

Paederus Grav.

riparius Fabr. —
an rite Am. bor.?
femoralis Lec.
littorarius Grav.
coeruleipennis Boh. —

compotens Lec. n. sp. ustus Lec.

Pinophilus Grav.

picipes Er.
latipes Er.
parcus Lec. n. sp.
densus Lec. n. sp.
opacus Lec. n. sp.

Palaminus Er.

pallipes Lec. n. sp. lividus Lec. n. sp. testaceus Er. larvalis Lec. n. sp.

STENINI.

Dianous Curtis. chalybeus Lec. n. sp.

Stenus Latr.

colon Say.
renifer Lec. n. sp.
semicolon Lec. n. sp.
comma Lec. n. sp.

juno Fabr. stygicus Say. colonus Er. egenus Er. congener Mäklin. maritimus Motsch. erythropus Mels. an a seq. diff.? femoratus Say. adspector Mäkl. parallelopipedus Mäk .chalybaeus Boh. cariniceps Makl. immarginatus Makl. brevipennis Makl. flavicornis Er. geniculatus | Say. annularis Er. punctatus Er. arculus Er. callosus Er. ?quadripunctatus Say .-

Euaesthetus Grav. americanus Er.

Edaphus Lec.

Megalops Er.
caelatus Er.
Oxyporus cael. Grav.
rufipes Lec. n. sp.

OXYTELINI.

Oxyporus Fabr.

major Grav.
rufipennis Lec. n. sp.
femoralis Grav.
var. pulcher Zeigler.
stygicus Say.
vittatus Grav.
var. cinctus Grav.
var. dimidiatus Mels.
var. fasciatus Mels.
5-maculatus Lec. n. sp.
lateralis Grar.
var. brevis Mels.

Osorius Latr.

latipes Er.
Oxytelus latr. Grav.
Molosoma lat. Say.

Bledius Steph.

pallipennis Er. Oxytelus pall. Say B. mandibularis Er. armatus Er. (Say.) fumatus Lec. n. sp. semiferrugineus Lec. n.s. rubiginosus Er. politus Er. nitidicollis Lec. n. sp. diagonalis Lec. n. sp. ornatus Lec. n. sp. divisus Lec. n. sp. cordatus Er. Oxytelus cord. Say. flavipennis Lec. n. sp. annularis Lec. n. sp.

flavipennis Lec. n. sp. annularis Lec. n. sp. ruficornis Lec. n. sp. suturalis Lec. n. sp. troglodytes Er. basalis Lec. n. sp. opaculus Lec. n. sp. forcipatus Lec. n. sp. emarginatus Er. — sp. emarginatus Er. —

Oxytelus em. Say.
longipennis Mäkl. —
albonotatus Mäkl. —
fasciatus Er. —
Oxytelus fusc. Say.

melanocephalus Er. — Oxytelus mel. Say.

Platystethus Mann. americanus Er.

Oxytelus Grav.

rugosus Er. Staphylinus rug. Grav. Ox. basalis Mels. incolumis Er. fuscipennis Mann. sculptus Grav. moerens Mels. insignitus Grav. americanus Mann. pensylvanicus Er. nitidulus Grav. rugulosus Say. exiguus Er. pygmaeus Mels. nanus Er. ?parvulus Mels.

Haploderus Steph.

biimpressus Kraatz.
Phloeonaeus bi-imp. Mükl.
linearis Lec. n. sp.
laticollis Lec. n. sp.

Apocellus Er.

longicornis Lec.
Falagria long. Sachse.
sphaericollis Er.
Lathrobium sph. Say.
Falagria globosa Mels.
Fal. amabilis Sachse.

Trogophloeus Mann. morio Er.

Ancyrophorus Kraatz.

planus Lec.
Trogophloeus pl. Lec.

Distemmus Lec.

argus Lec.
Trogophloeus argus Lec.

Syntomium Er. confragosum Mäkl. —

OMALINI.

Anthophagus Grav. caesus Er. brunneus Say.

verticalis Say. laticollis Mann. —

Lesteva Latr.

biguttula Lec. n. sp.
pallipes Lec. n. sp.
picescens Lec. n. sp.
fusconigra Mäklin.—
Phloeopterus fusc. Motsch.

Acidota Steph.

seriata Lec. n. sp. subcarinata Er. tenuis Lec. n. sp. patruelis Lec. n. sp. frankenhaeuseri Mükl.-

Clophrum Er.

rotundicolle Er.
Omalium rot. Say.
Ol. obtectum Er.
emarginatum Er.
Omalium em. Say.
marginatum Mäkl.
convexum Mäkl.
convexicolle Lec.
Lathrium conv. Lec.
parvulum Mäkl.—
latum Mäkl.—

Lathrimaeum Er.

sordidum Er. subcostatum Mäkl. fimetarium Mäkl.

Amphichroum Kraatz.

testaceum Kraatz.
Arpedium test. Mann.
floribundum Lec. n. sp.
maculicolle (Mann.) —

Porrhodites Kraatz.

brevicollis Kraatz.
Deliphrum brev. Mükl.

Trigonodemus Lec. striatus Lec. n. sp.

Coryphium Steph.

pallidum Lec. n. sp. guttatum Lec. n. sp. notatum Lec. n. sp.

Omalium Grav.

strigipenne Mükl.
longulum Mäkl.
planipenne Mäkl.
laesicolle Mäkl.
repandum Er.
foraminosum Mäkl.
plagiatum Mann.
exculptum Mäkl.
callosum Mäkl.
callosum Mäkl.
humile Mäkl.
flavipenne Mäkl.
marginatum Säy.
?marginatum Kirby.

Anthobium Steph.

dimidiatum Mels. fimetarium Ec. sorbi Gyll. — pothos Mann. rugulosum Mäkl. —

Micralymma Westw.

stimpsonii Lec. n. sp. brevilingue Schiödte.

PROTEININI.

Proteinus Latr.

limbalis Mäkl. parvulus Lec. n. sp. basalis Makl.

Megarthrus Steph.

pictus Motsch. americanus Sachse. excisus Lec. n. sp. angulicollis Mäkl. atratus Mäkl.

PHLOEOCHARINI.

Olisthaerus Er.

megacephalus Er.
Omalium meg. Zett.
Ol. laticeps Lec.
nitidus Lec.

PIESTIDAE.

Prognatha Latr.

americana Mels.

Isomalus Er.

pallidus Lec. n. sp. fasoiatus Lec. n. sp. nigrellus Lec. n. sp.

Hypotelus Er. picipennis Lec. n. sp.

Glyptoma Er. costale Er.

Lispinus Er.

rufescens Lec. n. sp. obscurus Lec. n. sp. californicus Lec. n. sp. tenuis Lec. n. sp.

MICROPEPLIDAE.

Micropeplus Latr.

cribratus Lec. n. sp. sculptus Lec. n. sp. costipennis Mäkl. costatus Lec. laticollis Mäkl. punctatus Lec. — costatus M kl. brunneus Mäkl. —

HISTERIDAE.

HISTERIDAE (genuini).

HOLOLEPTINI.

Hololepta Payk.

fossularis Say.

Q aequalis Say.

excisa Mars.—
lucida Lec.
populnea Lec.
bractea Er. (fide Mars.)
grandis Lec.
Lionota gr. Marscul.
Hol. princeps. Lec.
vicina Lec.
Lionota vicina Mars.
platysma Er.
Lionota pl. Marseul.
cacti Lec.

Lionota cacti Mars.

HISTRINI.

Hister Linn.

§ OMALODES Er. texanus Mars. 1 —

 \S Psiloscelis Mars. planipes Lec. Omalodes harrisii \parallel Lec. subopacus Lec. n. sp.

§ HISTER Mars.

arcuatus Say.
instratus Lec.
sellatus Lec.
sennevillei Mars.
binotatus Lec.
laevipes Er.
costatus Lec.
sexstriatus Lec.
interruptus Beauv.
obtusatus Harris.
?memnonius Say.

obtusatus Harris.
?memnonius Say.
merdarius Payk.
immunis Er.
harrisii Kirby.
repletus Lec.
stygicus Lec.
distinctus! Er.
foedatus Lec.

foedatus Lee.
cognatus Lee.
marginicollis Lec.
semisculptus Lec. n. sp.
defectus Lec.
hospitus Lec.
dispar Lec.
indistinctus Say.
latipes Beauv.—
depurator Say.
paykullii Kirby.

paykulli Kirby. furtiyus Lec. incertus Mars. curtatus Lec. spretus Lec. cavifrons Mars.—coenosus Er

decisus Lec.
punctifer Payk.
abbreviatus Fabr.
subhemisphericus Beauv.
bifidus Say.

civilis Lec. remotus Lec. californicus Mars. —

nubilus Lec.

pollutus Iec. sedecimstriatus Say. americanus Payk. perplexus Lec. n. sp. exaratus Lec. ambigena Lec. bimaculatus Linn. obliquus Say.

§ PLATYSOMA Leach.

carolinus Poyk.
sordidus Say.
lecontei (Mars.)
Pl. depressum‡ Lec.

aequus Lec. n. sp. punctiger Lec. basalis Lec. parallelus Say. coarctatus Lec. cylindricus Payk. Cylistix cyl. Mars. attenuatus (Lec.) gracilis (Lec.) frontalis Say.

Margarinotus Mars. guttifer Horn.

Phelister Mars.

venustus Mars.
Hister ven. Lec.
vernus Mars.
Hister vern. Say.
subrotundus Mars
Hister subr. Er.
marginellus Lec.

Hetaerius Er.

morsus Lec. brunnipennis Lec. Hister brunn. Randall. setiger Lec.

Tribalus Er.

americanus Lec.
Caerosternus am. Lec.
laevigatus. —
Hister laev. Payk.
an rite Am. bor.?

Onthophilus Leach.

80

nodatus Lec.
pluricostatus Lec.
alternatus Er.
Hister alt. Say.

Omalodes borealis Lec. is O. omega with a false locality.
 II. thoracicus Payk, is probably not North American. II. incisus Er. is an East Indian species.
 Abbottia paykulliana, and georgiana Leach, are irrecognizable.

Epierus Er.

coproides Mars. regularis Lec. Hister reg. Beauv. H. nigrellus Say. ellipticus Lec. pullicarius Er. minor Lec. planulus Er. vicinus Lec. decipiens Lec.

Bacanius Lec.

tantillus Lec. misellus Lec. punctiformis Mars. Abraeus punct. Lec.

Sphaeroderma Mars.

marginatum Lec. Bacanius? marg. Lec.

Dendrophilus Leach.

punctulatus Lec. Hister punct. Say.

Paromalus Er.

affinis Lec. aequalis Lec. Hister aeq. Say. P. complanatus | Er. estriatus Lec. bistriatus Er. seminulum Er.

§ CARCINOPS Mars. opuntiae Lec. consors Les. tenellus Er. gilensis Lec. pumilio Er. Hister nanus Lec. conjunctus Lec. Hister conj. Say. geminatus (Lec.) corticalis Mars. Hister cort. Lec.

Saprinus Leach. § GNATHONCUS DuVal.

rotundatus Er. Hister rotund. Fabr. Sap. deletus Lec. interceptus Lec.

alienus Lec. discoidalis Lec. interstitialis Lec. obscurus Lec. pectoralis Lec. paeminosus Lec. lugens Er. californicus Mann. spurcus Lec. oregonensis Lec. distinguendus Mars. imperfectus Lec. impressus Lec. infaustus Lec. piceus|| Lec. pensylvanicus Er. Hister pens. Payk. conformis Lec. parumpunctatus Lec. orbiculatus Mars. assimilis Er. Hister ass. Payk. neglectus Lec. posthumus Mars. minutus Lec. latubris Lec.1 placidus Mars. ?placidus Er. vescus Mars. insertus Lec. obductus Lec. ciliatus Lec. vinctus Lec. laridus Lec. scissus Lec. scupularis Lec. pratensis Lec. desertorum | Mars. vestitus Lec. fimbriatus Lec. plenus Lec. vitiosus Lec. lubricus Lec. coerulescens Lec. olidus Lec. convexiusculus Mars. sphaeroides Lec. var. bigener Lec. seminitens Lec. n. sp.

patruelis Lec. javeti Mars. an praec. var.? ferrugineus Mars. lucidulus Lec. barbipes Mars. dimidiatipennis Lec. Hister dim. Lec. H. bimaculatus var. † Herbs. var. H. palmatus Say. var. S. desertoram Mars. gaudens Lec. Pachylopus gaud. Lec. serrulatus Lec. Pachylopus serr. Lec. sulcifrons Mann.2 Pachylopus sule. Lec.

bigemmeus Lec.

Teretrius Er.

obliquulus Lec. americanus Lec. picipest Lec.

Plegaderus Er. savi Mars. transversus Say. erichsonii Lec. pusillust Lec.

Acritus Lec.

discus Lec. fimetarius Lec. strigosus Lec. conformis Lec. acupictus Mars. acaroides Mars. lateralis Mars. simplex Lec. basalis Lec. brevisternus Mars. . politus Lec. maritimus Lec. exiguus Lec. Abraeus ex. Er. Ab. aciculatus Lec. Ab. obliquus Lec. cribripennis Mars. -

MURMIDIIDAE.

natchez Mars. -

Murmidius Leach.

ovalis Leach. Hister ovalis Beck. Ceuthocerus advena Germ.

fraternus Lec.

mancus Lec.

estriatus Lec.

Hister frat. Say.

Histor mane, Say.

¹ It is impossible to determine to what species the synonym should be placed. By some clerical error, the description of Erichson is completely confused.

**S. rugipennis and rubriculus Mars. are of doubtful locality, and perhaps are North American.

SCAPHIDIDAE.

Scaphidium Oliv.

obliteratum Lec. quadriguttatum Say. quadripustulatum Say. piceum Mels.

quadriguttatum var. ‡ Say.

Scaphium Kirby. castanipes Kirby.

Cyparium Er. flavipes Lec.

Baeocera Er.

concolor Er. —
Scaphidium conc. Fabr.
apicalis Lec.

Scaphisoma Leach.

castaneum Lec.
Scaphidium cast. Motsch.
convexum Say.
punctulatum Lec.
suturale Lec.
terminatum Mels.
rufulum Lec.
pusillum Lec.

Toxidium Lec. gammaroides Lec.

TRICHOPTERY-GIDAE.

Trichopteryx Kirby.

haldemani Lec.
rotundata || Hold.
discolor Hald.
laticollis Mäklin.
abrupta Hald.
fuscipennis Hald.
rotundata? Motsch.
aspera Hald.
insularis Mäklin.
sitkaensis Allibert.
Ptilium sitk. Motsch.
Acratrichis sitk. Motsch.
depressa Gillm.

Ptilium Er.

collani Mäkl. — canadense Lec. n. sp. fungi Lec. n. sp.

§ PTINELLA Motsch.

testaceum Lec. n. sp. balteatum Lec. n. sp. brunneum Lec. n. sp. pini Lec. n. sp. querous Lec. n. sp. nigrovittis Lec. n. sp.

Ptenidium Er.

terminale Hald. pullum Mäkl. foveicolle Lec. n. sp. lineatum Lec. n. sp.

PHALACRIDAE.

Phalacrus Payk.

seriatus Lec. ovalis Lec. pennicellatus Say. politus Mels. pumilio Lec. simplex Lec.

Olibrus Er.

vittatus Lec. n. sp. bicolor Er. Phalacrus bic. Gyll. striatulus Lec. rufipes Lec. semistriatus Lec. rubens Lec. pallipes. -Olibrus pall. Say. obtusus Lec. apicalis Lec. Phalacrus ap. Mels. aquatilis Lec. nitidus Lec. Phalacrus nit. Mels. pusillus Lec.

Litochrus Er.

pulchellus Lec.

NITIDULIDAE.1

BRACHYPTERINI.

Cercus Latr.

abdominalis Er. sericans Lec.

Brachypterus Kugel.

urticae Kugelann.
Dermestes urt. Fahr.
Cercus pusillus Mels.

Amartus Lec. rufipes Lec.

CARPOPHILINI.

Colastus Er.

morio Er.
tinctus Lec.
Strongylus tinct. Mann.
semitectus Er.
Natidula semit. Say.
maculatus Er.—
unicolor Lec.
Nitidula unicolor Say.
Col. obscurus Er.
obliquus Lec.
limbatus Lec.
truncatus Lec.
Nitidula trun. Randall.
infimus Er.—

Tribrachys Lec.

caudalis Lec.
Carpophilus caud. Lec.

Carpophilus Leach.

melanopterus Er.
hemipterus Steph.
Dermestes hem. Linn.
Carp. bimaculatus Mels.
dimidiatus Er.
Nitidula dim. Fabr.
pallipennis Lec.
?Cercus pall. Say.
Carp. floralis Er.
marginatus Er.
minutus Mels.
corticinus Er.—
niger Er.
Cercus niger Say.

¹ A monograph of this family from the pen of my learned friend, Andrew Murray, is on the point of being published as a British Museum Catalogue. I therefore abstain from adding descriptions of many unnamed species to the present edition of the catalogue.

carbonatus Lec. antiquus Mels. Cercus punctulatus Mels. ?Nitidula brachyptera Say. discoideus Lec.

Conotelus Er. obscurus Er.

NITIDULINI.

Epuraea Er. corticina Er.

rufida Mels. badia Lec. -Omosita bad. Mels. infuscata Mäklin. convexiuscula Mann. placida Mäklin. flavomaculata Mäklin .ambigua Mäklin. labilis Er. adumbrata Mäklin. nigra Mäklin. linearis Mäklin. planulata Er. truncatella Mann. nubila Lec. helvola Er. Omosita castanea Mels.

rufa Er.
Nitidula rufa Say.
?avara (Randall).—

Nitidula Fabr.

bipustulata Fabr. — obscura Fabr. — ossium Kirby. — humeralis Lec. ziczac Say. uniguttata Mels.

Prometopia Er.

sexmaculata Er. Nitidula sexm. Say.

Lobiopa Er.

setulosa Lec. n. sp. undulata Er. Nitidula und. Say. guttulata Lec. n. sp.

Omosita Er.

colon Er.
Silpha colon Linn.
Nitidula col. Fabr.
inversa Lec.

Phenolia Er.

grossa Er. nitidula gr. Fabr.

Stelidota Er.

geminata Er.
Nidula gem. Say.
octomaculata Lec.
Nitidula oct. Say.

Meligethes Kirby.

saevus Lec. ruficornis Lec. rufimanus Lec. moerens Lec. obsoletus Lec. seminulum Lec.

Psilopyga Lec.

histrina Lec. nigripennis Lec. n. sp.

Pocadius Er. helvolus Er.

CYCHRAMINI.

Cychramus Er. adustus Er.

Amphicrossus Er.

ciliatus Er.
Nitidula cil. Oliv.
N. unilineata Say.
concolor Lec.

Pallodes Er. silaceus Er.

Cybocephalus Er. nigritulus Lec. n. sp.

IPINI.

Cryptarcha Shuckard.

ampla Er.
liturata Lec.
picta || Mels.
strigata Heer.
Nitidula strig. Fabr.

Ips Fabr.

fasciatus Say.
Nitidula fasc. Oliv.
quadrisignatus Say.
bipustulatus Mels.
geminatus Mels.—
obtusus Say.
sanguinolentus Say.
Nitidula sang. Olin.

Nitidula sang. Oliv.
cylindricus Lec. n. sp.
confluens Say.
Engis confluentus Say.
dejeanii Kirby.

dejeanii Kirby.
sepulchralis Randall.
vittatus Say. —

Pityophagus Shuck.

bipunctatus Lec. Colydium bip. Say.

RHIZOPHAGINI.

Rhizophagus Herbst.

dimidiatus Mann. — minutus Mann. — scapturatus Mann. — abbreviatus Motsch. —

MONOTOMIDAE.

Phyconomus Lec.

marinus Lec.
Monotoma mar. Lec.

Nomophloeus Lec. pallipennis Lec.

Hesperobaenus Lec.

rufipennis Lec.

Monotoma ruf. Lec.
rufipes Lec. n. sp.

Bactridium Lec.

nanum Lec.
Rhizophagus n. Er.
R. erythropterus Mels.
R. ephippiger Guérin.
striatum Lec.
Monotoma str. Lec.

Monotoma Herbst.

productum Lec. fulvipes Mels. opaca Zeigler.

foveatum Lec. americanum Aubé. parallelum Lec. nucidum Lec.

TROGOSITIDAE.

TROGOSITIDAE (genuini).

Nemosoma Latr.

parallelum Lec. Rhizophagus? par. Mels. cylindricum Lec. n. sp.

Temnochila Westw.

acuta Lec. aerea Lec. chlorodia Lec. Trogosita chl. Mann. viridicyanea Lec. Trogosita virid. Mann. virescens Er. Trogosita vir. Ol. barbata Lec. n. sp.

Alindria Er.

cylindrica Er. Trogosita cyl. Enc. Hypophloeus niger Mels. var. Hyp. nigellus Mels. teres Lec. Hypophloeus t. Mels.

Trogosita Oliv.

mauritanica Oliv. Tenebrio maur. Linn. Tr. caraboides Fabr. nitida Horn. californica Horn. crassicornis Horn. pleuralis Horn. limbalis Mels. marginata Beauv. corticalis Mels. intermedia Horn. dubia Mels. semicylindrica Horn. nana Mels. ?mutica Beauv. collaris Sturm. sinuata Lec.

cucujiformis Horn.

nigrita Horn. castanea Mels. laticollis Horn. bimaculata Mels. obscura Horn. rugosipennis Horn. obtusa Horn.1

PELTIDAE.

Nosodes Lec.

serrata Lec. Peltis serr. Lec. silphides Lec. Boletophagus silp. Newm.

Peltis Kug.

pippingskoeldi Mann fraterna Randall. ferruginea Kuq. Silpha ferr. Linn. P. septentrionalis Randall. quadrilineata Mels. var. marginata Mels.

Thymalus Latr.

fulgidus Er. marginicollis Chevr.

PELTASTICIDAE.

Peltastica Mann. tuberculata Mann.

COLYDIDAE.

SYNCHITINI.

Anchomma Lec. costatum Lec.

Rhagodera Er. tuberculata Mann.

Coxelus Latr. guttulatus Lec. n. sp.

Ditoma Illiger.

sulcata Lec. ornata Lec.

laticollis Lec. n. sp. quadriguttata Lec. Synchita qu. Say. Bitoma zimmermanni Gué.

Eudesma Lec.

undulata Lec. Bitoma undulata Mels.

Synchita Hellwig.

granulata Say. nigripennis Lec. n. sp. parvula Guérin. variegata Lec.

Cicones Curtis. marginalis Mels.

Lasconotus Er. complex Lec. pusillus Lec. n. sp.

COLYDIINI.

Aulonium Er.

parallelipipedum Er. Colydium par. Say. aequicolle Lec. tuberculatum Lec. n. sp.

Colydium Fabr.

lineola Say. nigripenne Lec. n. sp. ?longiusculum Say. -

Eulachus Er. carinatus Lec. n. sp.

Nematidium Er. filiforme Lec. n. sp.

Oxylaemus Er. americanus Lec. n. sp.

¹ The descriptions of the following species are so imperfect that they cannot be identified: T. subnigra Beauv., T. depressior Beauv., T. americana Kirby. T. pusillima probably belongs to Lac-

BOTHRIDERINI.

Bothrideres Er.

exaratus Mels.
geminatus || Hald.
geminatus Er.
Lyctus gem. Say.

Sosylus Er.

costatus Lec. n. sp.

PYCNOMERINI.

Endectus Lec.

haematodes Lec.
Lyctus haem. Fabr.
Xylotrogus brevicornis
Mels.

nitidus Lec. n. sp. reflexus Lec.
Lyetus refl. Say.

Pycnomerus Er. sulcicollis Lec. n. sp.

CERYLINI.

Philothermus Aubé. glabriculus Lec. n. sp.

Cerylon Latr.

simplex Lec.
castaneum Say.
unicolor Lec.
Lathridius un. Zeigler.
angustulum Lec. n. sp.

RHYSSODIDAE.

Rhyssodes Dalm.

exaratus Ill.

Clinidium Kirby.

conjungens Lec. Rhyssodes conj. Germ.

CUCUJIDAE.

SYLVANIDAE.

surinamensis Steph.
Dermestes sur. Linn.
Colydium frument. Fabr.
Derm. sexdentatus Fabr.
Sylv. frumentarius Er.

bidentatus Er.
Dermestes bid. Fabr.
planatus Germ.
zimmermanni Guérin.
cognatus Lec.
imbellis Lec.
nitidulus Lec.
opaculus Lec.
rectus Lec.
quadricollis Guérin.
advena Er.

Cryptophagus adv. Waltl. Lathrid. musaeorum Ziegl.

Nausibius Redt.

dentatus Schaum.
Corticaria dent. Marsham.
Lyctus dent. Fabr.
Sylvanus dent. S.1y.

PASSANDRIDAE.

Catogenus Westwood.

rufus Westw.
Cucujus rufus Fabr.
puncticollis Newm.—
linearis Lec. n. sp.

CUCUJIDAE.

CUCUJINI.

Cucujus Fabr.

clavipes Fabr. puniceus Mann.

Pediacus Shuckard.

subcarinatus Mann, planus Lec.
Sylvanus planus Lec.
subglaber Lec.

Laemophloeus Lap.

biguttatus Lec.
Cucujus big. Say.
Laem. bisignatus Guérin.
fasciatus Mels.
adustus Lec.
bullatus Lec.
nitens Lec.
zimmermanni Lec.
ferrugineus Er.
Cucujus ferr. Creutz
Cucujus test. Payk.
punctatus Lec.
geminatus Lec.

longicornis Mann. -

modestus Lec.
Cucujus mod. Say.
Laem. singularis White.
puberulus Lec.
cephalotes Lec.
?pusillimus.—
Trogosita pus. Mann.

Narthecius Lec. grandiceps Lec. n. sp.

BRONTINI.

Dendrophagus Schönh.

glaber Lec. cygnaei Mann. americanus Mann. —

Brontes Fabr.

dubius Fabr. debilis Lec. truncatus Motsch.

HEMIPEPLIDAE.

Hemipeplus Latr.

marginipennis Lec. Nemicelus marg. Lec.

TELEPHANIDAE.

TELEPHANINI.

Telephanus Er.

velox Hald. Heterodromia vel. Hald.

PSEUDOPHANINI.

Pseudophanus Lec. signatus Lec.

CRYPTOPHAGIDAE.

TELMATOPHILINI.

Telmatophilus Heer.

americanus Lec. n. sp.

Loberus Lec. impressus Lec. n. sp.

CRYPTOPHAGINI.

Antherophagus Latr-

ochraceus Mels.
suturalis Mann. —
convexulus Lec. n. sp.

Cryptophagus Herbs.

tuberculosus $M\ddot{a}kl$. — quadrihamatus $M\ddot{a}kl$. — cellaris Er.

Dermestes cell. Scop.
Crypt. crenatus Herbst.
octodentatus Mükl.
quadridentatus Mükl.
punctatissimus Mükl.
californicus Mann.
difficilis Lec.
debilis Lec.
hirtulus Lec.
pilosus Lec.

saginatus Sturm.? ?humeralis Kirby.— ?concolor Kirby.—

Paramecosoma Curtis.

serrata Er.
Cryptophagus serr. Gyll.
denticulata Lec.
Cryptophagus dent. Lec.

Cryptophagus dent. Lecinconspicua Lec.
Cryptophagus inc. Lec.

Tomarus Lec. pulchellus Lec. n. sp.

ATOMARIINI.

Atomaria Kirby.

ferruginea Er.
Cryptophagus ferr. Sahl.
atra Kirby.
vespertina Mäkl.
planulata Mäkl.
fuscicollis Mann.

§

kamtschatica Motsch. fulvipennis Mann. lepidula Mäkl. laetula Lec.

Epistemus Steph. apicalis Lec. n. sp.

DERODONTIDAE.

Derodontus Lec.

maculatus Lec.
Cryptophagus mac. Mels.
trisignatus Lec.
Corticaria tris. Mann.

LATHRIDHDAE.

Holoparamecus Curtis.

pacificus Lec. n. sp.

Bonvouloiria DuVal.

parviceps Lec.
Lathridius parv. Lec.

Lathridius III.

quadricollis Mann. protensicollis Mann. cordicollis Mann. cinnamopterus Mann. fulvipennis Mann. incisus Mann. strangulatus Mann. curtulus Mann. sobrinus Mann. liratus Lec. n. sp. sculptilis Lec. costicollis Lcc. pulicarius Lec. Corticaria pul. Mels : crenatus Lec. reflexus Lec. minutus Latr. Tenebrio min. Linn. parallelocollis Mann.

Corticaria Marsham.

filiformis Dahl.

grossa Lec.
octodentata Mann. —
Lathridius oct. Say.
serricollis Lec.
dentigera Lec.
prionodera Lec.
rugulosa Lec.
spinulosa Mann. —
canaliculata Mann. —
orbicollis Mann. —
kirbyi Lec.
denticulata|| Kirby.
obtusa Lec.
deleta Mann.

longipennis Lec. scissa Lec. americana Mann. expansa Lec. tenella Lec. pusilla Mann .. exigua Mann. compta Lec. grata Lec. angularis Lec. cavicollis Lec. regularis Lec. levis Lec. herbivagans Lec. morsa Lec. pumila Mels. pusilla Mels. rufula Lec.

picta Lec. simplex Lec.

OTHNIIDAE.

Othnius Lec.

umbrosus Lec. guttulatus Lec.

MYCETOPHAGI-DAE.

MYCETOPHAGIDAE (genuini).

Mycetophagus Hellw

punctatus Say.
flexuosus Say.
pluriguttatus Lec.
melsheimeri Lec.
bimaculatus p. Mels

bimaculatus p. Mels.
obscurus Lec.
pluripunctatus Lec.
pini Zeigler.
obsoletus Mels.
Tetratoma obs. Mels.
bipustulatus Mels.

Triphyllus Latr.

Litargus Er.

tetraspilotus Lec. sexpunctatus Er. Mycetophagus sexp. Say. transversus Lec. infulatus Lec. balteatus Lec. didesmus Er. Mycetophagus did. Say. nebulosus Lec.

Typhaea Curtis.

fumata Curtis.

Dermestes fum. Linn.

Cryptophagus crenatus||

Mels.

Crypt. gilvellus Mels.

Berginus Er. pumilus Lec. n. sp.

DIPHYLLIDAE.

Marginus Lec. rudis Lec. n. sp.

Diplocoelus Guérin. brunneus Leç. n. sp.

DERMESTIDAE.

BYTURIDAE.

Byturus Latr.

unicolor Say. grisescens Lec.

DERMESTIDAE (genuini).

Dermestes Linn.

marmoratus Say. mannerheimii Lec. marmoratust Mann. fasciatus Lec. caninus Germ. nubilus Say. dissector Kirbu. vix a praec. diff. murinus Linn. sobrinus Lec. talpinus Mann. rattus Lec. mucoreus Lec. pulcher Lec. lardarius Linn. elongatus Lec. vulpinus Fabr. maculatus De Geer. var. D. lupinus Er.

Attagenus Latr.

pellio Steph,
Dermestes pell. Linn.
megatoma Er.
Dermestes meg. Fabr.
spurcus Lec.
? Att. cylindricornis Say.
dichrous Lec.
rufipennis Lec.
cylindricus Kirby.—
?angularis Mann.—

Dearthrus Lec.

longulus Lec. n. sp.

Trogoderma Latr.

ornatum Lec.
Megatoma orn. Say.
inclusum Lec.
pallipes Zeigler.
tarsale Mels.
pusillum Lec.

Cryptorhopalum Guérin.

balteatum Lec.
triste Lec.
apicale. —
Anthrenus ap. Mann.
nigricorne Lec.
picicorne Lec.
ruficorne Lec.
haemorrhoidale Lec.
Anthrenus haem. Lec.
fusculum Lec.

Anthrenus Fabr.

thoracious Mels.
lepidus Lec.
adspersus Herbst. —
varius Fabr.
tricolor Herbst.
destructor Mels.
flavipes Lec.

castaneae Mels.

Apsectus Lec.

hispidus Lec. Syncalypta hisp. Mels.

Orphilus Er.

ater Er. subnitidus Lec.

BYRRHIDAE.

NOSODENDRIDAE.

Nosodendron Latr. unicolor Say.

BYRRHIDAE (genuini).

AMPHICYRTINI.

Amphicyrta Er.

chrysomelina Er.
dentipes Er.
Eucyphus hybosoroides
Mann.

simplicipes Mann. —

Simplocaria Marsh.

tesselata Lec.
Byrrhus tess. Lec.
metallica Er.
Byrrhus met. Sturm.
B. picipes Gyll.
Simplocaria pic. Stephens.
nitida Motsch.

Pedilophorus Steff.

oblongus Lec.
acuminatus Lec.
acuminatus Lec.
Morychus ac. Mann.
aeneolus Lec. n. sp.

BYRRHINI.

Cytilus Er.

varius Er.
Byrrhus var. Fabr.
B. trivittatus Mels.
var. B. alternatus Say.

Byrrhus Linn.

kirbyi Lec.

picipes Kirby.
americanus Lec.
cyclophorus Kirby.
fasciatus Fabr.
Cisteln stoica Fabr.
geminatus Lec.
eximius Lec.
murinus Fabr.
undatus Mels.
glabellus Mels.

concolor Kirby. — an Cytili varii var.?

Syncalypta Steph.

strigosa Lec.
Simplocaria str. Mels.
echinata Lec.
albonotata Lec.
setulosa Mann.—

LIMNICHINI.

Limnichus Latr.

olivaceus Lec. punctatus Lec. obscurus Lec. ater Lec. nitidulus Lec. ovatus Lec.

Physemus Lec. minutus Lec.

GEORYSSIDAE.

Georyssus Latr. pusillus Lec.

PARNIDAE.

PSEPHENIDAE.

Psephenus Hald.

lecontei Hald. Eurypalpus lec. Lec.

PARNIDAE (genuini).

LARINI.

Lara Lec.

avara Lec.

PARNINI.

Lutrochus Er. luteus Lec.

Pelonomus Er. obscurus Lec.

Helichus Er.

striatus Lec. fastigiatus Lec. Parnus fast. Say. H. basalis Lec. foveatus Lec. suturalis Lec. productus Lec. aequalis Lec. lithophilus Er. Elmis lith. Germ.

ELMIDAE.

Limnius Müller. fastiditus Lec. ovalis Lec. n. sp.

Elmis Latr.

elegans Lec. vittatus Mels. bivittatus Lec. quadrinotatus Say.

Stenelmis Dufour.

sinuatus Lec. crenatus Lec. Elmis cr. Say. bicarinatus Lec. pusillus Lec.

Macronychus Müller.

glabratus Say. lateralis Mels.

Ancyronyx Er.

variegatus Er.

Macronychus var. Germ.

Elmis cinctus Say.

HETEROCERIDAE.

Heterocerus Fabr.

gnatho Lec. n. sp. labratus Lec. n. sp. ventralis Mels. labiatus Kies. auromicans Kies. cuniculus Kies. tristis Mann. — fatuus Kies. substriatus Kies. —

miser Kies. —
mollinus Kies.
collaris Kies.
limbatus Kies.
luteolus Lec. n. sp.
pallidus Say. —
pusillus Say. —

LUCANIDAE.

LUCANINI.

Lucanus Linn.

elaphus Fabr.
dama Thunb.
capreolus Linn.
placidus Say.
lentus Lap.

Dorcus McLeay.

mazama Lec. brevis Say. parallelus Say. ?Lucanus boeti Sck. costatus Lec. n. sp.

Platycerus Geoffr.

quercus Sch.
Lucanus qu. Weber.
Pl. securidens Say.
'Lucanus virescens Fabr.
coerulescens Lec.
depressus Lec.
'piceus† Kirby.
'oregonensis Westwood.
agassii Lec.

Ceruchus McLeav.

striatus Lec. piceus McLeay. Lucanus pic. Weber.

Sinodendron Hellw.

rugosum Mann. americanum Beauv. an rite Am. bor.?

PASSALIDAE.

Passalus Fabr.

cornutus Fabr. interruptust Oliv. distinctus Weber.

SCARABAEIDAE.

S. LAPAROSTICTI.

COPRINI.

Canthon Hoffm.

vigilans Lec. laevis Lec. Scarabaeus laev. Drury. Sc. volvens Fabr. Ateuchus volv. Fabr. Sc. pilulariust De Geer. Coprobius obtusidens Zeig. chalcides Hald. Coprobius ch. Hald. ebenus Lec. Ateuchus eb. Say. depressipennis Lec. nigricornis Lec. Ateuchus nig. Say. praticola Lec. abrasus Lec. simplex Lec. cyanellus Lec. viridis Lec. Copris vir. Beauv. Onthopha. viridicatus Say. var. At. obsoletus Say. perplexus Lec. probus Germ. .

Deltachilum Esch.

gibbosum Lec.
Ateuchus gibb. Fabr.
Hyboma gibb. Lepell.

Choeridium Lep.

capistratum Lepell.
Ateuchus cap. Fabr.
At. histeroides Weber.

Copris Geoffr.

carolina Fabr.

Scarabaeus car. Linn.

Brachycopris car. Hald.

moechus L.c.

anaglypticus Say.

ammon Fabr.

Scarabaeus minutus Drury.

Phanaeus McLeay.

morio Lec. n. sp. difformis Lec.

carnifex McLeay.
Scarabaeus carn. Linn.
triangularis Lec.
Copris triang. Say.
var. Ph. torrens Lec.
nigrocyaneus McLeay.

Onitis Fabr.

nicanor Fabr.

Onthophagus Latr.

latebrosus Sturm. Copris lat. Fabr. Scarabaeus hecate Panzer. ?Copris hastator Fabr. ?Copris obtecta Beauv. protensus Mels. canadensis Sturm. Copris can. Fabr. Scarabaeus orpheus Panz. subaeneus. Copris sub. Beauv. an praec. var.? striatulus Lec. Copris str. Beauv. Scarabaeus janus Panz. Onth. cavicornis Kirby. Onth. castaneus Mels. Onth. niger Mels. scabricollis Kirby. ovatus Say. Scarabaeus ov. Linn.

APHODIINI.

Aphodius III.

§ COLOBOPTERUS Muls. pinguis Hald. hyperboreus Lec. angularis Lec. ?hamatus Say. omissus Lec. concavus! Hald.

§ TEUCHESTES Muls. fossor Fabr. Scarabaeus foss. Linn.

denticulatus Hald. fimetarius Ill.
Scarabaeus fim. Linn.
Aph. nodifrons Randall. curtus Hald. ruricola Mels.

foetidus Fabr.
tenellus Say.
congregatus Mann.
ursinus Mann.
aleutus Esch.—
guttatus Esch.—
pectoralis Lec.
granarius Ill.

granarius Ilt.
Scarabaeus gr. Linn.
Aph. 4-tuberculatus Fabr.
var. Aph. metallicus Hald.
var. Aph. spretus Hald.
aterrimus Mels. —
vittatus Say.
lividus Creutz.
Scarabaeus liv. Oliv.

Aph. anachoreta Fabr.
inquinatus Fabr.
maculipennis Mels.
serval Say.
pardalis Lec.
lutulentus Hald.
rubidus Lec.
concavus Say.
laevigatus Hald.
copronymus Mels.
?Scarab. rubeolus Beauv.

consentaneus Lec.
stercorosus Lec.
terminalis Say.
bicolor Say.
subaeneus Lec.
femoralis Say.
oblongus Say.
badipes Mels.
cadaverinus Er.
Oxyomus cad. Mann.
dentiger Lec.
militaris Lec.
truncatus Mels.

truncatus Mels.
var. corvinus Hald.
striatulus Say. 2
Rhyssemus cribrosus Lec.

Euparia Lep.

castanea Lep.
stercorator Er.
Aphodius st. Fabr.
cognata Lec.
strigata Lec.
Aphodius str. Say.
Aph. spretulus Hald.
puncticollis Lec.
abdita Lec.
Aphodius abd. Hald.
gracilis Lec.
Oxyomus gr. Mels.

¹ O. rhinoceros Mels. is the European O. xiphias.
2 A. pensvallensis Mels. is the European A. erraticus.

alternata Lec.
Oxyomus alt. Mels.
imbricata Lec.
Aphodius imb. Mels.

Rhyssemus Muls. scaber Hald.

. Psammodius Gyll. aegialioides Hald.

interruptus Say.

Aegialia Latr.

lacustris Lec.
caelata Lec.
crassa Lec.
cylindrica Mann.
Psammodius cyl. Esch.
Oxyomus cyl. Mann.
?clypeata.
Aphodius clyp. Say.

ORPHNINI.

Ochodaeus Lep.

frontalis Lec. n. sp.
musculus Lec.
Bolbocerus musc. Say.
Och. americanus Westwood.
simplex Lec.
striatus Lec.

HYBOSORINI.

Hybosorus McLeay.

arator McLeay.
Scarabaeus ar. Ill.
Hyb. illigeri Reiche.

GEOTRUPINI.

Athyreus McLeay.

ferrugineus Klug.
Scarabaeus ferr. Beauv.
Bolb. furcicollis Lap.
fossatus Lec.
Bolboceras foss. Hald.
serratus Lec.

Bolboceras Kirby.

tumefactus Klug.
Scarabaeus tum. Beauv.
vix a seq. distinctus.
farctus Klug.
Scarabaeus farct. Fabr.
Scar. cephus Oliv.

lazarus Lap.
Scarabaeus l. Fabr.
Geotrupes meliboeus Fabr.

Odontaeus Klug.

filicornis Er.

Bolboceras fil. Say.
cornigerus Lec.
Bolboceras corn. Mels.
obesus Lec.

Geotrupes Latr.

egeriei Germ.
excrementi Say.
opacus Hald.
splendidus Fabr.
blackburnii Fabr.
retusus McLeay.

PLEOCOMINI.

Pleocoma Lec. fimbriata Lec.

ACANTHOCERINI.

Acanthocerus McL.

aphodioides Germ.
Melolontha aph. Ill.
Trox splendidus Say.
Scarabaeus latipes Germ.
Ac. laevistriatus Lap.
globosus Germ.
Trox glob. Say.
aeneus McLeay.—

Sphaeromorphus Germ.

volvox Germ.

NICAGINI.

Nicagus Lec.

TROGINI.

Trox Fabr.

§ Omorgus Er.

texanus (Lec.)
scutellaris Say.
suturalis (Lec.)
umbonatus (Lec.)
scabrosus Beauv.

pustulatus (Lec.)
?tubereulatus || Beauv.
asper (Lec.)
punctatus Germ.
alternatus Say.
crenatus †| Beauv.
denticulatus †| Beauv.
?unistriatus Beauv.
morsus (Lec.)
integer (Lec.)
tesselatus (Lec.)

sonorae Lec. alternans Lec. sordidus Lec. porcatus Say. tuberculatus Herbst. Scarabaeus tub. De Geer. T. serrulatus Beauv. T. canaliculatus Say. erinaceus Lec. terrestris Say. capillaris Say. variolatus Mels. aequalis Say. fascifer Lec. laticollis Lec. striatus Mels. atrox Lec.

MELOLONTHIDAE.

GLAPHYRINI.

Dasydera Lec. ursina Lec. rathvoni Lec. n. sp.

Lichnanthe Burm.

vulpina Burm.
Amphicoma vulp. Hentz.
lupina Lec.

ONCERINI.

Lasiopus Lec. ferrugineus Lec.

Oncerus Lec.

HOPLIINI.

Hoplia III.

oregona Lec.
convexula Lec.
pubicollis Lec.
callipyge Lec.
debilis Lec.
modesta Hald.
singularis Burm.
trifasciata Say.
primaria Burm.
helvola Mels.
Ç tristis Mels.
limbata Lec.
mucorea Burm.
Melolontha muc. Germ.
H. monticola Mels.

DICHELONYCHINI.

Dichelonycha Kirby. elongatula Fitch. Melolontha elong. Schönh.

Melolontha elong. Schönh. Mel. elongata Fabr. Mel. hexagona Germ. Dich. elongata Burm. ?Dich. virescens Kirby. subvittata Lec. virescens var. Kirby. testacea Kirby. pallens Lec. linearis Burm. Melolontha lin. Gyll. fulgida Lec. backii Kirby. fuscula Lec. truncata Lec. rotundata Lec. valida Lec. albicollis Burm. sulcata Lec. pusilla Lec.

SERICINI.

Serica McLeay.

§ CAMPTORHINA Kirby.

vespertina Lec.

Melolontha vesp. Schönh.
Omaloplia vesp. Harris.
C. atricapilla Kirby.

texana Lec.
atratula Lec.

atratula Lec. serotina Lec.

iricolor Burm.
Melolontha ir. Say.
fimbriata Lec.
tristis Lec.

sericea Burm.
Melolontha ser. Ill.
curvata Lec.
mixta Lec.
alternata Lec.
anthracina Lec.
frontalis Lec.
robusta Lec.
trociformis Burm.
?Melol. aphodina Bilb.

MACRODACTYLINI.

Macrodactylus Latr. subspinosus Latr.

Melolontha subsp. Fabr. setulosus Lec. angustatus Lec. Melolontha ang. Beauv. Mel. elongata|| Herbst. Mac. polyphagus Burm.

SERICOIDINI.

Hypotrichia Lec. spissipes Lec.

DIPLOTAXINI.

Orsonyx Lec.

anxius Lec.

Diazus Lec.

rudis Lec.

sordida Lec.

Diplotaxis Kirby.

Melolontha sord. Say. Dipl. carbonaria Burm.

puberula Lec. n. sp. subcostata Blanchard. liberta Burm. Melolontha lib. Germ. Mel. moestall Say. brevicollis Lec. obscura Lec. tristis Kirby. excavata Lec. frontalis Lec. punctatorugosa Blan. georgiae Blanch .frondicola! Blanch. castanea Burm. an D. subcostata? corpulenta Burm. angularis Lec.

moerens Lec. punctipennis Lec. texana Lec. harperi Blanch. frondicola Lec. Melolontha fr. Say. Dipl. testacea Burm. dubia Lec. truncatula Lec. consors Lec. carbonata Lec. atratula Lec. morula Lec. punctata Lec. cribulosa Lec. subangulata Lec. bidentata Lec. tenuis Lec.

corvina Lec. pacata Lec.

brevidens Lec. haydenii Lec. innoxia Lec.

Alobus Lec.

fulvus Lec.
an rite Am. bor.?

MELOLONTHINI.

Eugastra Lec.

cribrosa Lec.
Tostegoptera cr. Lec.
ventricosa Lec.
Tostegoptera ventr. Lec.

Endrosa Lec.

quercus Lec.
Melolontha qu. Knoch.
M. fervida † Ill.
Aneylonyeha qu. Burm.
volvula Lec.

Lachnosterna Hope.

farcta Lec.
torta Lec.
frontalis Lec.
longitarsis Lec.
Melolontha long. Say.
dispar Lec.
Trichestes disp. Burm.
latifrons Lec.
cerasina Lec.

ephelida Lec. Melolontha eph. Say. Trichestes eph. Burm. burmeisteri Lec. Trich. longitarsist Burm. glaberrima Lec. Ancylonycha gl. Blanch. inana Lec. congrua Lec. futilis Lec. fusca Lec. Melolontha fusca Fröhl. Mel. quercina Knoch. Mel. fervens Gyll. Mel. fervidat Ol. L. quercina Lec. Ancylonycha qu. Burm. a. consimilis Lec. B. anxia Lec. Anc. brevicollis Blanch. y. brevicollis (Burm.) 3. puncticollis (Blanch.) . drakii (Kirby.) profunda (Blanch.) var. praec. fide Burm. uniformis (Blanch.) var. praec. fide Burm. cephalica Lec. decidua Lec. sororia Lec. micans Lec. Melolontha mic. Knoch. Ancylonycha mic. Blanch. serricornis Lec. semicribrata Lec. lugubris Lec. cognata Lec. ?Ancylonycha cogn. Burm. fraterna Lec. Phyllophaga fr. Harris. Ancylonycha fr. Burm. lutescens Lec. corrosa Lec. calceata Lec. marginalis Lec. obesa Lec. prunina Lec. Ancyl. pruinosal Mels. rugosa Lec. affinis Lec. knochii Lec. Melolontha kn. Gyll. Ancylonycha kn. Blanch. ilicis Lec. Melolontha il. Knoch. Mel. porcina Hentz. Ancylonycha il. Blanch. Anc. fimbriata Burm.

ciliata Lec.

ilicis! (Burm.) -

subtonsa Lec. hirticula Hope. Melolontha hirt. Knoch. Mel. hirsutat Say. Phylloph. hirt. Harris. Ancyl. hirt. Burm. hirsuta Lec. Melolontha hirs. Knoch. Ancylonycha hirs. Blanch. balia Lec. Melolontha balia Say. Ancyl. comata Burm. villifrons Lec. hirticeps Lec. nitida Lec. rufiola Lec. robusta Lec. integra Lec. longicornis (Burm.) crassissima Blanch. diffinis (Burm.) gibbosa (Burm.) forsteri (Burm.) -§ HOLOTRICHIA Hope?

crenulata Lec. Melolontha cr. Fröhl. Mel. georgicana Gyll. Phyllophaga georg. Harris. Ancylonycha cr. Blanch. albina Lec. Ancylonycha alb. Burm. parvidens Lec. rubiginosa Lec. submucida Lec.

glabricula Lec.

glabripennis Lec.

§ TRICHESTHES Er. tristis Lec. Melolontha tr. Fabr. M. pilosicollis Kn. Trichesthes pil. Er. Trichestes tr. Burm. crinita (Burm.) comans (Burm.) prununculina (Burm.) gracilis (Burm.) maculicollis Lec. n. sp. nitidula Lec. n. sp.

Gynnis Lec.

debilis Lec. an rite Am. bor.?

Listrochelus Blanch. densicollis Lec. n. sp. mucoreus Lec. texanus Lec.

obtusus Lec. falsus Lec. fimbripes Lec. scoparius Lec. puberulus Lec. n. sp.

Tostegoptera Blanch.

lanceolata Blanch. Melolontha lanc. Say. Ancylonycha lanc. Lac. Lachnosterna lanc. Lec. aequalis Lec. Lachnosterna aeq. Lec.

Polyphylla Harris.

hammondi Lec. cavifrons Lec. subvittata Lec. decemlineata Lec. Melolontha 10-lin. Say. crinita Lec. variolosa Harris. Melolontha var. Hentz. occidentalis Er. Scarabaeus occ. Linn. Melolontha occ. Herbst.

Thyce Lec. squamicollis Lec.

MACROPHYLLINI.

Phobetus Lec.

comatus Lec. testaceus Lec.

S. PLEUROSTICTI. RUTELINI.

Anomala Koeppe.

parvula Burm. varians Burm. Melolontha var. Fabr. Mel. variegata Latr. An. undulata Mels. An. maculata Lap. minuta Burm. flavipennis Burm. dichroa Mels. luteipennis Lec. binotata Burm. Melolontha bin. Gyll. Mel. unifasciata Suy. An. marginella Lec.

inconstans Burm. centralis Lec. n. sp. § SPILOTA Dej.

marginata Burm.

Meloloptha marg. Fabr

Melolontha marg. Fabr. Mel. annulata Germ. lucicola Burm. Melolontha luc. Fabr. var. Mel. moerens Fabr. var. An. pinicola Mels. var. Mel. atrata Fabr. An. nigritula Lap.

Strigoderma Burm.

pygmaea Burm.
Melolontha pygm. Fabr.
arboricola Burm.
Melolontha arb. Fabr.

Pelidnota McLeay.

punctata McLeay.
Scarabaeus punct. Linn.
var. Mel. lutea Oliv.
lucae Lec. n. sp.

Plusiotis Burm. gloriosa Lec.

Cotalpa Burm.

lanigera Burm.
Scarabaeus lan. Linn.
Melolontha lan. Fabr.
puncticollis Lec.
granicollis Hald.

DYNASTINI.

Cyclocephala Latr.

immaculata Burm.
Melolontha im. Oliv.
Mel. nigrifrons Panzer.
longula Lec. n. sp.
seditiosa Lec. n. sp.
robusta Lec. n. sp.
nigricollis Burm.
villosa Burm.
hirta Lec.
puberula Lec. n. sp.

Chalepus McLeay.
obsoletus Lec.
trachypygus Burm.

Ligyrus Burm.
morio Lec.
Bothynus mor. Lec.

gibbosus Lec.
Scarabaeus gibb. De Geer.
Podalgus variolosus Burm.
Lig. variolosus Burm.
var. Both. obsoletus Lec.
juvenous Burm.

?Scarabaeus juv. Oliv. ?Scarabaeus juv. Pabr. Podalgus juv. Burm. Both. neglectus Lec. ruginasus Lec.

relictus Lec.
Scarabaeus rel. Say.
Heteronychus rel. Burm.
Bothynus rel. Lec.

Aphonus Lec.

pyriformis Lec.
Bothynus pyr. Lec.
tridentatus Lec.
Scarabaeus trid. Say.
Bothynus trid. Lec.
frater Lec.
hydropicus Lec.
Both. variolosus Lec.
castaneus Lec.
Bothynus cast. Mels.
Podalgus obesus Burm.
?clunalis Lec.

Polymoechus Lec. brevipes Lec.

Xyloryctes Hope.

satyrus Burm.
Geotrupes sat. Fabr.
Scarabaeus sat. Ol.
Sc. nasicornisamer. Beauv.

Strategus Hope.

antaeus Burm. Geotrupes ant. Fabr. \emptyset Scarab. boscii Beauv. mormon Burm. julianus Burm. splendens Lec. Scarabaeus spl. Beauv.

Dynastes Kirby.

tityus Hope.
Scarabaeus tit. Linn.
Geotrupes tit. Fabr.
Q Scar. marianus Linn.
Sc. pensylvanicus De Geer.

Megasoma Kirby. thersites Lec.

Phileurus Latr.

vitulus Lec. n. sp.
truncatus Lurm.
Scarabaeus tr. Beauv.
valgus Dij.
Geotrupes valg. Fabr.
Ph. castaneus Haid.
illatus Lec.
cribrosus Lec.

CETONIINI.

Allorhina Burm.

§ COTINIS Burm.

mutabilis I ac.
Gymnetis mut. Gory.

nitida Lac.
Scarabaeus nit. Linn.
Cetonia nit. Fabr.
Gymnetis nit. McL.

Gymnetis McLeay.

sallei Schaum. tristist Burm. cretacea Lec. n. sp.

Euryomia Burm.

§ EUPHORIA Burm. fascifera Lec. melancholica Lac. Cetonia mel. Gory. Euphoria mel. Schaum. sepulchralis Lac. Cetonia sep. Fabr. Cet. luridat Oliv. Cet. reiche Gory. Euphoria sep. Burm. basalis Lac. Cetonia bas. Gory. canescens Lac. Cetonia can. Burm. dimidiata Lac. Cetonia dim. Gory. vestita Lec. Cetonia vest. Say. kernii Lac. Euphoria cernii Hald. Erirhipis kernii Lec. var. Er. clarkii Lec. § ERIRHIPIS Burm.

inda Lac.
Scarabaeus indus Liun.
Cetonia inda Oliv.
Trichius indus Fabr.
Cet. marylandica Fröhl.
Cet. barbata Say.
Cet. brunnea Gory.

schottii Lac.
Erirhipis sch. Lec.
herbacea Lac.
Cetonia herb. Oliv.
Cet. pubera Schönh.
Cet. antennats Gory.
Euphoria herb. Sch.
Erirhipis pub. Burm.
californica Lec. n. sp.
fulgida Lac.
Cetonia fulg. Fabr.
Erirhipis fulg. Burm.

§ STEPHANUCHA Burm.

areata Lac. Cetonia ar. Fabr. Stephanucha ar. Burm.

Cremastochilus Kn.

§ PSILOCNEMIS BURM.

leucostictus (Eurm.) —

politus Schaum.

planatus Lec. n. sp.

saucius Lec.

nitens Lec.

schaumii Lec.

angularis Lec.

knochii Lec.

variolosus Kirby.
sayi Harris.
castaneae‡ Gory.
squamulosus Lec.

§ canaliculatus Kirby. hentzii Harris. castaneae Eurm. castaneae Knoch. harrisii Kirby.

Osmoderma Lep.

eremicola Dej.
Cetonia er. Knoch.
Trichius er. Say.
scabra Dej.
Trichius sc. Beauv.
Gymnodus foveatus Kirb.
Q Gymnod. rugosus Kirby.

Gnorimus Lep.

maculosus Burm.
Cetonia mac. Knoch.
Trichius mac. Schönh.
Trich. bigsbii Kirby.
Gn. dissimilis Gory.

Trichius Fabr.

piger Fabr.
drummond Gory.
rotundicollis Kirby.
bibens Fabr.
Cetonia bidens Oliv.
viridulus Fabr.
Cetonia vir. Oliv.
bibens Burm.
var. Tr. lunulatus Fabr.
affinis Gory.
assimilis Kirby.
bistriga Newm.
var. viridans Kirby.
bibens var. † Burm.

§ TRIGONOPELTASTES Burm. delta Fabr. Scarabaeus delta Forster.

Cetonia delta Oliv.

Valgus Scriba.

canaliculatus Gory.
Trichius can. Fabr.
Cetonia can. Oliv.
Trich. variegatus Beauv.
squamiger Gory.
Trichius sq. Beauv.
Tr. seticollis Beauv.

BUPRESTIDAE.

BUPRESTINI.

Gyascutus Lec.

planicosta Lec.
Chalcophora pl. Lec.
obliteratus Lec.
Chalcophora obl. Lec.
caelatus Lec.
Chalcophora cael. Lec.
sphenicus Lec.
Buprestis sph. Lec.

Chalchophora Sol.

angulicollis Lec.

Buprestis ang. Lec. Chalc. oregonensis Fitch. lacustris Lec. virginiensis Lec. Buprestis virg. Drury. Bup. wirginien Say. Bup. mariana Linn. Ch. liberta var. ‡ Fitch. Ch. novaeboracensis Fitch. georgiana Lec. Buprestis georg. Lec. Bup. liberta ‡ Lap.

liberta Fitch.

Buprestis lib. Germ.

Bup. borealis Lap.
fortis Lec.
campestris Lec.
Buprestis camp. Say.
Bup. substrigosa Lap.
langeri Chevr.—

Psiloptera Sol.

webbii Lec. woodhousei Lec. Dicerca woodh. Lec. var. Ps. valens Lec.

Dicerca Esch.

prolongata Lec. divaricata Lec. Buprestis div. Say. Bup. acuminatat Lap. Dic. dubia Mels. Dic. aurichalcea Mels. Dic. parumpunctata Mels. caudata Lec. ?Apatura cand. Lap. pugionata Lec. Buprestis pug. Germ. mutica Lec. obscura Lec. Buprestis obsc. Fabr. ?Bup. pruinosa Lap. baltimorensis Lec. Buprestis balt. Herbst. soror Lec. lurida Lec. Buprestis lur. Fabr. Dic. indistincta Mels. lepida Lec. Bup. pugionatat Lap. spreta Lec. Buprestis spr. Lap. Dic. molitor Mels. asperata Lec. Buprestis asp. Lap. Dic. impressifrons Mels. ?Bup. americana Herbst. tenebrosa Lec. B. (Stenuris) tene. Kirby. hilaris Lec. lugubris Lec. chrysea Mels. punctulata Fitch. Buprestis punct. Schonh. Bup. transversa Say. manca Lec. tuberculata Fitch. Buprestis tub. Lap. Bup. scobina Chevr. Dic. consobrina Mels.

lacustris Lec. ?B. (Stenuris) tenebrica bifoveata Lec. crassicollis Lec. pectorosa Lec. lecontei Gory. -

Poecilonota Esch.

cyanipes Lec. Buprestis cyan. Say. erecta (Gory.) ferrea Lec. Dicerca ferr. Mels. thureura Lec. Buprestis th. Say. Bup. costicollis Gory. debilis Lec.

Ancylochira Esch.

rufipes Dej. Buprestis ruf. Fabr. gibbsii Lec. sexplagiata Lec. langii Lec. Bup. langii Mann. fasciata Dej. Buprestis fasc. Fabr. Bup. 6-maculata Herbst. confluens Lec. Buprestis confl. Say. lineata Dej. Buprestis lin. Fabr. var. B. maculipennic Gory. B. inconstans Mels. laeviventris Lec. nuttalli Lec. B. (Anoplis) nutt. Kirby. consularis Dej. Buprestis cons. Gory. alternans Lec. subornata Lec. maculiventris Lec. Buprestis mac. Say. Bup. sexnotata Lap. rusticorum Lec. B. (Anoplis) rust. Kirby. paganorum (Kirby.) -

sulcicollis Lec. striata Lec. Buprestis str. Fabr. Bup. impedita Say. Bup. aurulentat Oliv. lauta Lec. radians Lec. adjecta Lec.

decora Dej. Buprestis dec. Oliv. Bup. salisburiensis Weber. ?Bup. aurulenta Linn. ultramarina Lec. Buprestis ultr. Say. apricans Lec. Buprestis apr. Herbst. Bup. bosci Lap.

Cinyra Lap. gracilipes Lec. Dicerca gr. Mels. erythropus Gory. an rite Am. bor.?

Melanophila Esch.

miranda Lec. Phaenops mir. Lac. consputa Lec. notata Lec. Apatura not. Lap. Mel. luteosignata Zeigler. longipes Gory. Buprestis long. Say. Ap. appendiculata Lap. Mel. immaculata Gory. atropurpurea Lec. Buprestis atr. Say. opaca Lec. drummondi Lac. B. (Trachypteris) dr. Kirby. Apatura dr. Lap. Mel. guttulatat Mann. fulvoguttata Lec. Buprestis fulv. Harris. Apatura 8-spilota Lap. Ap. croceosignata Lap. Ap. decolorata Lap. gentilis Lec. prasina | Lec. aeneola Mels. metallica Mels.

Anthaxia Esch. expansa Lec. foveicollis Lec. strigata Lec. ?aeneogaster Lap. imperfecta Lec. retifer Lec. inornata Lec. Buprestis in. Randall. cyanella Gory. scoriacea Mels. subaenea Lec. viridicornist Lap. viridicornis Lec. Buprestis vir. Say. viridifrons Gory.

quercata Lap. Buprestis qu. Fabr. B. viridicornist var. Say. cuneiformis Gory. flavimana Gory. gracilis Mels. bivittata Gory. -

Chrysobothris Esch.

octocola Lec. basalis Lec. ?atabalipa Lap. exesa Lec. femorata Lec. Buprestis fem. Fabr. a. alabamae Gory. β. quadriimpressa Lap. dentipest Lap. viridiceps Mels. rugosiceps Mels. soror Lec. semisculpta Lec. lesueuri Lap. obscura Lec. misella Lec. quadrilineata Lec. texana Lec. calcarata Mels. femoratat Lap. planata Lap. (f. Deyrolle.) cuprascens Lec. contigua Lec. dentipes Lec. Buprestis dent. Germ. B. characteristica Harris. ?Chr. planata Lap. californica Lec. vulcanica Lec. trinervia Lec. B. (Odontomus) trin. Kirby. Chr. cicatricosa Motsch. scabripennis Lap. pusilla Lap. strangulata Mels. debilis Lec. disjuncta Lec. deleta Lec. acuminata Lec.

gemmata Lec. sexsignata Lec. Bup. sexguttata | Say. B. sexsignata Say. Chr. germari Lap. Chr. ignipes Lap. analis Lec. hybernata Lec.

Buprestis hyb. Fabr. Chr. viridipunctata Lap. ?Chr. hybernata Lap. Bup. chrysellus Ill.

concinnula Lec.
azurea Lec.
ultramarina Lap.
harrisii Lec.
Buprestis harr. Hentz.
scitula Gory.—
chlorocephala Gory.—
aeneola Lec.
ulkei Lec.
nigrofasciata Lec.
nigritula Lap.—
errans Gory.—
floricola Gory.—
dissimilis Gory.—

Actenodes Lac.

bella Lec.
acornis Lec.
Buprestis ac. Say.
Chr. rugosula Gory.
Chr. punctata Mels.

Belionota Esch. californica Motsch. —

THRINCOPYGINI.

Thrincopyge Lec.

alacris Lec. ambiens Lec. Buprestis amb. Lec.

JULODINI.

Polycesta Sol.

elata Lec.
cavata Lec.
californica Lec.
obtusa Lec.
velasco Lap.

Acmaeodera Esch.

flavomarginata Gray.
opacula Lec.
haemorrhoa Lec.
connexa Lec.
croceonotata Gory.
acuta Lec.
ornata Lap.

Buprestis orn. Fabr. subbalteata Lec. n. sp. comata Lec. gibbula Lec.

pulchella Lec.
Buprestis pulch. Herbst.
?Bup. ornata Oliv.
Ac. ornata Spin.
Ac. volvulus‡ Lap.
Ac. flavosignata Gory.
?Ae. dispar Gory.
variegata Lec.
mixta Lec.
hepburnii Lec.
semivittata Lec.
retifera Lec.
texana Lec.
tubulus Lap.?
Buprestis tub. Fabr.
Bup. culta Weber.

Ptosima Sol.

luctuosa Gory.

Bupr. gibbicollis Say.

walshii Lec. n. sp.

Bup. geranii Harris.

guttifera Lec.

Chrysophana Lec. placida Lec.

HAPLOSTETHINI.

Haplostethus Lec.
subcyaneus Lec.

AGRILINI.

Coraebus Lap.

Cogitans Lec.
Buprestis cog. Weber.
Agrilus cog. Say.
Bup. ignara Fabr.
Eumerus ign. Lap.
Rhaeboscelis cog. Lec.

Rhaeboscelis Chevr.

tenuis Lec. n. sp.

Agrilus Sol.

fuscipennis Gory.
vittaticollis Randall. —
frenatus Gory.
arcuatus Say.
cupricollis Gory.
ruficollis Say.
Buprestis ruf. Fabr.
torquatus Lec.
fulgens Lec.

obliquus Lec. defectus Lec. otiosus Say. ?virens Gory. pusillus Say. difficilis Gory. occidentalis Uhler. bilineatus Say.
Buprestis bil. Weber. Ag. bivittatus Kirby. Ag. flavolineatus Mann. Ag. aurolineatus Gory. granulatus Say. quadriguttatus Gory. subfasciatus Lec. fallax Say. impressipennis Uhler. zemes Gory . interruptus Lec. ?obsoletoguttatus Gory. subcinctus Gory. latebrus Lap. acutipennis Mann. quadriimpressus Ziegler. torpidus Lec. anxius Gory. gravis Lec. plumbeus Lec. muticus Lec. macer Lec. cupreolus Lec. obolinus Lec. politus Say. desertus Lec. puncticeps Lec. Bup. geminata Say. ? Agrilus gem. Say. ?Agr. nigricans Gory. cephalicus Lec. egenus Gory. lacustris Lec. lateralis Say. putillus Say. —

Taphrocerus Sol.

gracilis Lec.
Trachys grac. Say.
Aphanisticus gr. Say.
Br. albeguttata Mann.

Brachys Sol.

ovata Lec.

Buprestis ov. Weber.
Trachys tesselata Fabr.
Br. aurulenta Kirby.
Br. molesta Gory.
var. Br. tesselata Lap.

¹ C. caliginosus Lap. appears to be the European C. rubi.

lugubris Lec.
laevicauda Lec.
terminans Lup.
Trachys term. Fabr.
Br. aerosa Mels.
aeruginosa Gory.
carbonata Lec.

Metonius Say.

purpureus Say.
Brachys purp. Lee.
Br. americana Gory.
laevigatus / ec.
Trachys ovata || Say.
Tr. laevigata Say.
Met. ovatus Say.
Br. punctata Gory.
Br. laevigata Lec.

THROSCIDAE.

THROSCINI.

Throscus Latr.

calocerus Bonv.—
constrictor Say.
alienus Bonv.
constrictor Bonv.
punctatus Bonv.
chevrolati Bonv.
parvulus Lec.

DRAPETINI.

Drapetes Redt.

extriatus Lec.

Elater geminatus || Say.

Elater extr. Say.

Dr. geminatus Bonv. (syn. excl.)

quadripustulatus Bonv.

tiidus Bonv.

Lissomus nit. Mels.

?Dr. niger Bonv.

rubricollis Lec. n. sp.

plagiatus.—

Lissomus plag. Boh.

ELATERIDAE.

EUCNEMIDAE.

MELASINI.

Melasis Oliv.

pectinicornis Mels.

Tharops Lap.

ruficornis Lec.

Melasis rufic. Say.
Euc. (Nematodes) ruf. Say.
obliquus Lec.
Eucnemis obl. Say.

EUCNEMINI.

Dendrocharis Guér.

Eucnemis Ahrens.

clypeatus Say.
Elater clyp. Say.
amoenicornis Say.

Fornax Lap.

orchesides Lec. Onychodon orch. Newm. bicolor Lec. Hylochares? bic. Mels. badius Lec. Dirhagus bad. Mels. rufipes Lec. Dirhagus ruf. Mels. monilicornis Lec. Eucnemis mon. Mann. cylindricollis Lec. Eucnemis cyl. Say. striatus Lec. calceatus Lec. Eucnemis calc. Say. Isarthrus spretus Lec. Fornax spretus Lec.

Microrhagus Esch.

imperfectus Lec.
subsinuatus Lec.
Euen. triangularis‡ Harris.
triangularis Lec.
Elater triang. Say.
Euenemis triang. Say.
humeralis Lec.
Euenemis hum. Lec.

Phlegon Lap.

heterocerus Lac.
Eucnemis het. Say.
Euryptychus het. Lec.

Epiphanis Esch. cornutus Esch. cristatus Lec.

Nematodes Latr.

atropos Lec.

Eucnemis atr. Say.
Emathion atr. Lec.
penetrans Lec.
Emathion pen. Lec.
frontosus Lec.
Eucnemis front. Say.
Epiph. canaliculatus Lec.
? subrufus.—
El. (Euc.) subr. Randall.

Hylochares Latr.

nigricornis Lec. Melasis nigr. Say.

Anelastes Kirby.

druryi Kirby.
Silenus brunneus Latr.
? Elater erosus Say.
latreillei Lec.

CEROPHYTIDAE.

CEROPHYTINI.

Cerophytum Latr.

pulsator Hald. Chorea puls. Hald.

PEROTHOPINI.

Perothops Er.

mucidus Er.

Elater muc. Schöup.
Eucnemis musc. Say.
Elater unicolor Say.
Eucnemis un. Say.
witticki Lec.

ELATERIDAE (genuini).

AGRYPNINI.

Agrypnus Esch.

sallei Lec. schottii Lec.

Adelocera Latr.

avita Lec.

Elater av. Say.
impressicollis Lec.
Elater imp. Say.
El. lepturus Say.
Ad. senilis Germ.

pennata Germ.
Elater penn. Fabr.
El. discoideas Weber.
El. cruentus Oliv.
aurorata Lec.
Elater aur. Say.
rorulenta Lec.
marmorata Germ.
Elater marm. Fabr.

obtecta Lec.
Elater obtectus Say.
cavicollis Lec.
profusa Cand. —
brevicornis Lec.

Lacon Germ.

mucoreus Lec.
Adelocera muc. Lec.
curtus Lec.
Adelocera curt. Lec,
rectangularis Lec.
Elater rect. Say.
Adelocera rect. Lec.

CHALCOLEPIDIINI.

Chalcolepidius Esc. inanus Cand.

rubripennis Lec. webbit Lec. smaragdinus Lec. viridipilis Lec. Elater vir. Lec. ?Chalch. prasinus Er.

Alaus Esch.

gorgops Lec.
oculatus Esch.
Elater oc. Linn.
myops Esch.
Elater myops Fabr.
El. luscust Ol.
melanops Lec. n. sp.

HEMIRHIPINI.

Hemirhipus Latr.

fascicularis Germ. Elater fasc. Fabr.

ELATERINI.

Cardiophorus Esch.

amictus Mels. erythropus‡ Lec. ?El. convexus Say. erythropus Er. saturninus Lec. insulsus Cand. ?filius. Elater fil. Randall. cardisce Lec. Elater card. Say. var. C. convexust Er. fenestratus Lec. lorquinii Cand. dejeanii Lec. tumidicollis Lec. convexulus Lec. gagates Er. longior Lec. luridipes Cand. fulvipes Lec. tenebrosus Lec. obscurus Lec. amplicollis Motsch. latiusculus Esch. laevicollis Er. robustus Lec.

Horistonotus Cand.

sufflatus Cand.
Cardiophorus suffl. Lec.
inanus Cand.
Cardiophorus in. Lec.
transfugus Cand.
Cardiophorus transf. Lec.
curiatus Cand.
Elater eur. Say.
Cardiophorus eur. Lec.
Card. areolatus‡ Er.
simplex Lec. n. sp.
densus Lec., n. sp.

Esthesopus Esch.

Elater elar. Say. humilis Cand.

Cryptohypnus Esch.

squalidus Lec. planatus Lec. n. sp. funebris Cand. hyperboreus Gyll. grandicollis Lec. n. sp. littoralis Dej. Hypolithus litt. Esch. nocturnus Esch. impressicollis Mann. abbreviatus Lec. Elater abbr. Say. Cr. silaceipes Germ. lacustris Lec. fallax Mann.

vestitus Mann. limbatus Mann. bicolor Germ. Hypolithus bic. Esch. Cr. picescens Lec. scarificatus Mann. lucidulus Mann. restrictulus Mann. musculus Mann. Elater musc. Esch. tumescens Lec. striatulus Lec. guttatulus Mels. choris Lec. Elater ch. Say. pulchellus Dej. Elater pulch. Linn. Cr. exiguus Rand. [tim.) El. guttatulus Mels. (parornatus Lec. pectoralis Lec. Elater pect. Say. obliquatulus Mels. inops Lec.

Oedostethus Lec. femoralis Lec.

Blauta Lec.

cribraria Cand. Elater cr. Germ. Bl. cauta Lec.

futilis Lec.

Elater Linn.

rubricollis Herbst. El. verticinus Beauv. Ampedus rubr. Germ. nigricollis Herbst. Ampedus nigr. Germ. semivittatus Say. linteus Say. Ampedus lugubris Germ. discoideus Fabr. Ampedus disc. Germ. semicinctus Randall. laesus Lec. savi Lec. oblessus Say discoideus | Say. militaris Harris. vitiosus Lec. dimidiatus Lec. apicatus Say. Amp. melanopygus Germ. cordifer Lec. lecontei Candéze. phoenicopterus Lec. Ampedus phoen. Germ.

xanthomus Lec. Ampedus xanth. Germ. El. humeralis Mels. luctuosus Lec. socer Lec. impolitus Mels. hepaticus Mels. rhodopus Lec. umbricolor Motsch. manipularis Cand. molestus Lec. fuscatus Mels. nigricans Lec. Ampedus nigr. Germ. El. testaceipes Mels. pedalis Cand. Ampedus ped. Germ. El. ursulus Mels. carbonicolor Mann. nigrinus Payk. lacustris Lec. fusculus Lec. deletus Lec. pullus Cand. Ampedus pull. Germ. mixtus Herbst. minipennis Lec. sanguinipennis Say. Ampedus sang. Germ. palans Lec. collaris Say. El. thoracicust Herbst. Ampedus coll. Germ. rubricus Say. Ampedus conc. Germ. obliquus Say. Amp. scitulus Germ. var. El. areolatus Say. pusio Cand. Ampedus pus. Germ. El. luteolus Lec. protervus Lec. ?basalis Randall. -?macilentus Randall. . ?nimbatus Say. —1

Drasterius Esch.

dorsalis Lec.
Elater dors. Say.
Monocrepidius dors. Lec.
Aeolus dors. Cand.
elegans Lec.
Elater elegans Fabr.
Aeolus elegans Cand.
El. circumscriptus Germ.
Mon. circumscriptus Lec.

rufulus. —
Aeolus ruf. Cand.
amabilis Lec.
Monocrepidius am. Lec.
simiolus Cand. —
comis Cand.
Monocrepidius com. Lec.
livens Cand.
Monocrepidius liv. Lec.

Megapenthes Cand.

granulosus Cand.
Ectinus gran. Mels.
El. sturmii‡ Lec.
turbulentus Cand.
Elater turb. Lec.
rufilabris Cand.
Elater ruf. Germ.
stigmosus Cand.
Elater stigm. Lec.
var. El. caprella Lec.
limbalis Lec.
Elater limb. Herbst.

Crepidotritus Lec.

cinereipennis Lec.
Cryptohypnus cin. Mann.
Anchastus recedens Lec.
Mon. hirsutulus Motsch.
Mon. piliferus Motsch.
puberulus Lec.
Cryptohypnus pub. Mann.
tantillus.—
Cardiophorus tant. Mann.
regularis (Motsch.)—

Brachycrepis Lec.

bicarinatus Lec. ?binus Lec. Elater binus Say.

Anchastus Lec.

digitatus Lec. rufus Candéze. signaticollis Cand. — Ampedus sign. Germ.

Tricrepidius Motsch. triangulicollis Motsch.

Monocrepidius Esch. xysticus Candéze.

Elater lividus Degeer. El. castanipes Herbst. El. elongatus Beauv. El. lobatus Say. Monoer. lob. Germ. aversus Lec. suturalis Lec. lepidus Lec. ?El. bisectus Say. texanus Candéze. vespertinus Dej. Elater vesp. Fabr. El. finitimus Germ. Mon. serotinus Germ. athoides Lec. n. sp. sordidus Lec. auritus Germ. Elater aur. Herbst. Oophor. crassicollis Mels.

lividus Dej.

Dicrepidius Esch.

Cryptohypnus bell. Germ.

ramicornis Germ.
Elater ram. Beauv.
corvinus Cand.
palmatus Cand. —

Elater bell. Say.

blandulus Lec.

bellus Lec.

Ischiodontus Cand.

ferreus Cand.
Dicrepidius ferr. Lec.
soleatus Cand.
Elater sol. Say.
Dicrepidius sol. Lec.
simplex Cand.
Dicrepidius simpl. Lec.
oblitus Candéze,
approximatus Cand.

Ludius Latr.

abruptus Lec.
Elater abr. Say.
Lud. coracinus Germ.
attenuatus Lec.
Elater att. Say.
tartareus Lec.
Elater tart. Lec. [Motsch.
Dolopiosomus aterrimus

Orthostethus Lac.

infuscatus Lac.
Aphanobius infusc. Germ.
Pristil. sordidus Mels.

¹ The following species are irrecognizable: Elater flavines Fabr.; rufipes Beauv.; lepturus Herbst.; scutellum Herbst; erythropus Say.

Crigmus Lec.

hepaticus Lec.
Elater hep. Germ.
Aphanobius hep. Germ.
texanus Lec.

Agriotes Esch.

mancus Lec. Elater manc. Say. El. (Agr.) obesust Harris. Agr. truncatus Mels. Agr. striatulus Mels. pubescens Mels. fucosus Lec. var. collaris Lec. ferrugineipennis Lec. sordidus Lec. stabilis Lec. limosus Lec. avulsus Lec. opaculus Lec. oblongicollis Lec. Dolopius obl. Mels. var. Dol. isabellinus Mels.

Dolopius Esch.

macer Lec.
pauper Lec.
subustus Lec.
sericatus Motsch.
californicus Mann.—
lateralis Esch.
sellatus Mann.—
simplex Motsch.—

Betarmon Kraatz.

bigeminatus Lec. Elater big. Randall. Dolopius big. Lec.

Adrastus Esch.

recticollis Lec.
Elater rect. Say.
Adr. pumilus Er.
testaceus Mels.
quietus.
Elater qu. Say.
inquinatus.
Elater inq. Say.

Melanotus Esch.1

corticinus Lac.
Elater cort. Say.
Cratonychus cort. Lec.

longulus (Lec.) macer (Lec.) cuneatus (Lec.) incertus (Lec.) decumanus (Er.) canadensis Cand. . despectus Cand. clandestinus (Er.)secretus (Lec.) ignobilis (Mels.) depressus Lac. Ctenonychus depr. Mels. Cratonychus depr. Lec. angustatus (Er.) Ctenonych. testaceus Mels. trapezoideus (Lec.) tænicollis (Lec.) leonardi (Lec.) scrobicollis (Lec.) texanus Cand. castanipes Kiesenw. Elater east. Payk. Perimecus fulvipes Kirby. Cr. inaequalis Lec. glandicolor Mels. fissilis Lac. El. cinereust (fiss.) Say. El. (Mel.) cinereust Harr. Crat. laticollis Er. ?El. brevicollis Herbst. Crat. ochraceipennis Mels. Crat. sphenoidalis Mels. communis Harris. Elater comm. Gyll. Perimecus comm. Kirby. Crat. communis Er. Elater cinereus Weber. Cr. spadix Er. exuberans (Lec.) parumpunctatus (Mels.) effetus Cand. . verberans (Lec.) emissus (Lec.) infaustus (Lec.) cribulosus (Lec.) cribricollis Cand. paganus Cand. pertinax Lac. Elater pert. Say. Cratonychus pert. Lec. dubius (Lec.) tenax Lac. Elater tenax Say. Cratonychus ten. Lec. americanus Lac. Elater am. Herbst.

Cratonychus am. Er. insipiens Lac.
Elater ins. Say.
Cratonychus ins. Lec. tenellus (Er.)
variolatus Lec.)
morosus Cand.
Craton. longulus Lec.
sagittarius (Lec.)
paradoxus Mels.
an rite Am. Bor?
abdominalis (Er.) —
vetulus (Er.) —
similis. —
Perimecus sim. Kirby.

Limonius Esch. auripilis Lec.

Elater aur. Say. pubicollis Lec. fulvipilis Cand. mirus Lec. discoideus Lec. aurifer Lec. stigma Dej. Elater st. Herbst. El. armns Say. Gambrinus arm. Lec. griseus Cand. Elater gr. Beauv. El. cylindriformist Say. Lim. hirticollis Mels. confusus Lec. plebejus Lec. Elater pleb. Lec. Lim. metallescens Mels. aenescens Lec. occidentalis Cand. infuscatus Motsch. aeger Lec. quercinus Dej. Elater qu. Say. ornatulus Lec. humeralis Cand. basillaris Lec. Elater bas. Say. semiaeneus Lec. subauratus Lec. pilosus Lec. clypeatus Motsch. mandibularis Motsch. subcostatus Motsch. californicus Cand. Cardiophorus cal. Mann.

Lim. hispidus Lec.

^{&#}x27;The authorities in parenthesis have described the species under the more recent generic name of Cratonychus. They have all been referred to Melanotus by Lacordaire.

B Tr. Am. Phil. Soc., x. 480.

angulatus Motsch. —
canus Lec.
propexus Cand.
anceps Lec.
ectypus Lec
Elater ectypus Say.
agonus Lec.
Elater ag Say.

Elater ag. Say.
ornatipennis Lec. n. sp.
definitus Ziegler.
infernus Lec.
maculicollis Motsch.—

Campylus Fischer.

productus Randall.
denticornis Kirby.
flavinasus Mels.
fulvus Motsch. —
varians Mann. —

Pityobius Lec.

anguinus Lec. murrayi Lec.

Athous Esch.

brightwelli Cand. Pedetes bright. Kirby. Ath. oblongicollis Mels. Ath. arcticollis Mels. acanthus Cand. Elater ac. Say. Pedetes ac. Lec. opilinus Cand. maculicollis Lec. n. sp. cucullatus Cand. El. cucull. Say. Ath. hypoleucus Mels. Ath. procericollis Mels. Ath. strigatus Mels. ferruginosus Esch. excavatus. -Pedetes exc. Motsch. fossularis Cand. Pedetes foss. Lec. nigripilis Motsch. scapularis Cand. Elater sc. Say. Pedetes sc. Lec. equestris Cand. Pedetes eq. Lec. rufiventris Mann. -Elater ruf. Esch. posticus Mels. rufifrons Lec. Elater ruf. Randall. reflexus Lec.

scissus Lec. vittiger Lec. triundulatus Mann. — discalceatus Lec. El. disc. Say. bicolor Lec.

Bladus Lec.

quadricollis Lec. Eucnemis quadr. Say.

Oestodes Lec.

tenuicollis Lec.
Elater ten. Randall.
graciliformis Lec.
Elater grac. Randall.

Eanus Lec.

vagus Lec.
Limonius vagus Lec.
estriatus Lec.
Limonius estr. Lec.
maculipennis Lec. n. sp.

Nothodes Lec.

dubitans Lec. Limonius dub. Lec.

Sericosomus Esch.

§ ATRACTOPTERUS Lec.

fusiformis Lec.
?El. honestus Randall.
incongruus Lec.
viridanus Lec.
Elater virid. Say.
El. sublucens Randall.
silaceus Lec.
Elater sil. Say.
§ Atr. umbratieus Lec.
debilis Lec.
flavipennis Lec.
Dolerosomus flav. Motsch.
humeralis (Motsch.) —

Oxygonus Lec.

obesus Lec.
Elater ob. Say.
El. acutipennis Randall.
Diacanthus acut. Germ.
Corymbites acut. Lec.

Corymbites Latr.

hamatus Lec. Elater ham. Say. medianus Lec. Diacanthus med. Germ. Cor. rubidipennis Lec. propola Lec. triundulatus Lec. Elater triund. Randall, furcifer Lec. hieroglyphicus Lec. Elater hier. Say. nubilus Lec. serricornis. -Diacanthus serr. Mann. ochreipennis Lec. n. sp. confluens Lec. Elater confl. Gebler. Diacanthus confl. Mann. sericeus Lec. Elater ser. Fischer. Ludius ser. Esch. Diacanthus ser. Germ. bombycinus Lec. Diacanthus bomb. Germ. Cor. semiluteus Lec. fallax Lec. Elater fall. Say. fusculus Lec. Prost. angustulus | Motsch. oblongoguttatus. Prosternon obl. Motsch. nitidulus Lec. ?Diac. submetallicus Germ. aratus Lec. splendens Ziegler. ?Diac. corporosus Germ. tinctus Lec. an seq. gens? aeripennis Lec. El. (Aphotistus) aer. Kirby. El. appropinguans Rand. suckleyi Lec. carbo Lec. lateralis Lec. conjungens Lec. pulcher Lec. festivus Lec. appressus Lec. Elater appr. Randall. decoratus. -Diacanthus dec. Mann. parvicollis. -Discanthus parv. Mann. glaucus Lec. Diacanthus gl. Germ. Hadr. simillimus Motsch. inflatus Lec. Elater infl. Say.

Diacanthus infl. Germ.

crassus Lec.

divaricatus Lec. rotundicollis Lec. Elater rot. Say. var. Diac. russicollis Germ. sticticus. -Diacanthus stict. Germ. leucaspis, -Diacanthus leuc. Germ. sulcicollis Lec. El. parallelus | Say. Elater sulc. Say. aerarius Lec. Elater aer. Randall. El. (Diac.) racinei Chevr. resplendens Esch. gracilior Lec. nubilipennis | Lec. furtivus Lec. atropurpureus Mels. cylindriformis Germ. Elater cylind. Herbst. El. appressifrons Say. Q El. brevicornis Say. C. parallelopipedus Germ. obscurus Lec. cribrosus Lec. Pristilophus subcanaliculatus Motsch. morulus Lec. n. sp. signaticollis Lec. Diacanthus? sign. Mels. trivittatus Lec. colossus Lec. [Motsch. & Lud. serraticornis aethiops Lec. Elater aeth. Herbst. Pristilophus aeth. Germ. maurus Lec. vernalis Germ. Elater vern. Hentz. kendalli Germ. Ctenicerus kend. Kirby. El. anchorago Randall. cuprascens Lec. viridis Lec. Elater viridis Say. Cor. micans Germ. anthrax Lec. vulneratus Lec. n. sp. tarsalis Lec. Athous tars. Mels. caricinus Esch. telum Lec. lobatus Esch. volitans Esch. spinosus Lec. spectabilis Mann. umbricola Esch.

rudis Motsch.

rupestris Germ. -

angusticollis Mann. pyrrhos Lec. Elater pyrrh. Herbst. O Athous pyrrhicus Hald. Ath. vagrans Mels. Ath. aequalis Mels. bivittatus Lec. Campylus biv. Mels. jaculus Lec. protractus Lec. rufipes Motsch. . fulvipes Bland. sagitticollis Lec. Pristilophus sag. Esch. insidiosus Lec. falsificus Lec. mendax Lec. angularis Lec. diversicolor. Ludius div. Esch. Diacanthus div. Mann.

Asaphes Kirby.

hemipodus Lec. Elater hem. Say. carbonatus Lec. morio Lec. dilaticollis Motsch. memnonius Lec. Elater memn. Herbst. Pedetes ruficornis Kirby. baridius Lec. Elater bar. Say. [Germ. Hemicrepidius thomasi aereus Lec. O Athous aer. Mels. & Ath. aeneolus Mels. decoloratus Lec. Elater dec. Say. tumescens Lec. indistinctus Lec. oregonus Lec. melanopthalmus Lec. Athous mel. Mels. tener Lec. an praec. 3? consentaneus Lec. an seq. 3? bilobatus Lec. Elater bil. Say. planatus Lec. cavifrons Lec. Athous cav. Mels.

Pyrophorus Ill. physoderus Germ.

Melanactes Lec.

procerns Lec. piceus Lec. Elater piceus De Geer. El. laevigatus Fabr El. morio Say. (var.) Pristilophus laev. Germ. Prist. femoralis Mels. densus Lec. morio Lec. Elater morio Fabr. El. lacunosus Fabr. Pristilophus morio Germ. puncticollis Lec. Pristilophus punct. Lec. consors Lec. reichei Lec. Pristilophus reichei Germ.

PLASTOCERINI.

Aphricus Lec. californicus Lec.

Aplastus Lec. speratus Lec. optatus Lec.

Plastocerus Lec. schaumii Lec.

frater Lec.

Euthysanius Lec.

lautus Lec. pretiosus Lec. n. sp.

CEBRIONIDAE.

Anachilus Lec. mandibularis Lec. n. sp.

Cebrio Fabr.

bicolor Fabr.
Seledonon bic. Latr.
simplex Lec.
confusus Lec.

Scaptolenus Lec.

femoralis Lec. Cebrio fem. Chevr.

RHIPICERIDAE.

ZENOINI.

Zenoa Say.

picea Lec.
Melasis pic. Beauv.
Z. brunnea Say.
var. Z. vulnerata Lec.

RHIPICERINI.

Sandalus Knoch.

niger Knoch. (Q).
knochii Guér. (CQ).
rubidus Mels. (B).
californicus Lec.
petrophya Knoch.
Rhipic. fulva Lap.
R. proserpina Newm.
var. brevicollis Mels.
scabricollis Hald.

SCHIZOPODIDAE.

Schizopus Lec. laetus Lec.

DASCYLLIDAE.

DASCYLLIDAE (genuini).

MACROPOGONINI.

Macropogon Motsch. piceus Lec.

Eurypogon Motsch.

niger Motsch.
Ochina nigra Mels.
Sclerodes harrisii Westw.

DASCYLLINI.

Stenocolus Lec.

scutellaris Lec.

Anchytarsus Guer.

ater Guér.

Elodes debilis Ziegler.

Atopa bicolor Mels.

Odontonyx Guér.

trivittis Schaum.

Dasytes triv. Germ.
Od. ornata Guér.

Dascyllus Latr.2

melanophthalmus
Guér.—
davidsonii Lec.

Anorus Lec.

CYPHONIDAE.

EUBRIINI.

Ectopria Lec.

thoracica Lec.
Eubria thorac. Ziegler.
nervosa Lec.
Eubria herv. Mels. (\$\cap\$).
Eurea nerv. Lec. (\$\cap\$).
Ect. tibialis Lec. (\$\sigma\$).
tarsalis Lec.
an praec. var.?

CYPHONINI.3

Cyphon Fabr.

pallipes Lec.
fusciceps Kirby.
piceus Lec.
punctatus Lec.
nebulosus Lec.
modestus Lec.
pusillus Lec.
obscurus (Guér.)—
collaris Lec.
Helodes coll. Guér.
bicolor Lec.
concinnus Lec.
Helodes conc. Lec.

§ Hemicyphon Lec. ruficollis Lec.

Lampyris ruf. Say.
Elodes fragilis Ziegler,
var. E. marginicollis Guér
var. E. oblonga Guér.

Prionocyphon Redt.

discoideus Lec.
Cyphon disc. Say.
Elodes disc. Guír.
limbatus Lec. n. sp.

Helodes Latr.

apicalis Lec. n. sp.

§ SACODES Lec. pulchella $Gu\ell r$. fuscipennis $Gu\ell r$. Nycteus? thoracious Mels. thoracioa $Gu\ell r$.

§ MICROCARA Thomson. explanata Lec. n. sp. ? brevicollis Lec. n. sp.

Scirtes Illiger.

tibialis Guér.
solstitialis Mels.
californicus Motsch.—
orbiculatus Guér.
Cyphon orb. Fabr.
Altica centralis Say.
S. suturalis Ziegl.
S. lateralis Lee.

var. S. suturalis *Guérin*. EUCINETINI.

Eucinetus Germar.

oviformis Lec. n. sp. infumatus Lec. terminalis Lec. morio Lec. testaceus Lec. n. sp.

PTILODACTYLINI.

Ptilodactyla Latr.

serricollis Lec.
Ptilinus serri. Say.
Atopa fusca Mels.
elaterina Guér.

December, 1865.

¹ The genus Boscia Leach (Zool. Journ. I, 36), is not recognizable, nor can any of the five species, prices, principal, p

² Dascillus err. cler.

4 The European species C. variabilis, and C. coarctata are mentioned by Guérin as occurring in North America, but I have not identified either of them.

LAMPYRIDAE.

LAMPYRIDAE (genuini).

LYCINI.

Lycus Fabr.

cruentus Lec. lateralis Lec. Lygistopterus lat. Mels.

Dictyoptera Latr.

perfaceta Lec. Lycus perf. Say. D. substriata Lec.

Calopteron Guér.

typicum Lec. Digrapha typic. Newm. var. D. discrepans Newm. var. D. affinis Lec. ? var. D. apicalis Lec.1 reticulatum. Lycus ret. Fabr. Digrapha ret. Newm. var. D. dorsalis Newm. D. duplicata Hald. var. D. terminalis Say. megalopteron Lec.

Caenia Newm.

dimidiata Lec. Lycus dim. Fabr. C. scapularis Newm. basalis Lac. Celetes marginella Newm. Cel. basalis Lec. Cel. mystacina Lec. Cel. tabida Lec. sanguinipennis Lec. Lycus sang. Say.

Eros Newm.

hamatus Lac. Dictyopterus ham. Mann. simplicipes Lac. Dictyopterus simpl. Mann. coccinatus Lec. Lyeus coce. Say. mundus Lec. Lycus mundus Say. thoracicus Lec. Omalisus thor. Randall.

sculptilis Lec. Lycus sculpt. Say. oblitus Newman. incestus Lec. (3). crenatus Lec. Omalisus cren. Germ. O. cruciatus Randall. E. alatus Newm. fraternus (Randall).humeralis Newm. Lycus hum. Fabr. Omalisus obliquus Say. trilineatus Lec. Dictyopterus tril. Mels. modestus Lec. Lycus mod. Say. Eros timidus Lec. (d). E. aeger Lec. (♀). Dict. minutus | Lec. var. E. socius Lec. mollis Lec. var. lascivus Lec. var. D. nanus Mels. var. vilis Lec. floralis Lec. Dictyopterus fl. Mels. sollicitus Lec. canaliculatus Lec. Lycus can. Say. ? E. alatus Newm.

LAMPYRINI.

Pleotomus Lec.

pallens Lec. n. sp.

Calyptocephalus Gray.

bifarius Motsch. Lampyris bif. Say. Pollaclasis ovata Nerom. Pol. bifaria Lec.

Lucidota Lap.

atra Lac. Lampyris atra Fabr. L. laticornis Fabr. Photinus (Luc.) lat. Lap. Lucernuta atra Lec. Lychnuris atra Motsch. Lychn. morio Mels. tarda Lac.

Lucernuta tarda Lec. punctata Lac. Lucernuta punct. Lec. Photinus Lap. (emend. Lac.)

& ELLYCHNIA Lec.

facula Lec. ? Ell. lateralis Motsch. californicus Lac. Ellychnia cal. Motsch. corruscus Lac. Lampyris corr. Linn. Ell. latipennis Motsch. autumnalis (Mels.) Lac. Ell. corruscat Motsch. an praec. gens? lacustris (Lec.) Lac.

§ Pyropyga Motsch.

fenestralis Lec. Pyractomena fenestr. Mels. nigricans Lac. Lampyris nigr. Say. ? L. obscura Fabr. decipiens Lac. Lampyris dec. Harris. Ell. neglecta Lec. minuta Lac. Ellychnia min. Lec. californicus Lac.-Pyropyga cal. Motsch.

§ Pyrectomena Lec. angulatus Lac. Lampyris ang. Say. Pyrectomena ang. Lec. borealis Lac. Lampyris bor., Randall. Pyrectomena bor. Lec. angustatus (Lec.) Lac. lucifer Lac. Lampyris luc. Mels.! Pyr. linearis Lec.

(§ Pyrectosoma Motsch.) consanguineus Lec. vittiger Lec. ardens Lec. var. obscurellus Lec. lineellus Lec.

(§ ELLIPOLAMPIS Motsch.) pyralis Lap. Lampyris pyr. Linn. Lamp. centrata Say. Lamp. rosata Germ. Pyrectosoma versicolort

Motsch. marginellus Lec. ? Ellip. pyralist Motsch. var. P. castus Lec.

Digrapha divisa Newm. (Ent. Mag. 5, 381), from some clerical error in the description is irrecognizable, but is probably the same as D. apicalis Lec.
 Lycus marginellus Fabr. is not recognizable, neither are Eros praefectus and lictor Newman.

§ GYNAPTERA Lec.1 scintillans Lec. Lampyris scint. Say. Macrolampis scint. Motsch. punctulatus Lec.2

Phausis Lec.

reticulata Lec. Lampyris retic. Say.

Microphotus Lec.

dilatatus Lec. n. sp.

Photuris Lec.

pennsylvanica Lec. Lampyris pens. De Geer. Lamp. versicolor Fabr. Photinus pens. Lap. frontalis Lec. divisa Lec. var. congener Lec.

PHENGODINI.3

Phengodes Hoffm.

plumosa Hoffm. (5). Lamyris plum. Oliv. Ph. testaceus Leach. fusciceps Lec.

Pterotus Lec.

obscuripennis Lec. (3).

TELEPHORIDAE.

CHAULIOGNATHINI.

Chauliognathus Hentz.

pensylvanicus Lec. Telephorus pens. De Geer. Canth. americana Forster. Canth. bimaculata Fabr. Chaul. bimaculatus Hentz. profundus Lec. opacus Lec. n. sp.

limbicollis Lec. basalis Lec. scutellaris Lec. discus Lec.

marginatus Hentz. Cantharis marg. Fabr.

var. Chaul. hentzii Lec. var. Canth. ligata Say.

TELEPHORINI.

Omethes Lec.

marginatus Lec. n. sp.

Podabrus Westw. (emend. Lec.)

§ BRACHYNOTUS Kirby.

tricostatus Lec. Cantharis tric. Say. Teleph. bennettii Kirby.

? Malth. parvicollis Motsch. M. atripes Motsch. basilaris Lec.

Cantharis bas. Say. flavicollis Lec. discoideus Lec. punctulatus Lec.

modestus Lec. Cantharis mod. Say.

diadema Lec. Cantharis diad. Fabr.

frater Lec. Malth. quadricollis Motsch. latimanus Lec.

Malthacus lat. Motsch. P. mellifluus Lec. gradatus Lec.

comes Lec. torquatus Lec. pruinosus Lec. tomentosus Lec.

Cantharis tom. Say. Pod. rufiolus Mels. rugosulus Lec.

poricollis Lec. puncticollis | Lec. brunnicollis Lec. favi Lec. n. sp.

protensus Lec. n. sp.

§ MALTHACUS Kirby.

scaber Lec. macer Lec. piniphilus Lac. Rhagonychus pin. Esch. R. puberulus Lec.

cinctipennis Lec. n. sp.

Dichelotarsus pin. Motsch.

Tel. (M.) punct. Kirby. puncticollis Lec. Tel. (M.) punct. Kirby. P. marginellus Lec. corneus Lec. cavicollis Lec.

punctatus Lec.

teionicus Lec. laevicollis Lec. Tel. (M.) laev. Kirby.

sericata.-Rhagonycha ser. Mann. an laevicollis?

simplex Couper. mandibularis (Kirby) .-

Telephorus Schäffer.

δ Ancistronycha Märk. dentiger Lec. excavatus Lec. vilis Lec.

§ RHAGONYCHA Esch.

carolinus Lec. Cantharis car. Fabr. Rhagonycha car. Motsch. C. jactata Say. (immat.) angulatus Lec.

Cantharis ang. Say. lineola Lec. Cantharis lin. Fabr.

C. parallela Say. var. T. sayi Lec. rectus Mels.

? C. rufipes Say. imbecillis Lec. cruralis Lec. flavipes Lec.

dichrous Lec. luteicollis Germ. cinctellus Lec. scitulus Lec.

Cantharis sc. Say. nigriceps Lec. longulus Lec. pusillus Lec.

fraxini Lec. Cantharis fr. Say. T. ater (Linn.) Kirby. T. nigrita Lec. Rh. binodula Mann.

§ TELEPHORUS Kraatz.

tibialis Lec. consors Lec.

In the section Gynaptera the females are apterous, but have short elytra as in the European Lamprohiza.

² Luctola maculicollis Lap. is probably not a North American species.

³ It is quite possible that this tribe should be united with Drilini.

rotundicollis Lec.
Cantharis rot. Say.
westwoodii Kirby.—
samouelli Kirby.—
curtisii Kirby.
grandicollis Lec.
? Oripa rubricollis Motsch.
transmarinus.—
Oripa transm. Motsch.

Oripa transm. Motse, fidelis Lec. scopus Lec. n. sp. tuberculatus Lec. T. impressus Lec.

Silis? brevicollis Lec. marginellus Lec. oregonus Lec. n. sp. collaris Lec. bilineatus Lec. Cantharis bil. Say. peregrinus Boh.—

§ CYRTOMOPTERA Motsch.

divisus Lec.
Cyrt. latiuscula Motsch.

§ CYRTOMOPTILA Motsch.

notatus Lec.
Cantharis not. Mann.
T. larvalis Lec. (immat.)
lautus Lec.

§ Polemius Lec.

laticornis Lec.
Cantharis lat. Say.
Telephorus dubius Mels.
incisus Lec.
limbatus Lec. (3).
Teleph. repandus Lec. (2)
planicollis Lec.
armiger Couper.

Silis Charp.

pallida Mann.

pallens|| Lec.
lutea Lec.

percomis Lec.
Cantharis perc. Say.
S. longicornis Lec. (3).
Telephorus curtus Lec. (2).
difficilis Lec.

Ditemnus Lec.

bidentatus Lec. Cantharis bid. Say.

Trypherus Lec.

latipennis Lec. Malthinus lat. Germ. Molorchus marginalis Say. Malthinus marg. Say. Lygerus lat. Kiesenwetter.

Loberus Kiesenw.

Tytthonyx Lec.

erythrocephalus Lec.
Lampyris erythr. Fabr.
Malth. serraticornis Mels.

Malthinus Latr.

occipitalis Lec. var. difficilis Lec.

concavus (Lec.)

Malthodes Kiesenw.

transversus (Lec.)
fuliginosus Lec. n. sp.
exilis Lec.
Malthinus ex. Mels.
Malth. fulvicollis Kiesenw.
fragilis (Lec.)
niger (Lec.)
fusculus (Lec.)
laticollis Lec.
Malthod. transversus Lec.
parvulus (Lec.)
spado Lec. n. sp.

MALACHIDAE.

MALACHINI.

Collops Er.

bipunctatus Er.
Malachius bip. Say.
marginicollis Lec.
nigriceps Er.
Malachius nigr. Say.
eximius Er.
tricolor Er.
Malachius tric. Say.
punctatus Lec.
limbatus Lec. n. sp.
cribratus Lec.
eyanipennis Motsch. (?).
balteatus Lecu.

quadrimaculatus Er.
Malachius quadr. Fabr.
Cerocoma ruficollis Fabr.
Paussus ruf. Fabr.
histrio Er.
vittatus Er.
Malachius vitt. Say.
Megadeuterus haworthi
Westw. (d)
a. confluens Lec.
marginellus Lec.
insulatus Lec. n. sp.
punctulatus Lec.

Tanaops Lec.

abdominalis Lec.
longiceps Lec.
Malachius long. Lec.
apicalis.—
Cephalistes ap. Motsch.
unicolor.—
Cephalistes un. Motsch.

Hapalorhinus Lec.

mirandus Lec. auritus Lec. Malachius aur. Lec.

Malachius Fabr. aeneus Fabr.

Anthocomus Er.

erichsonii Lec.
A. otiosus† Er.
A. lateralis Lec.
flavilabris Lec.
Malachius flav. Say.

Attalus Er.

§ SCALOPTERUS Motsch.
Otiosus Lec.
Malachius ot. Say.
M. nigripennis Say.
Anth. atripennis Er.
flavifrons Lec.
Anthocomus fl. Lec.
pallifrons Lec.
Anthocomus pall. Motsch.
humeralis Lec. n. sp.
circumscriptus Lec.
Malachius circ. Say.
Anthocomus circ. Er.
cinctus Lec.
Anthocomus circ. Lec.

¹ I cannot identify Cantharis vittata Fabr. Ent. Syst. I, 219.

difficilis Lec. Anthocomus diff. Lec. lobulatus Lec. Anthocomus lobatus | Lec. terminalis Lec. Anthocomus term. Er. S. haemorrhoidalis Motsch. scincetus Lec. Malachius sc. Say. Anthocomus sc. Er. infuscatus (Motsch.)-? an praec. var. trimaculatus (Motsch.)rufomarginatus.-Scalopterus ruf. Motsch. granularis Lec. Anthocomus gr. Er. basalis Lec. Anthocomus bas. Lec. melanopterus (Er.)an Ebaeus bicolor ?? morulus Lec. Ebaeus mor. Lec.

Acletus Lec.

nigrellus Lec.

Ebaeus Er.

apicalis Er.

Malachius apic. Say.

Mal. minutus Mels.
bicolor Lec.
pusillus Lec.

Malachius pus. Say.
oblitus Lec.
? submarginatus Lec.

Microlipus Lec.

laticeps Lec.
Malachius lat. Lec. (3).

Charopus Er.

moerens Lec. longicollis Motsch. uniformis Motsch.—

Endeodes Lec.

basalis Lec.
Atelestus bas. Lec.
abdominalis Lec.
Atelestus abd. Lec.
collaris Lec.
Atelestus coll. Lec.

DASYTINI.

Pristoscelis Lec.

§ BYTUROSOMUS Motsch.

fuscus Lec.
Dasytes fusc. Lec.
B. griseus; Motsch.
B. rufipes Motsch.

§ TRICHOCHROUS Motsch.

ater Bland (atrus).
? T. eylindricus Motsch.
laticollis Lec.
Dasytes lat. Mann.
fulvitarsis Bland.
antennatus (Motsch.)
D. griseus|| Lec.
brevicornis Lec.
californicus (Motsch.)—
cylindricus (Motsch.)—

§ EMMENOTARSUS Motsch.
brevipilosus Lec.
hirtellus Lec.
sordidus (Lec.)
suturalis (Lec.)
conformis (Lec.)
grandiceps Lec.
quadricollis (Lec.)
squalidus (Lec.)
squalidus (Lec.)
punctipennis Lec.
pedalis Lec.
texanus Lec.
texanus Lec.
? parvicollis (Mann.)—

§

serricollis Lec.

Listrus Motsch.

canescens Motsch.

Dasytes can. Mannh.
difficilis (Lec.)
rotundicollis Motsch.
Dasytes rot. Lec.
obscurellus (Lec.)
luteipes (Lec.)
punctatus Motsch.—
tibialis Motsch.—
senilis (Lec.)
erythropus (Lec.)
pusillus (Lec.)

Dolichosoma

Stephens.

foveicollis Lec.
Dasytes fov. Kirby.
nigricornis Lec.
Pristoscelis nigr. Bland.

Eschatocrepis Lec.

constrictus (Lec.)
var. L. constricollis Motsch.

Allonyx Lec.

sculptilis (Lec.) plumbeus Lec.

Dasytes Payk.

breviusculus Motsch. hudsonicus Lec.

Melyris Fabr.

basalis Lec.
Dasytes bas. Lec.
cribratus Lec.
Dasytes cribr. Lec.

RHADALINI.

Rhadalus Lec. testaceus Lec.

CLERIDAE.

CLERINI.

Elasmocerus Lec.

terminatus Lec.
Tillus term. Say.
T. (Macrotelus||) t. Klug.
Monophylla|| term. Spin.
M. megatoma Spin. (3).

Tillus Fabr.

collaris Spin.—1

Perilypus Spin.
carbonarius Spin.—

Cymatodera Gray.

brunnea Mels.

¹ T. pectinicornis Klug is not an American but an Asiatic species.

morosa Lec. ? cylindricollis Chevr. inornata Lec. Priocera in. Say Tillus (C.) in. Klug. bicolor Lec. Tillus bic. Say. undulata Lec. Tillus und. Say. C. longicollis Špin. C bosci Chevr. balteata Lec. fascifera Lec. n. sp. punctata Lec. tenera Lec. usta Lec. fuscula Lec. puncticollis Bland. angustata Spin. ovipennis Lec. pilosella Lec. n. sp. longicornis Lec.

Opilus Latr.

domesticus Klug.¹ Notoxus mollis var. Spin.

Priocera Kirby.

Castanea Lec.
Opilus cast. Newm.
P. rufescens Spin.
P. maculata Ziegler.

Trichodes Herbst.

ornatus Say.
douglasianus White.
hartwegianus White.
bifasciatus Fabr.
tenellus Lec.
an T. ornati gens?
nuttalli Klug.
Clerus nutt. Kirby.
bibalteatus Lec.
apivorus Germ.
trifasciatus Sturm.

Clerus Geoffr. (emend. Kiesenw.)

THANASIMUS Latr. (emend. Duval.)

§ Pseudoclerus Duval. spinolae Lec.

quadrisignatus Say. affiliatus Lec. rufescens Lec. laticinctus Lec. analis Lec. nigripes Say. incertus Lec. dubiust Spin. nigripest Lec. vix a praecedente differt. nigrifrons Say. rosmarus Say. oculatus Spin. var. angustus Lec. lunatus Spin. bicolor Mels. ichneumoneus Fabr. rufus Oliv. mexicanus Laporte. abruptus Lec. arachnodes Klug .crabronarius Spin .cordifer Lec. eximius Mann. holosericeus White. nigriventris Lec. sphegeus Fabr. moestus Klug. truncatus Lec. viduus Klug .erythrogaster Spin. thoracicus Oliv. monilis Mels. sexguttatus Fabr. quadriguttatus Oliv .-

§ THANASIMUS Spin. trifasciatus Say. dubius Fabr.
Th. ruficeps Spin. undatulus Say. nubilus Klug.
Th. abdominalis Kirby. vix a praec. differt. rubriventris Lec.

§ THANEROCLERUS Spin. sanguineus Say. ? tantillus Lec.

Cleronomus Klug. Colyphus Spin.

signaticollis (Spin.) cinctipennis (Spin.) rufipennis (Spin.) interceptus (Spin.)— Hydnocera Newman.

tricondylae Lec. unifasciata Lec. Clerus unif. Say. Hydn. punctata Spin. subfasciata Lec. n. sp. subaenea Spin. steniformist Spin. humeralis Newm. Clerus hum. Say. var. H. cyanescens Lec. var. H. difficilis Lec. rufipes Newm .pubescens Lec. scabra Lec. discoidea Lec. pallipennis Lec. Clerus pall. Say. Hydn. serrata Newm. suturalis Spin. Clerus sut. Klug. Hydn. limbata Spin. bicolor Lec. pedalis Lec. n. sp. verticalis Lec. Trichodes vert, Say. Hydn. curtipennis Newm. Clerus brachypterus Klug. H lineaticollis Spin. schusteri Lec. n. sp. tabida Lec. longicollis Ziegler. aegra Newm .-

ENOPLIINI.

Phyllobaenus Spin.

dislocatus Lec.
Enoplium disl. Say.
E. distrophum Klug.
Ph. transversalis Spin.

Ichnea Lap.

laticornis Lec. Enoplium lat. Say.

Tarsostenus Spin.

univittatus Spin.
Clerus univitt. Rossi.
Opilus albofasciatus Mels.
Tarsostenus alb. Lec.

¹ Introduced into Canada.
² A variety of this species occurs in California, according to White, B. M. Cat. 31; but a variety of T. ornatus Say is more probably intended.

Chariessa Perty.

vestita Spin. Brachymorphus vest. Chev. Enoplium vest. Klug. Corynetes spectabilis Lap. dichroa Lec. Enoplium dichr. Lec. pilosa Lec.

Lampyris pil. Forster. Enoplium pil. Say. Pelonium pil. Spin. a. onusta.

Enoplium on. Say. E. marginatum || Say.

Cregya Lec.

vetusta Lec. Pelonium vet. Spin. Enopl. venustum Hald. Prioc. albomaculata Ziegl. fasciata Lec. Enoplium fasc. Lec.

oculata Lec. Clerus oc. Say. Pelon. marginipenne Spin. mixta Lec. n. sp.

Orthopleura Spin.

texana Bland. damicornis Spin. Tillus dam. Fabr. Enopl. thoracicum Say. E. punctatissimum Chevr. E. bimaculatum Mels.

Enoplium Latr.

quadripunctatum Say. quadrinotatum Hald. scabripenne Lec. n. sp.

Lebasiella Spin.

janthina Lec. n. sp. nigripennis Lec. n. sp.

Laricobius Rosenhauer.

rubidus Lec. n. sp.

Corynetes Herbst.

§ NECROBIA Spin. rufipes Fabr.

Dermestes ruf. Fabr. Necrobia ruf. Oliv.

ruficollis Fabr. Dermestes ruf. Fabr. Necrobia ruf. Oliv. violaceus Herbst. Dermestes viol. Linn. Necrobia viol. Stephens. Necr. errans Mels.

marginellus Chevr. an rite Am. Bor.?

§ OPETIOPALPUS Spin. luridus (Spin.)—

LYMEXYLIDAE.

Lymexylon Fabr. sericeum Harris.

Hylecoetus Latr.

lugubris Say .americanus Harris.-

CUPESIDAE.

Cupes Fabr.

capitata Fabr. concolor Westwood. cinerea Say. trilineata Mels. serrata Lec.

PTINIDAE.

PTINIDAE (genuini).

PTININI.

Gibbium Scopoli.

scotias Scop. Ptinus scotias Linn.

Mezium Curtis.

americanum Boieldieu. Gibbium amer. Laporte.

Trigonogenius Solier. farctus Lec. n. sp.

Niptus Boieldieu. ventriculus Lec.

Ptimus Linn.

fur Linn. humeralis Say. brunneus Duftschmidt. frontalis Mels. verticalis Lec. quadrimaculatus Mels. bimaculatus Mels .interruptus Lec.

EUCRADINI.

Eucrada Lec.

humeralis Lec. Hedobia hum. Mels.

ANOBIIDAE.

ANOBIINI.

Ernobius Thoms.1

mollis Thoms. Anobium molle Fabr. An. convexifrons Mels. Philoxylon conv. Lec. Liozoum molle Muls. punctulatus Lec. Anobium punet. Lec. alutaceus Lec. Philoxylon al. Lec. debilis Lec. granulatus Lec. marginicollis Lec. Anobium marg. Lec. tenuicornis Lec.

Ozognathus Lec.

cornutus Lec. Anobium corn. Lec. misellus Lec.

Xestobium Motsch.2

tesselatum Motsch. Anobium tess. Fabr. Cnecus tess. Thoms.

Oligomerus Redt.

sericans Lec. Anobium ser. Mels. obtusus Lec. alternatus Lec.

Philoxylon Lec. Liozoum Muls.

² Cnecus Thoms.

Sitodrepa Thoms.

panicea Thoms. Anobium pan. Fabr. A. (Artobium) pan. Muls.

Ctenobium Lec. antennatum Lec.

Ptinodes Lec.

setifer Lec. Anobium set. Lec.

Trichodesma Lec.

gibbosum Lec. Anobium gibb. Say.

Nicobium Lec.

hirtum Lec. Anobium hirt. Ill. A. (Neobium) hirt. Muls.

Hadrobregmus Thoms,2

& CACOTEMNUS Lec.

errans Lec. Anobium err. Mels. Cacotemnus err. Lec. carinatus Lec. Anobium car. Say. linearis Lec.

pumilio Lec. gibbicollis Lec. Anobium gibb. Lec. Hemicoelus gibb. Lec

foveatus Lec. Anobium fov. Kirby. Hemicoelus fov. Lec.

> Anobium Fabr. (emend. Thomson.)

notatum Say. quadrulum Lec.

Trypopitys Redt.

sericeus Lec. Xyletinus ser. Say. punctatus Lec.

Petalium Lec.

bistriatum Lec. Anobium bistr. Say.

Theca Muls. profunda Lec

Eupactus Lec.

nitidus Lec. punctulatus Lec. pudicus Lec. ? Anobium pud. Boh.

Xyletimus Latr.

peltatus Lec. Anobium pelt. Harris. pallidus Lec. mucoreus Lec. fucatus Lec. puberulus Boh .-

Lasioderma Steph.

serricorne Lec. Ptinus serr. Fabr. Pseudochina serr. Muls. Ptilinus testaceus Duftsch. reticulatus Mellié. Xyletinus test. Sturm. Lasioderma test. Steph. X. pallidus Lap. dermestinum Lec.

Catorama Guér. ? simplex Lec.

Hemiptychus Lec.

punctatus Lec. gravis Lec. Dorcatoma grave Lec. pusillus Lec. Dorcatoma pus. Lec. borealis Lec. ventralis Lec. obsoletus Lec. nigritulus Lec

Protheca Lec.

puberula Lec. hispida Lec.

Dorcatoma Herbst.

setulosum Lec. incomptum Lec.

Caenocara Thoms.3

oculata Lec. Dorcatoma oc. Say. (d). D. simile Say. (?). Tylistus sim. Lec. scymnoides Lec. bicolor .-Dorcatoma bic. Germ.

PTILININI.

Ptilinus Geoffr.

ruficornis Say. Pt. bicolor Mels. basalis Lec. thoracicus Lec.4 Tomicus thor. Randall.

BOSTRICHIDAE.

ENDECATOMINI.

Endecatomus Mellié.

Anobium ret. Herbst. Dictyalotus ret. Redt. rugosus Lec. Triphyllus rug. Randall. End. dorsalis Mellié.

BOSTRICHINI.

Sinoxylon Duftsch.

asperum Lec. sericans Lec. 4-spinosum Lec. n. sp. sextuberculatum Lec. basilare Lec. Apate bas. Say. declive Lec.

Bostrichus Geoffr: (emend. Guérin).

serricollis Lec. Apate serr. Germ. Apate bicornis Say. ? A. bicornis Weber. armiger Lec. n. sp. truncaticollis Lec. n. sp.

Anobium subg. Artobium Muls. Tylistus Lec., Enneatoma Muls.

² Cacotemnus and Hemicoelus Lec.

Ptilinus serricollis Say, Journ. Ac. Nat. Sc. Phila. 3, 186, is a Ptilodactyla.

Amphicerus Lec.

bicaudatus Lec. Apate bic. Say. (3). Ap. aspericollis Germ. (?). punctipennis Lec. Bostrichus punct. Lec. fortis Lec. n. sp.

Dinoderus Steph.

punctatus Lec. Apate punct. Say. substriatus Steph. Apate substr. Payk. porcatus Lec. n. sp. cribratus Lec. n. sp. densus Lec. n. sp.

Rhizopertha Steph.

pusilla Steph. Sinodendron pus. Fabr.

PSOINI.

Polycaon Lap.

stoutii Lac. Allococnemis st. Lec. ovicollis Lac. Exops ov. Lec. exesus Lec. pubescens Lec. n. sp. punctatus Lec. n. sp. confertus Lec. n. sp.

Acrepis Lec.

maculata Lec .-

LYCTIDAE.

Lyctus Fabr.

striatus Mels. var. axillaris Mels. opaculus Lec. n. sp. cavicollis Lec. n. sp. planicollis Lec.

Trogoxylon Lec.

parallelopipedum Lec. Xylotrogus par. Mels. punctatum Lec. n. sp.

SPHINDIDAE.

Sphindus Chevr. americanus Lec. n. sp.

CIOIDAE.1

Cis Latr.

dichrous Lec. creberrimus Mellié. setulosus Mellié. fuscipes Mellié. americanus Mannh. bicarinatus Mannh. tridentatus Mannh. ephippiatus Mannh .micans (fide Kirby) .-

Anobium mic. Fabr. chevrolatii Mellié. atripennis Mellié. dubius Mellié. pumicatus Mellié. minutissimus Mellié. obesus Mellié. punctatus Mellié. tristis Mellié. subtilis Mellié.

Ennearthron Mellié.2

vitulus Lec. Cis vitulus Mannh. mellyi Mellié.

Ceracis Mellié.

sallei Mellié. militaris Mellié.

TENEBRIONIDAE.

TENTYRIIDAE.

EPIPHYSINI.

Edrotes Lec.

ventricosus Lec. rotundus Lec. Pimelia rot. Say.

TENTYRIINI.3

Triorophus Lec.

nodiceps Lec. laeviceps Lec. rugiceps Lec. punctatus Lec.

Triphalus Lec. perforatus Lec. n. sp.

Craniotus Lec. pubescens Lec .-

Trimytis Lec. pruinosa Lec.

Cryptadius Lec. inflatus Lec .-

Eurymetopon Esch.

abnorme Lec. rufipes Esch. convexicolle Lec. punctulatum Lec. n. sp. ochraceum Esch.-

serratum Lec. n. sp.

Emmenastus Motsch.

(emend Lec.)

punctatus Lec. n. sp. pinguis Lec. n. sp. convexus Lec. n. sp. obtusus Lec. obesus Lec.

Eurymetopon ob. Lec. ater Lec.

Eurymetopon at. Lec. rugosus Motsch .-

longulus Lec. Eurymetopon long. Lec. texanus Lec. n. sp.

Auchmobius Lec. sublaevis Lec .-

¹ I have not studied critically the species of this family, and the list is simply a compilation: there are many species in my collection which have not yet been identified.
² Cts theoretic runs Ziegl. Proc. Ac. Nat. Sc. Phila. 2, 270, belongs to this genus, but the description

does not enable it to be identified.

The arrangement here adopted is somewhat different from that which is set forth in Classification of Coleoptera of North America, pp. 213, 214, and is partly modified according to the principles made known by Kraatz, Rev. Tenebr. alten Welt, 69, sqq.

EPITRAGINI.

Epitragus Latr.

submetallicus Lec. acutus Lec. n. sp. arundinis Lec. n. sp. canaliculatus Say. plumbeus Lec. n. sp. tomentosus Lec. n. sp.

Schoenicus Lec. puberulus Lec. n. sp.

ANEPSIINI.

Anepsius Lec. delicatulus Lec.

Batulius Lec. setosus Lec. rotundicollis Lec.

ZOPHERINI.

Zopherus Sol.

nodulosus Sol.
variolosus; Hald.
tristis Lec.
concolor Lec.

Phlocodes Lec.

diabolicus Lec. Nosoderma diab. Lec. pustulosus Lec. Nosoderma pust. Lec.

Noserus Lec.

plicatus Lec. Nosoderma pl. Lec.

Phellopsis Lec.

porcata Lec.
Nosoderma porc. Lec.
obcordata Lec.
Boletophagus obc. Kirby.

· DACODERINI.

Dacoderus Lec. striaticeps Lec.

STENOSINI.

Araeoschizus Lec. costipennis Lec.

APOCRYPHINI.

Apocrypha Esch. anthicoides Esch. dischyrioides Lec.

ASIDIDAE.

NYCTOPORINI.

Nyctoporis Esch.

galeata Lec. cristata Esch. carinata Lec. aequicollis Esch.

CRYPTOGLOSSINI.

Centrioptera Mann.

caraboides Mann.—
muricata Lec.
spiculata Lec.
an muricatæ gens?

Oochila Lec.

infausta Lec.
Asbolus? ruf. Lec.
seriata Lec.
Cryptog!pssa ser. Lec.

Cryptoglossa Sol.

verrucosa Lac.
Asbolus verr. Lec.
laevis Lac.
Asbolus laev. Lec.

ASIDINI.

Microschatia Sol.

inaequalis Lec. puncticollis Lec. sulcipennis Lec.

Astrotus Lec.

Hologlyptus Lac.

anastomosis Lac.
Asida anast. Soy.
Pactostoma anast. Lec.

Pelecyphorus Sol.

costipennis Lec.
sordidus Lec.
irregularis Lec.
var. aeger Lec.
morbillosus Lec.
aegrotus Lec.
carinatus Lec.
bifurcus Lec.
connivens Lec. n. sp.
obsoletus Lec.
rimatus Lec.
var. subcostatus Lec.
var. subcostatus Lec.

var. subcostatus Lec.
marginatus Lec.
confluens Lec.
parallelus Lec.
sexcostatus Lec.
hispidulus Lec.
hirsutus Lec.
costipennis Lec.
difformis Lec.
var. elatus Lec.
angulatus Lec.

Asida Latr.

opaca Say.
lirata Lec.
Pelecyphorus lir. Lec.
polita Say.

§ Euschides Lec.

obovata (Lec.) convexa (Lec.) convexicollis (Lec.) puncticollis Lec. n. sp.

BRANCHINI.

Branchus Lec.

floridanus Lec. n. sp.

CONIONTINI.

Coelus Esch.

globosus Lec. ciliatus Esch.

Eusattus Lec.

§ Discodemus Lec. reticulatus Lec. Zophosis ret. Say.

8

laevis Lec. n. sp.

§ EUSATTUS Lec. difficilis Lec. convexus Lec. muricatus Lec. dilatatus Lec. puberulus Lec. productus Lec.

§ Conipinus Lec.

§

robustus Lec. n. sp.

Coniontis Esch.

viatica Esch.
affinis Lec.
eschscholtzii Mann.
abdominalis Lec.
ovalis Lec.
lata Lec. n. sp.
obesa Lec.
subpubescens Lec.
nemoralis Esch.
puncticollis Lec.

TENEBRIONIDAE (genuini).

BLAPTINI.

Eleodes Esch.

obscura Esch.
Blaps obscura Say.
? B. hispilabris Say.
a. dispersa Lec.
\$\beta\$. deleta Lec.
arata Lec.
sulcipennis Mann.
acuta Esch.
Blaps acuta Say.
suturalis Esch.
Blaps sut. Say.
texana Lec.

§

pedinoides Lec. asperata Lec. robusta Lec.

tricostata Lec.
Blaps tric. Say.
Pimelia alternata Kirby.
El. planata || Solier.

§

sulcata Lec.
a. convexa Lec.
nupta Lec.
gracilis Lec.
sponsa Lec.
caudifera Lec.
obsoleta Lec.
Blaps obs. Say.

§

grandicollis Mann.

fusiformis Lec.

subnitens Lec.
extricata Lec.
Blaps extr. Say.
cognata Hald.
seriata Lec.
carbonaria Lec.
Blaps carb. Say.
vicina Lec.
soror Lec.
immunis Lec.
debilis Lec.
striolata Lec.
ventricosa Lec.
lucae Lec. n. sp.

innocens Lec. n. sp. quadricollis Esch. nigrina Lec.

longicollis Lec.
haydenii Lec.
gigantea Mann.
gentilis Lec.
omissa Lec.
armata Lec.
femorata Lec.
laticollis Lec.
a. acuticauda Lec.
dentipes Esch.

§

clavicornis Esch. impressicollis Boh.

§ Le

granulata Lec. humeralis Lec. aspera Lec. n. sp. obtusa Lec. hirsuta Lec. subaspera Lec. n. sp. scabripennis Lec.

inculta Lec. planipennis Lec. n. sp. producta Esch. a. constricta Lec. reflexicollis Mann .planata Esch. a. parvicollis Esch. consobrina Lec. vesevi Lec. scabrosa Esch. subligata Lec. viator Lec. vix a sequente differt. pimelioides Mann. rotundipennis Lec. stricta Lec. intricata Mann. an sequentis gens? cordata Esch. tuberculata Esch. granosa Lec. n. sp.

Discogenia Lec.

scabricula Lec.
Eleodes scabr. Lec.
marginata Lec.
Eleodes marg. Esch.
a. fischeri (Mann.)

Promus Lec.

opacus Lec.
Blaps opaca Say.
Eleodes opaca Lec.

Embaphion Say.

muricatum Say. var. concavum Lec.

 $\begin{array}{c} \S \\ \text{contusum } Lec. \end{array}$

\$

depressum Lec. Eleodes depr. Lec.

PEDININI.

Pedinus Latr.

? suturalis Say.—

Opatrinus Latr.

aciculatus Lec.
notus Lec.
Opatrum not. Say.
Tenebrio minimus Beauv.

Blapstinus Waterh.

crassus Lec.
sordidus Lec.
obliquus Lec. n, sp.
sulcatus Lec.
dilatatus Lec.

? Opatrum pullum Say. longulus Lec. angustus Lec. brevicollis Lec. lecontei Muls. pubescens || Lec. vestitus Lec. pratensis Lec. pratverulentus Mann. moestus Mels.

metallicus Lec.
Blaps met. Fabr.
Opatrum interruptum Say.
B. aeneolus Mels.
B. interruptus Lec.
B. luridus Muls.

Conibius Lec.

seriatus Lec. parallelus Lec.

Notibius Lec.

puberulus Lec. puncticollis Lec. sulcatus Lec. granulatus Lec. opacus Lec. n. sp.

OPATRINI.

Ammodonus Muls.

fossor Muls.
Opatrum fossor Lec.

Ephalus Lec.

latimanus Lec. Heliopates lat. Lec.

SCAURINI.

Eulabis Esch.

bicarinata Esch. grossa Lec. n. sp. rufipes Esch.

§ Epantius Lec. obscura Lec.

§ APSENA Lec. pubescens Lec.

Cerenopus Lec.

concolor Lec. cribratus Lec. bicolor Lec. sulcipennis Lec.

TENEBRIONINI.

Polypleurus Sol.

nitidus Lec. n. sp. geminatus Sol. perforatus Lec. Upis perf. Germ. Pol. punctatus Sol.

Rhinandrus Lec. gracilis Lec. n. sp.

Coelocnemis Mann.

obesa Lec.
dilaticollis Mann.
magna Lec.
punctata Lec.
californica Mann.—

Cibdelis Mann.

blaschkii Mann. bachei Lec.

Scotobaenus Lec. parallelus Lec.

Centronopus Sol. opacus Lec.

calcaratus Lec.
Tenebrio cale. Fabr.
T. coracinus Knoch.
T. reflexus Say.
? Hel. carolinensis Beauv.
? T. aeneus DeGeer.

Merinus Lec.

laevis Lec. Tenebrio laevis Oliv.

Pachyurgus Lec.

aereus Lec.
Iphthinus aer. Mels.

Xylopinus Lec.

saperdoides Lec.
Tenebrio sap. Oliv.
Helops sap. Beauv. (?).
H. calcaratus Beauv. (d).
Ten. anthracinus Knoch.
aenescens Lec. n. sp.
rufipes Lec.
Tenebrio ruf. Say.

Haplandrus Lec.

femoratus Lec.
Trogosita fem. Fabr.
Tenebrio fem. Beauv.
Upis fulvipes Herbst.
concolor Lec. n. sp.

Upis Fabr.

ceramboides Fabr.
Tenebrio cer. Linn.
U. reticulata Say.

Nyctobates Lec.

inermis Mann.
pennsylvanica Lec.
Tenebrio pens. De Geer.
Upis chrysops Herbst.
Tenebrio sublaevis Beauv.
intermedia Hald.
barbata Lec.
Tenebrio barb. Knoch.
? Upis glabra Herbst.

Iphthimus Truqui.

serratus Lac.
Nyctobates serr. Mann.
sublaevis Lec.
Nyctobates subl. Bland.
opacus Lec. n. sp.

Glyptotus Lec.

cribratus Lec.
? Ten. variolosus Beauv.

Tenebrio Linn.

obsourus Fabr.
tristis Hald.
molitor Linn.
castaneus Knoch.
interstitialis Say.
? variolosus‡ Beauv.—
? elongatus Beauv.—
? rufinasus Say.—

δ NEATUS Lec.1 tenebrioides Lec. Helops tenebr. Beauv. Tenebrio badius Say.

Rius Muls.

estriatus Lec. Tenebrio estr. Lec.

HETEROTARSINI.

Anaedus Blanch.

brunneus Lec. Pandarus? br. Ziegler. rotundicollis Lec.

Paratenetus Spin.

punctatus Spin. fuscus Lec.

ULOMINI.

Tribolium M'Leay.

ferrugineum Wollaston. Trogosita ferr. Fabr. Tenebrio ferr. Fabr. Dermestes navalis Fabr. Lyctus nav. Fabr. Ips testacea Fabr. Colydium castaneum Herbst ? Ips cinnamomea Herbst. Tribolium cast. M'Leay. Stene ferr. Stephens. Margus ferr. Redt. madens Redt. Tenebrio mad. Charp. Margus obscurus Redt.

Aphanotus Lec.

brevicornis Lec. Eulabis brev. Lec.

Gnathocerus Thunb.

cornutus Thunb. Trogosita corn. Fabr. Cerandria corn. Lucas. maxillosus.-

Trogosita max. Fabr. Cerandria max. Mannh.

Cynaeus Lec. angustus Lec.

Tharsus Lec. seditiosus Lec. n. sp.

Uloma Laporte.

impressa Mels. imberbis Lec. n. sp. cava Lec. n. sp. longula Lec. punctulata Lec. n. sp.

Alphitobius Steph. diaperinus Wollaston.

Tenebrio diap. Panzer. Phaleria diap. Latr. Heterophaga diap. Lucas. Uloma mauritanica Curtis. A. mauritanicus Steph. Heterophaga diap. Lucas. piceus Muls. Helops pic. Olivier. ? Ten. mauritanicus Fabr. Tenebrio fagi Panz. Phaleria fagi Latr. Huloma fagi Curtis. ? Tenebrio oryzae Herbst. A. picipes Steph. Heterophaga maur. Lucas. H. fagi Redt.2

Ulosonia Laporte.

marginata Lec. Uloma marg. Lec.

TRACHYSCELINI.

Trachyscelis Latr. flavipes Mels.

PHALERIINI.

Phaleria Latr.

pilifera Lec. n. sp. rotundata Lec. testacea Say. longula Lec. n. sp. picipes Say. debilis Lec. n. sp. globosa Lec. humeralis Lap. picta Mann .-

CRYPTICINI.

Crypticus Latr. obsoletus Say.

BOLETOPHAGINI.

Boletotherus Cand.

cornutus Candéze. Boletophagus corn. Fabr. Opatrum corn. Panzer. Phellidius cor. Lec. (olim).3

Boletophagus Illiger.

corticola Say. depressus Lec. Eledona depr. Randall. Bol. tetraopes Newm. Rhipidandrus Lec.

flabellicornis Lec. Xyletinus flab. Sturm.

DIAPERINI.

Pentaphyllus Latr. pallidus Lec. n. sp.

Diaperis Geoffroy.

hydni Fabr. maculata Oliv.

Hoplocephala Lap.

viridipennis Lap. Diaperis vir. Fabr. bicornis Lec. Diaperis bic. Oliv. Hispa bic. Fabr. Opl. virescens Lap. D. (Arrhenoplita) bic. Kirby.

¹ Although the middle trochantin is scarcely visible in this species I do not think it can be properly

Although the middle trochantin is scarcely visible in this species I do not think it can be properly separated from the genus Tenebrio.

The synonymy of the two species of Alphitohius, both of which are introduced, is copied from the excellent work of Mulsant, Coleopt. France, Latigénes, p. 236, 238.

This genus was characterized by me under the name Phellidius in the first issue of the Class: Col. N. America, p. 236, but on learning that it had been previously described by Candéze, the proper alteration was made in the next issue.

chalybea Lap .collaris Lap .-

Platydema Lap.

excavatum Dej. Diaperis exc. Say. cyanescens Lap. erythrocerum Lap.

oregonense Lec. politum Lap. subcostatum Lap. americanum Lap. clypeatum Hald. laevipes Hald. picilabrum Mels. ellipticum Lap.

Mycetophagus ell. Fabr. Tenebrio ell. Fabr.

flavipes Lap.
Diaperis flav. Fabr. basale Hald. ruficorne Hald. Diaperis ruf. Sturm.

P. rufiventre Lap. P. anale Hald. Neomida rufa Mels. ruficollis Lap. sanguinicolle Hald.

Neomida sang. Mels. laeve Hald. quadrimaculata Lap.cyanea Lap .pallens Lap .-

Metaclisa DuVal.

atra Lec. n. sp.

Scaphidema Redt.

aeneolum Lac. Nelites aen. Lec.

> **Alphitophagus** Steph.1

bifasciatus Lec. Diaperis bif. Say. HYPOPHLOEINI.2

Evoplus Lec.

ferrugineus Lec. n. sp.

Hypophloeus Fabr.

parallelus Mels. thoracicus Mels. cavus Lec. n. sp.3

Delopygus Lec.

crenatus Lec. n. sp.

Eutochia Lec.

picea Lec. Uloma picea Mels. Aniara | picea Lac.

Sitophagus Muls.

pallidus Lec. Pytho pall. Say. Adelina pall. Lec. planus Lec. Adelina plana Lec.

Prateus Lec.

fusculus Lec. n. sp.

Dioedus Lec. punctatus Lec. n. sp.

HELOPINI.

Cratidus Lec.

osculans Lec. Amphidora osc. Lec.

Amphidora Esch.

nigropilosa Lec. littoralis Esch.

Stenotrichus Lec.

rufipes Lec. Amphidora? ruf. Lec. ? attenuatus Lec. Amphidora? att. Le.

Helops Fabr.

micans Fabr. vittatus Oliv. taeniatus Beauv. rugulosus Lec. impolitus Lec. n. sp. undulatus Lec. n. sp. americanus Beauv .venustus Say. laetus Lec. pernitens Lec. californicus Mann. angustus Lec. gracilis Bland. punctipennis Lec. n. sp. sulcipennis Lec. n. sp. bachei Lec. rugicollis Lec. n. sp. opacus Lec. discretus Lec. n. sp. cisteloides Germ. convexulus Lec. aereus Germ. pullus Say. aratus Say. tumescens Lec. n. sp. farctus Lec. ? tristis Beauv .-

MERACANTHINI.

Meracantha Kirby.

contracta Lec. Helops contractus Beauv. M. canadensis Kirby. Psorodes contr. Solier.

Helops tumidus Mels. STRONGYLIINI.

Strongylium Kirby.

tenuicolle Lec. Helops ten. Say. terminatum Lec. Tenebrio term. Say. 5

¹ Phylethus Redt.

² In the Class. Col. N. America this tribe is named Adelinini, but the genus Adelina was previously described by Mulsant as Sitophagus, and it therefore becomes necessary to change the name of the tribe.

tribe.

² H. nitidus Mels. is a specimen of the European H. castaneus, placed by error in the collection.

⁴ The specimen is too much broken to enable me to refer it with certainty to the proper genus.

⁵ Dysmathes sathbergi Mann, Bull. Mosc. 1853, 265, does not appear in the list; the description is not sufficiently definite to indicate its place, but I cannot avoid thinking that on re-examination it will be found to have some relation to Iphthimus. The affinities with Gnathosia and Nycelia mentioned by Mannerheim are improbable for both structural and geographical reasons.

AEGIALITIDAE.

Aegialites Mann.

debilis Mann. Elosoma californicum Motsch.

CISTELIDAE.

Stenochidus Lec.

gracilis Lec. Stenochia grac. Lec. cyanescens Lec. Prionychus cyan. Lec.

Allecula Fabr.

erythrocnemis Germ. punctulata Mels. socia Lec. nigrans Mels. Cistela atra | Say.

Hymenorus Muls.

pilosus Lec. Allecula pil. Mels. obscurus Lec.
Allecula obsc. Say. punctulatus Lec. Allecula punct. Lec. niger Lec. Allecula nigra Mels. communis Lec. n. sp. rufipes Lec. Mycetophila ruf. Lec. confertus Lec. n. sp. densus Lec. n. sp. punctatissimus Lec.n.sp. humeralis Lec. n. sp.

Cistela Fabr.

brevis Say. var. erythropus Ziegler. pinguis Lec. Xystropus ping. Lec. opaca Lec. marginata Ziegler.

sericea Say.1

Isomira Muls.

quadristriata Lec. Cistela 4-str. Couper. velutina Lec. n. sp.

Mycetochares Latr.

§ STIGMATOMA Lec. haldemani Lec. n. sp. fraterna Lec. Cistela fr. Say. basillaris (Say).-

bicolor Couper. foveatus Lec. n. sp. tenuis Lec. n. sp.

binotata Lec. Cistela bin. Say.

Chromatia Lec.

amoena Lec. Cistela am. Say.

Capnochroa Lec.

fuliginosa Lec. Cistela ful. Mels.

Androchirus Lec.

fuscipes Lec. Cistela fusc. Mels. luteipes Lec.

Cteniopus Sol. murrayi Lec. n. sp.

LAGRIIDAE.

Arthromacra Kirby.

aenea Lec. Lagria aen. Say. Arthr. donacioides Kirby.

Statira Latr.

croceicollis Mäklin .resplendens Mels. gagatina Mels.

subnitida Lec. n. sp.

MONOMMIDAE.

Hyporhagus Thoms.

lecontei Thoms .punctulatus Thoms. opaculus Lec. n. sp.

PYROCHROIDAE.

Eupleurida Lec. costata Lec. n. sp.

Pyrochroa Fabr.

flabellata Fabr. femoralis Lec.

Schizotus Newm. cervicalis Newm.

Dendroides Latr.

Pogonocerus Fischer.

canadensis Latr. Pog. bicolor Newm. concolor Lec. Pogonocerus conc. Newm. testacea Lec. ephemeroides Lec.

ANTHICIDAE.

Pogonocerus eph. Mann.

PEDILINI.

Nematoplus Lec.

collaris Lec.

Eurygenius Ferté.

wildii Lec. murinus Lec. Ichthydion mur. Hald. constrictus Lec.

¹ Cistela erythropa Kirby, Fauna Bor, Am. 239, cannot be identified from the description, but I suspect, if the tarsi are not lobed, that it is one of the species of Androclvirus.

2 The sequence of the following families is different from that adopted in the Classification of Coleoptera of North America, in which my effort was to arrange them in such manner as to exhibit the gradual degradation of type from Tenebrionidæ to Stylopidæ. The arrangement in the present List is copied from Du'al's Genera des Coleopt. d'Europe, and exhibits the collateral relations of the families in a more perfect manner than any other known to me.

Stereopalpus Ferté. mellyi Ferté. badiipennis Lec. guttatus Lec.

Bactrocerus Lec. concolor Lec. n. sp.

Corphyra Say.1 punctulata (Lec.) collaris Say. Anthicus coll. Say. (?). P. rufithorax Newm. P. infumatust Lec. lugubris Say. Anthicus lug. Say. Pyroc. inornata Randall. Ped. imus Newm. Ped. nigricans Ziegler. labiata Say. Anthicus lab. Say. Pyrochroa infumata Hentz Ped. marginicollis Ziegler. pulchar (Lec.) impressa Say. Anthicus imp. Say. terminalis Say. Anthicus term. Say. (3). Ped. guttula Newm. (3).

Ped. haemorrhoidalis Ziegl. (3). Ped. ruficollis Ziegl. (2). newmani (Lec.) Ped. lugubris | Newm. cyanipennis (Bland.) fulvipes (Newman.) canaliculata Lec. n. sp.

Pyrochroa el. Hentz.

elegans (Lec.)

MACRATRIINI.

Macratria Newm.

linearis Newm .confusa Lec. murina Lec. Direaea murina Fabr. Macrarthria mur. Er. Macrarthrius mur. Ferté.

ANTHICINI.

Notoxus Geoffr.

anchora Hentz. Monocerus anch. Lec. conformis Lec. cavicornis Lec. sparsus Lec. serratus Lec. Monocerus serr. Lec. monodon Ferté. Anthicus mon. Fabr. Monocerus mon. Lec. apicalis Lec. Monocerus monodont Lec. marginatus Lec. subtilis Lec. bifasciatus Lec.

Monocerus bif. Lec. talpa Ferté.elegantulus Ferté. bicolor Ferté. Anthicus bic. Say. Monocerus bic. Lec. pilati Ferté .planicornis Ferté.-

Tomoderus Ferté.

interruptus(Ferté.) vix a sequente differt. constrictus Say.

Formicomus Ferté.

scitulus Lec. mundus Lec. Formicilla mund. Lec.

Anthicus Fabr.

obscurus Ferté. nitidulus Lec. elegans Ferté. tenuis Lec. formicarius Ferte. cinctus Say. annectens Lec. californicus Ferté. rejectus Lec. floralis Paykull. var. basillaris Say. vicinis Ferté. thoracicus Ferté. confinis Lec. horridus Lec. cribratus Lec. difficilis Lec. confusus Lec. luteolus Lec. nigrita Mann.

scabriceps Lec. ephippium Ferté. flavicans Lec. rufulus Lec. cervinus Ferté. bifasciatus | Say. bizonatus Ferté. terminalis Lec. punctulatus Lec. haldemani Lec. quadriguttatus || Hald. quadrilunatus Ferté. biguttulus Lec. nigritulus Lec. obscurellus Lec. latebrans Lec. spretus Lec. nanus Lec. bellulus Lec. pubescens Lec. fulvipes Ferté. corticalis Lec. maritimus Lec. icterious Ferté.coracinus Lec. pallens Lec. granularis Lec. exilis Ferté .laetus Ferté .melancholicus Ferte.pusillus Ferté. squamosus Ferté.lugubris Ferté.impressipennis Ferté.texanus Ferté.pallidus Say .-? politus Say .-

Tanarthrus Lec.

salinus Lec. alutaceus Lec. Anthicus al. Lec.

XYLOPHILINI.

Xylophilus Latr.

melsheimeri Lec. notatus Lec. piceus Lec. fasciatus Mels. signatus Hald. basalis Lec.

⁴ Pedilus auct. Differs from that genus by the 6th ventral segment being visible; compare Lacordaire, Gen. Col. V, 577, and DuVal, Gen. Col. Eur. III, 364. December, 1865.

MELANDRYIDAE.

SCRAPTIINI.

Scraptia Latr.

sericea Lec. Orchesia ser. Mels. Calasia ser. Hald.

Allopoda Lec.

lutea Lec. Scraptia lut. Hald.

Canifa Lec.

americana Lec.
Scraptia am. Hald.
S. pullipes var. Mels.
pusilla Lec.
Scraptia pus. Hald.
pallipes Lec.
Scraptia pall. Mels.
S. biimpressa Hald.

TETRATOMINI.

Tetratoma Fabr. truncorum Lec. n. sp. tessellata Mels.

STENOTRACHELINI.

Stenotrachelus Latr.

arctatus Lec.
Helops arct. Say.
St. obscurus Mann.

MELANDRYINI.

Penthe' Newm.

obliquata Newm.
Helops obliqu. Fabr.
pimelia Mels.
Helops pim. Fabr.
P. funerea Newm.

Synchroa Newm.

punctata Newm.

Meland. umbrina Mels.

Phaiona umb: Hald.

Nothus Oliv. varians Lec. n. sp.

Phryganophlus Sahl.

collaris Lec.

Emmesa Newm. connectens Newm. Mel. maculata Lec. labiata Lec.
Melandrya lab. Say.

Melandrya Fabr.

striata Say. var. excavata Hald.

Prothalpia Lec.

undata Lec. n. sp.

Xylita Payk.

laevigata Lac.
Serropalpus laev. Hellenius
X. buprestoides Payk.
Direaea discolor Fabr.

Carebara Lec.

longula Lec. n. sp.

Spilotus Lec.

quadripustulosus Lec. Hallomenus quadr. Mels.

Zilora Muls.

hispida Lec. n. sp.

Hypulus Payk.

simulator Newm. trifasciatus Mels.

Marolia Muls.

fulminans Lec.
Hypulus? fulm. Lec.
? Dircaea holmbergi Mann.

Serropalpus Hell.

striatus Hellenius. substriatus Hald. obsoletus Hald.

Enchodes Lec.

sericea Lec.
Direaea ser. Hald.
Phloiotrya ser. Lec.

Dircaea Fabr.

liturata Lec.
Serropalp. quadrimaculatus Say.
concolor Lec. n. sp.
? decolorata Randall.—

Anisoxya Muls. glaucula Lec. n. sp.

Symphora Lec.

flavicollis Lec.
Scraptia flav. Hald.
Trotomina flav. Lec.
rugosa Lec.
Scraptia rug. Hald.
Trotomina rug. Lec.

Hallomenus Panz.

scapularis Mels.
Mycetochares ruficornis
Mels.
var. H. luridus Hald.

var. H. luridus Hald. punctulatus Lec. n. sp. debilis Lec. n. sp. basalis Mann.—

Eustrophus Latr.

indistinctus Lec. confinis Lec. n. sp. bicolor Latr.
Mycetophagus bic. Fabr. bifasciatus Say.
quadrimaculatus Mels. tomentosus Say.
niger Mels.

Orchesia Latr.

castanea Mels. gracilis Mels.

Microscapha Lec. clavicornis Lec. n. sp.

MORDELLIDAE.

MORDELLIDAE (genuini).

ANASPINI.

Diclidia Lec.

laetula Lec. Anaspis laet. Lec.

Pentaria Muls.

trifasciata Lec.
Anaspis trif. Mels.
Anthobates trif. Lec.

¹ The genus Penthe represents in this country the European Mycetoma.

fuscula Lec. nubila Lec.

Anaspis Latr.

nigra Lec. Hallomenus nig. Hald. atra Lec. sericea Mann. luteipennis Lec. flavipennis Hald. rufa Say. pallescens Mann. ventralis Mels. filiformis Lec. nigriceps Lec. pusio Lec.

MORDELLINI.

Tomoxia Costa.

bidentata Lec. Mordella bid. Say. lineella Lec. inclusa Lec.

collaris Lec.

Glipa Lec.

hilaris Lec. Mordella hil. Say.

Mordella Linn. quadripunctata Lec.

Anaspis quadr. Say. borealis Lec. melaena Germ. Sphalera mel. Lec. scutellaris Fabr. irrorata Lec. inflammata Lec. an sequentis var.? octopunctata Fabr. marginata Mels. lineata Mels. vix a praec. differt. lunulata Helmuth .serval Say. oculata Say. insulata Lec.

triloba Lec. Anaspis tril. Say. undulata Mels. discoidea Mels.

Glipodes Lec.

sericans Lec. Mordella ser. Mels. helva Lec.

Mordellistena Costa.

bicinctella Lec. arida Lec. lutea (Mels.) nigricollis Helmuth. an sequentis var.? trifasciata (Say.) lepidula Lec. an praecedentis var.? limbalis (Mels.) vapida Lec. vilis (Lec.) decorella Lec. ornata (Mels.) militaris Lec. scapularis (Say.) var. biplagiata Helmuth. comata (Lec.) tosta Lec. picicornis Lec. var. bipustulata Helmuth. var. rubrilabris Helmuth. cervicalis Lec. aspersa (Mels.) intermixta Helmuth. fulvicollis (Mels.) var. dimidiata Helmuth. amica Lec. infima Lec. andreae Lec. grammica Lec ancilla Lec. varians Lec. ustulata Lec. semiusta Lec. var. rufula Helmuth. impatiens Lec. nigricans (Mels.) nigerrima Helmuth. picilabris Helmuth .-

ruficeps Lec. nubila (Lec.) guttulata Helmuth .pustulata (Mels.) convicta Lec. fuscipennis (Mels.) pectoralis (Lec.) morula Lec. ambusta Lec. unicolor Lec. var. fuscoatra Helmuth. marginalis (Say.) divisa Lec. auricoma Helmuth. an M. tostae var. ? pubescens (Fabr.) liturata (Mels.) bihamata (Mels.) hebraica Lec. leporina Lec. fuscata (Mels.) pityptera Lec. angusta Lec. attenuata (Say.) vittigera Lec. discolor (Mels.) scalaris Helmuth. suturella Helmuth .var. rufiventris Helmuth. aemula Lec. nigripennis (Fabr.)—

RHIPIPHORIDAE.

EVANIOCERINI.

Pelecotoma Fisch. flavipes Mels.

RHIPIPHORINI.

Macrosiagon Hentz. dimidiata Hentz. Rhipiphorus dim. Fabr. flavipennis Lec. n. sp.

Rhipiphorus Fabr.2 octomaculatus Gerst. puncticeps Lec.

be untenable.

2 I have, in the Classification of Coleoptera, p. 276, adopted the name Emmenadia, given by Laporte, when he divided the Fabrician species into two genera. DuVal has clearly shown (Gen. Coi. Eur III, 412.) that the name Rhipiphorus should have been retained for the present genus, instead of the

one to which Laporte applied it.

Mordella auct.; those species having the authorities in parentheses were first referred to this genus by me; vide Pr. Acad. Nat. Sc. Phila. 1862, p. 48. The ridges of the hind tibiæ and tarsi are slightly variable in some species, and more extensive collections may prove a few of the species to

militaris Mels. ? nigricornis Fabr. pectinatus Fabr. humeratus Fabr. sanguinolentus Germ. dubius Mels. impressus Mels. ambiguus Mels. longipes Mels. thoracicus Mels. varicolor Gerst. a. ventralis Fabr. maxillosus Mels. sayi Lec. bicolor | Say. niger Mels. fasciatus Mels. ? tristis Fabr.

cruentus Germ. linearis Lec. n. sp. limbatus Fabr.

MYODITINI.

Myodites Latr.

scaber Lec.
semiflavus Lec.
luteipennis Lec.
fasciatus Lec.
Dorthesia fasc. Say.
walshii Lec.
flavicornis Lec.
Dorthesia fav. Say
stylopides Newm.
americanus Guér.—

STYLOPIDAE.

Stylops Kirby. childreni Gray.—

Xenos Rossi. peckii Kirby.

MELOIDAE.

MELOINI.

Meloe Linn. rugipennis Lec.

montanus Lec. n. sp.
tinctus Lec. n. sp.
carbonaceus Lec. n. sp.
afer Eland.—
impressus Kirby.
americanust Er.
? var. niger Kirby.
opacus Lec.
barbarus Lec.
perplexus Lec.
strigulosus Mann.
angusticollis Say.
? americanus Leach.
moerens Lec.

§

sublaevis Lec.

Nomaspis Lec.

parvula Lec.

Meloe parvus Hald.

M. parvulus Hald.

Henous Hald.

Meloe conf. Say. H. techanus Hald.

Megetra Lec.

cancellata Lec.

Meloe canc. Er.

vittata Lec.

Cysteodemus vitt. Lec.

Cysteodemus Lec. armatus Lec. wislizeni Lec.

LYTTINI.

Tricrania Lec.

sanguinipennis Lec.
Horia sang. Say.
stansburii Lec.
Horia stansb. Hald.
murrayi Lec.

Apterospasta Lec.

valida Lec.
Lytta val. Lec.
segmentata Lec.
Lytta segm. Say.

Macrobasis Lec.

fulvescens (Lec.) immaculata (Say). (Q). L. articularis Say. (d). longicollis (Lec.) ochrea (Lec.) albida Lec. Lytta albida Say. (♀). L. luteicornis Lec. (d). sublineata (Lec.) atrivittis (Lec.) torsa (Lec.) tenuis (Lec.) unicolor.-Cantharis un. Kirby. fabricii (Lec.) Lytta cinerea | Fabr. murina (Lec.) debilis (Lec.) virgulata Lec. n. sp. linearis (Lec.)

Pleuropompha Lec.

costata (Lec.)

oblita (Lec.)

maura (Lec.)

Epicauta Redt.1

puncticollis Mann.

pedalis Lec. n. sp.

convolvuli Lec. Canth. atr. var. conv. Mels. trichrus.-Meloe trichrus Pallas. pensylvanica Lec. Cantharis pens. De Geer. Lytta atrata Fabr. C. atrata Ohv. Meloe atra Pallas. L. coracina Illiger. Meloe nigra Woodhouse. morio (Lec.) corvina (Lec.) fissilabris (Lec.) cinerea Lec. Meloe cin. Forster. L. marginata Fabr. Cantharis marg. Oliv. M. clematidis Woodhouse. nigritarsis (Lec.) maculata Lec.

Lytta macul. Say.

β. conspersa (Lec.)

a. pardalis Lec. n. sp.

¹ This genus corresponds with Lytta Fairmaire, (DuVal, Gen. Col. Eur. iii, 432.)

vittata Dej. Lytta vitt. Fabr. Cantharis vitt. Oliv. M. chapmani Woodhouse. lemniscata Dej. Lytta lemn. Fabr. ? lineata Dej .-Cantharis lin. Oliv. sanguinicollis (Lec.)tenella (Lec.) strigosa Dej.
Lytta strig. Schönherr.
ferruginea Lec. Lytta ferr. Say. Canth. nigricornis Mels. sericans Lec. n. sp. pruinosa Lec. n. sp. callosa Lec. n. sp.

Pyrota Lec. (+Chevr.)

mylabrina Chevr.
engelmanni (Lec.)
terminata Lec. n. sp.
postica Lec. n. sp.
L. mylabrina & Lec.
vittigera (Lec.)
insulata (Lec.)
germari Lec.
Lytta germ. Hald.
discoidea (Lec.)
limbalis Lec. n. sp.
afzeliana Dej.—
Lytta afz. Fabr.
Canth. sinuata Oliv.

Pomphopoea Lec.

polita Lec.
Lytta pol. Say.
var. L. femoralis Lec.
sayi (Lec.)
Canth. pyrivora Fitch.
unguicularis Lec. n. sp.
texana Lec. n. sp.
fliformis (Lec.)
aenea Lec.
Lytta aen. Say.
L. nigricornis Lec.
tarsalis Lec.
Lytta tars. Bland.

Lytta Fabr.1

vulnerata Lec. cooperi Lec. cribrata Lec.

reticulata Say. quadrimaculata Chevr. eucera Chevr. cardinalis Chevr. fulvipennis Lec. dichroa Lec. biguttata Lec. puberula Lec. n. sp. nitidicollis Lec. childii Lec. moerens Lec. melaena Lec. tenebrosa Lec. salicis Lec. an a seq. differt? cvanipennis Lec. nuttalli Say. var. fulgifera Lec. viridana Lec. n. sp. aeneipennis Lec. smaragdula Lec. stygica Lec. rathvoni Lec. lugens Lec. sphaericollis Say. chalybea Lec. convexa Lec.

Calospasta Lec.
elegans Lec.
Epicauta el. Lec.

Tegrodera Lec.

Eupompha Lec. fissiceps Lec.

Phodaga Lec. alticeps Lec.

Tetraonyx Latr.

quadrimaculata Latr.
Apalus quadr. Fabr.
fulva Lec.

Zonitis Fabr.

atripennis Lec.
Nemognatha atr. Say.
flavida Lec.
? an praeced. var.

bilineata Say.
var. lineata Mels.
var. mandibularis Mels.

Nemognatha III.

bicolor Lec. lurida Lec. apicalis Lec. pallens Lec. lutea Lec. dichroa Lec. dubia Lec. palliata Lec. piezata Lec. Zonitis piez. Fabr. Z. vittata Fabr. Nemognatha vitt. Ill. texana Lec. decipiens Lec. punctulata Lec. flavipennis Uhler. nigripennis Lec. scutellaris Lec. nemorensis Hentz. bimaculata Mels. cribraria Lec. immaculata Say. vittigera Lec. cribricollis Lec. porosa Lec.2 var. fuscipennis Lec.

Gnathium Kirby.

francilloni Kirby.—
minimum Say.
longicolle Lec.
Nemognatha long. Lec.
flavicolle Lec.
Nemognatha fl. Lec.

CEPHALOIDAE.

Cephaloou Newm. lepturides Newm. var. varians Hald.

OEDEMERIDAE.

Calopus Fabr.
angustus Lec.
aspersus Lec. n. sp.

¹ This genus corresponds with Cantharis Fairmaire in DuVal, Gen. Col. Eur. iii, 431; Lagorina Muls., should probably be reunited with it. The differences do not appear to have generic value.

² N. calceolata Guér, Icon. R. An. 136, is not recognizable.

Microtonus Lec. sericans Lec. n. sp.

Ditylus Fischer.

coeruleus Hald.
Upis coeruleus Rand.
quadricollis Lec.
consors Lec.
gracilis Lec.
vestius Lec.
obscurus Lec.
Asclera obs. Lec

Nacerdes Schmidt.

melanura Schmidt.
Cantharis mel. Linn.
Necydalis notata Fabr.
Oed. analis Oliv.
Oe. apicalis Say.

Xanthochroa Schmidt.

lateralis Lec.
Nacerdes lat. Mels.
Asclera lat. Hald.
var. A. signaticollis Hald.
trinotata Lec. n. sp.

Copidita Lec.

quadrimaculata Lec.
Probosca quadr. Motsch.
Nacerdes quadr. Mann.

Oxacis Lec.

cana Lec.
Asclera cana Lec.
pallida Lec.
Asclera pall. Lec.
taeniata Lec.
Asclera taen. Lec.
thoracica Lec.
Necydalis thor. Fabr.
Asclera thor. Hald.
Oedem. fraxini Say.

notoxoides Lec. Necydalis not. Fabr. Asclera not. Hald. granulata Lec. n. sp.

3

bicolor Lec.
Asclera bic. Lec.
fuliginosa Lec. n. sp.

§

dorsalis Lec.
Nacerdes dors. Mels.
Xanthochroa vittata Hald.
Asclera dors. Lec.

Probosca Schmidt.

lucana Lec. n. sp. pleuralis Lec. n. sp.

Asclera Schmidt.

excavata Lec.
ruficollis Hald.
Oedenera ruf. Say.
Ischn. carinata Newm.
puncticollis Hald.
Oedemera punct. Say.
? erythrocephala.—
Oedemera erythr. Germ.

MYCTERIDAE.

MYCTERINI.

Mycterus Clairv.

concolor Lec. scaber Hald.

LACCONOTINI.

Lacconotus Lec.

PYTHIDAE.

PYTHINI.

Pytho Latr.

niger Kirby.
americanus Kirby.
? Tenebr. depressus || Fabr.
deplanatus Mann.—
strictus Lec. n. sp.

Crymodes Lec. discicollis Lec.

Priognathus Lec.

monilicornis Lec.
Dytilus mon. Randall.
Pytho? sahlbergii Mann.

Boros Herbst. unicolor Say.

CONONOTINI.

Cononotus Lec.

sericans Lec. punctatus Lec.

SALPINGINI.

Salpingus Gyll.

virescens Lec.
Sphaeriestes vir. Lec.
alternatus Lec.
tibialis Lec. n. sp.
elongatus Mann.—

Rhinosimus Latr.

pallipes Boh.—
aeneirostris Mann.
nitens Lec. n. sp.

Tanyrhinus Mann. singularis Mann.—

Ischnomera unicolor Mels. is a specimen of the European Asolera coerulea. I have not identified Dryops ruffrons Fabr., nor do I know to what genus or family it should be referred. Oedemera westia Say, is perhaps a Stereopalpus, but cannot be properly identified.

INDEX.

Abacidus, 9 Acanthocerini, 37 Acanthocerus, 37 Acephorus, 4 Acidota, 26 Acilius, 17 Acletus, 54 Acmæodera, 43 Acratrichis, 29 Acrepis, 58 Acritus, 28 Actenodes, 43 Acupalpus, 13 Acupalpus, 12, 13 Acylophorus, 23 Adelina, 53 Adelocera, 44 Adelops, 20 Adranes, 21 Adrastus, 47 Aegialia, 37 Aegialitidae, 64 Aegialites, 64 Acolus, 46 Aepus, 13 Agabus, 17 Agaosoma, 12 Agathidium, 20 Agonoderus, 11 Agonothorax, 7 Agonum, 7 Agrilini, 43 Agrilus, 43 Agriotes, 47 Agrypnini, 44 Agrypnus, 44 Alaus, 45 Aleochara, 22 Aleocharini, 22 Alindria, 31 Allecula, 64 Allæocnemis, 58 Allonyx, 54 Allopoda, 66 Allerhina, 40 Alobus, 38 Alphitobius, 62 Alphitophagus, 63 Altica, 50 Amara, 9

Amartus, 29 Amblychila, 1 Ammodonus, 61 Ampedus, 45 Amphasia, 12 Amphicerus, 58 Amphichroum, 26 Amphicoma, 37 Amphicrossus, 30 Amphicyllis, 20 Amphicyrta, 34 Amphicyrtini, 34 Amphidora, 63 Amphizoa, 15 Amphizoidae, 15 Anachilus, 49 Anædus, 62 Anaspini, 66 Anaspis, 67 Anatrichis, 11 Anchastus, 46 Anchomenus, 6 Anchomma, 31 Anchytarsus, 50 Ancistronycha, 52 Ancylochira, 42 Ancyronyx, 35 Ancyrophorus, 26 Androchirus, 64 Anelastes, 44 Anepsiini, 59 Anepsius, 59 Aniara, 63 Anillus, 14 Anisomera, 17 Anisodactylus, 12 Anisotoma, 20 Anisotomini, 20 Anisoxya, 66 Anobiidae, 56 Anobiini, 56 Anobium, 57 Anomoglossus, 10 Anomala, 39 Anophthalmus, 14 Anoplis, 42 Anorus, 50 Anthaxia, 42 Antherophagus, 33 Anthicidae, 64

Anthieini, 65 Anthicus, 65 Anthobium, 26 Anthobates, 66 Anthocomus, 53 Anthrenus, 34 Apalus, 69 Apate, 57, 58 Apatura, 42 Apenes, 6 Aphanisticus, 43 Aphanobius, 46 Aphanotus, 62 Apocrypha, 59 Apocryphini, 59 Aphodiini, 36 Aphodius, 36 Aphonus, 40 Aphotistus, 48 Aphricus, 49 Aplastus, 49 Apocellus, 26 Apristus, 5 Apsectus, 34 Apsena, 61 Apterospasta, 68 Aptinus, 4 Aræoschizus, 59 Ardistomis, 4 Argutor, 9 Arpedium, 26 Arrhenoplita, 62 Arthmius, 21 Arthromacra, 64 Artobium, 57 Asaphes, 49 Asbolus, 59 Asida, 59 Asididae, 59 Aslera, 70 Asidini, 59 Aspidoglossa, 4 Astrotus, 59 Atelestus, 54 Atemeles, 22 Ateuchus, 36 Athous, 48 Athyreus, 37 Atomaria, 33 Atomariini, 33

Atopa, 50 Atractopterus, 48 Atranus, 11 Attagenus, 34 Attalus, 53 Auchmobius, 58 Aulonium, 31 Axinopalpus, 6

Bacanius, 28 Bactridium, 30 Bactrocerus, 65 Badister, 10 Baeocera, 29 Baptolinus, 24 Batrisus, 21 Batulius, 59 Bembidiini, 14 Bembidium, 14 Belonuchus, 24 Belionota, 43 Berosus, 18 Berginus, 34 Betarmon, 47 Bitoma, 31 Bius, 62 Bladus, 48 Blapstinus, 61 Blaptini, 60 Blauta, 45 Blechrus, 5 Bledius, 25 Blethisa, 2 Bolboceras, 37 Boletobius, 23 Boletophagini, 62 Boletophagus, 62 Boletophagus, 31, 59 Boletotherus, 62 Bomius, 5 Bonvouloiria, 33 Boros, 70 Bostrichidae, 57 Bostrichini, 57 Bostrichus, 57, 58 Bothriderini, 32 Bothrideres, 32 Bothriopterus, 9 Brachinini, 4 Brachinus, 4

Brachycopris, 36 Brachycrepis, 46 Brachymorphus, 56 Bruchynotus, 52 Brachypterini, 29 Brachys, 43 Brachystylus, 8 Bradycellus, 12 Bradytus, 10 Branchini, 59 Branchus, 59 Brathinidae, 20 Brathinus, 20 Brontes, 32 Broseini, 11 Bryoporus, 23 Bryaxis, 21 Buprestidae, 41 Buprestini, 41 Byrrhidae, 34 Byrrhini, 34 Byrrhus, 34 Byturidae, 34 Byturus, 34 Byturosomus, 54

Cacotemnus, 57 Caenia, 51 Caenocara, 57 Caerosternus, 27 Calathus, 6 Callida, 6 Calopteron, 51 Calopus, 69 Calosoma, 2 Calospasta, 69 Calyptocephalus, 51 Calyptomerus, 20 Camptodes, 19 (note) Camptorhina, 38 Campylus, 48 Canifa, 66 Cantharis, 52, 68 Canthon, 36 Capnochroa, 64 Carabidae, 2 Carabini, 2 Carabus, 3 Carcinops, 28 Cardiophorus, 45 Carebara, 66 Carpophilini, 29 Carpophilus, 22 Casnonia, 5 Catogenus, 32 Catoptrichus, 20 Catops, 20 Catorama, 57 Cebrio, 49 Cebrionidae, 49 Cedius, 21 Celetes, 51 Celia, 10 Celina, 16

Centrioptera, 59 Centronopus, 61 Ceophyllus, 21 Cephalistes, 53 Cephaloon, 69 Cephaloidae, 69 Cephennium, 21 Ceracis, 58 Cerenopus, 61 Cerandria, 62 Cerocoma, 53 Cerophytidae, 44 Cerophytini, 44 Cerophytum, 44 Ceruchus, 35 Cerylini, 32 Cerylon, 32 Cetonia, 40 Cetoniini, 40 Ceuthocerus, 28 Chalcolepidiini, 45 Chalcolepidius, 45 Chalcophora, 41 Chaleposomus, 1 Chalepus, 40 Chariessa, 56 Charopus, 54 Chauliognathini, 52 Chauliognathus, 52 Chlaeniini, 10 Chlaenius, 11 Choeridium, 36 Choleva, 20 Chorea, 44 Chromatia, 64 Chrysobothris, 42 Chrysophana, 43 Cibdelis, 61 Cicindela, 1 Cicindelidae, 1 Cicindelini, 1 Cioidae, 58 Cis, 58 Cistela, 64 Cistelidae, 64 Clambini, 20 Clambus, 20 Clavigeridae, 21 Cleridae, 54 Clerini, 54 Cleronomus, 55 Clerus, 55 Clivina, 4 Cnecus, 50 Cnemidotus, 15 Coelus, 59 Coelocnemis, 61 Colastus, 29 Colenis, 20 Collops, 53 Colobopterus, 36 Colon, 20 Colpius, 55 Colpodes, 6

Colydiidae, 31 Colydiini, 31 Colydium, 31 Colymbetes, 17 Colymbetini, 16 Colyphus, 16 Conibius, 61 Coniontini, 59 Coniontis, 60 Conipinus, 60 Cononotini, 70 Cononotus, 70 Conosoma, 23 Conotelus, 30 Copelatus, 16 Copidita, 70 Copris, 36 Coprini, 36 Coprobius, 36 Coproporus, 22 Coptodera, 6 Coptotomus, 16 Coraebus, 43 Corphyra, 65 Corticaria, 33 Corymbites, 48 Corynetes, 56 Coryphium, 26 Cotalpa, 40 Cotinis, 40 Coxelus, 31 Craniotus, 58 Cratacanthus, 11 Cratidus, 63 Cratocara, 11 Cratognathus, 11 Cratonychus, 47 Cregya, 56 Cremastochilus, 41 Creophilus, 23 Crepidotritus, 46 Crigmus, 47 Crossocrepis, 11 Crymodes, 70 Cryobius, 9 Cryptadius, 58 Cryptarcha, 30 Crypticini, 62 Crypticus, 62 Cryptobium, 24 Cryptoglossa, 95 Cryptoglossini, 59 Cryptophagidae, 32 Cryptophagini, 33 Cryptophagus, 33 Cryptopleurum, 19 Crytorhophalum, 34 Cteniopus, 64 Ctenistes, 21 Ctenicerus, 49 Ctenobium, 57 Ctenonychus, 47 Cucujidae, 32 Cucujini, 32

Cucujus, 32 Cupes, 56 Cupesidae, 56 Curtonotus, 10 Cybister, 18 Cybocephalus, 30 Cychramini, 30 Cychramus, 30 Cychrus, 3 Cyclinus, 18 Cyclocephala, 40 Cyclonotum, 19 Cylistix, 27 Cyllidium, 19 Cymatopterus, 17 Cymatodera, 54 Cymindis, 6 Cynaeus, 62 Cyparium, 29 Cyphon, 50 Cyphonidae, 50 Cyphonini, 50 Cyrtusa, 20 Cyrtomoptera, 53 Cysteodemus, 68 Cytilus, 34

Dacnochilus, 25 Dacoderini, 59 Dacoderus, 59 Daptus, 11 Dascyllidae, 50 Dascyllus, 50 Dasydera, 37 Dasytes, 50, 54 Dasytini, 54 Dearthrus, 34 Deliphrum, 26 Delopygus, 63 Deltachilum, 36 Dendrocharis, 44 Dendroides, 64 Dendrophagus, 32 Dendrophilus, 28 Dermestes, 34 Dermestidae, 34 Derodontidae, 33 Derodontus, 33 Diacanthus, 48 Diachila, 2 Dianous, 25 Diaperini, 62 Diaperis, 62 Diaphorus, 5 Diazus, 38 Dicaelus, 10 Dicerca, 41 Dichelotarsus, 52 Dichelonycha, 38 Dichelonychini, 38 Dichirus, 12 Diclidia, 66 Dicrepidius, 46

Dictyalotus, 57 Dictyoptera, 51 Didetus, 6 Digrapha, 51 Dineutus, 18 Dinoderus, 58 Dinopsis, 22 Diochus, 24 Dioedus, 63 Diphyllidae, 34 Diplochila, 10 Diplotaxini, 38 Diplotaxis, 38 Diplocoelus, 34 Dircaea, 66 Discodemus, 60 Discoderus, 12 Discogenia, 60 Distemmus, 26 Ditemnus, 53 Ditoma, 31 Ditylus, 70 Dolerosomus, 48 Dolichosoma, 54 Dolopiosomus, 46 Dolopius, 47 Dorcatoma, 57 Dorcus, 35 Drapetes, 44 Drapetini, 44 Drasterius, 46 Drepanus, 4 Dromius, 5 Dromochorus, 2 Dryptini, 5 Dynastes, 40 Dynastini, 40 Dyschirius, 3 obesus, 78 Dysidius, 9 Dysmathes, 63

Dytiscus, 18 Dytiscidae, 13 Dytiscini, 17

Eanus, 48 Ebaeus, 54 Echiaster, 25 Ectinus, 46 Ectopria, 50 Edaphus, 25 Edrotes, 58 Ega, 5 Elaphrini, 2 Elaphrus, 2 Elasmocerus, 54 Elater, 45 Elateridae, 44 Elaterini, 45 Eleodes, 60 Ellipolampis, 51 Ellychnia, 51 Elmidae, 35 Elmis, 35

Elodes, 50 Elosoma, 64 Emathion, 44 Embaphion, 60 Emmenastus, 58 Emmenotarsus, 54 Emmesa, 66 Empelus, 20 Enaphorus, 5 Enchodes, 66 Endecatomini, 57 Endecatomus, 57 Endectus, 32 Endeodes, 54 Endrosa, 38 Engis, 30 Ennearthron, 58 Enneatoma, 57 Enopliini, 55 Enoplium, 56 Epantius, 61 Epaphius, 14 Ephalus, 61 Epicauta, 68 Epiphanis, 44 Epiphysini, 58 Epistemus, 33 Epitragini, 59 Epitragus, 59 Epuraea, 30 Eripus, 3 Erirhipis, 40 Ernobius, 56 Eros, 51 Eschatocrepis, 54 Esthesopus, 45 Euaesthetus, 25 Eubriini, 50 Eucaerus, 5 Eucineti, 50 Eucinetus, 50 Eucnemidae, 44 Eucnemis, 44 Eucrada, 56 Eucradini, 56 Eucyphus, 34 Eudesma, 31 Eudromus, 14 Eugastra, 38 Eugnathus, 4 Eulabis, 61, 62 Eulachus, 31 Eumerus, 43 Eumicrus, 20 Eunectes, 17 Eupactus, 57 Euparia, 36 Euphoria, 40 Euplectini, 21 Euplectus, 21 Eupleurida, 64 Eupompha, 69 Eupsenius, 21

Eurea, 50

Euryderus, 11 Eurygenius, 64 Eurymetopon, 58 Euryomia, 40 Eurypalpus, 35 Eurypogon, 50 Euryporus, 23 Euryptychus, 44 Eurytrichus, 12 Eusattus, 60 Euschides, 59 Eustrophus, 66 Eutheia, 21 Euthysanius, 49 Eutochia, 63 Evaniocerini, 67 Evarthrus, 8 Evolenes, 11 Evoplus, 63 Exops, 58 Falagria, 22 Faronus, 21 Formicilla, 65 Formicomus, 65 Fornax, 44 Galerita, 5 Gambrinus, 47 Geobaenus, 12 Geopinus, 11 Georyssidae, 35 Georyssus, 35 Geotrupes, 37 Geotrupini, 37 Gibbium, 56 Glaphyrini, 37 Glipa, 67 Glipodes, 67 Glycia, 6 Glyptoma, 27 Glyptotus, 61 Gnathium, 69 Gnathocerus, 62 Gnathoneus, 28 Gnorimus, 41 Graphoderus, 17 Gyascutus, 41 Gymnetis, 40 Gymnodus, 41 Gynandropus, 12 Gynandrotarsus, 12 Gynaptera, 52 Gynnis, 39 Gyretes, 18

Hadrobregmus, 57 Hadromorphus, 48 Hadrotes, 23 Haliplidae, 15 Haliplus, 15

Gyrinidae, 18

Gyrohypnus, 24

Gyrophaena, 22

Gyrinus, 18

Hallomenus, 66 Hamotus, 21 Hapalorhinus, 53 Haplandrus, 61 Haplocentrus, 12 Haplochile, 11 Haploderus, 26 Haplostethini, 43 Haplostethus, 43 Haptoderus, 9 Harpalidae, 4 Harpalini, 11 Harpalus, 13 Helichus, 35 Heliopates, 61 Helluo, 4 Helluomorpha, 4 Helluonini, 4 Helobia, 2 Helochares, 19 Helodes, 50 Helophorini, 18 Helophorus, 18 Helopini, 63 Helops, 63 Hemicoelus, 57 Hemicrepidius, 49 Hemicyphon, 50 Hemipeplidae, 32 Hemipeplus, 32 Hemiptychus, 57 Hemirhipini, 45 Hemirhipus, 45 Henous, 68 Hesperobaenus, 30 Hetaerius, 27 Heteroceridae, 35 Heterocerus, 35 Heterodromia, 32 Heterophaga, 62 Heterotarsini, 62 Heterothops, 23 Hispa, 62 Hister, 27 Histeridae, 27 Histerini, 27 Holciophorus, 9 Hologlyptus, 59 Hololepta, 27 Hololeptini, 27 Holoparamecus, 33 Holotrichia, 39 Homalota, 22 Hoplandria, 22 Hoplia, 37 Hopliini, 37 Hoplocephala, 62 Horia, 68 Horistonotus, 45 Huloma, 62 Hyboma, 36 Hybosorini, 37 Hybosorus, 37

Hydaticus, 17

Hydnobius, 20 Hydnocera, 55 Hydraena, 18 Hydrobiini, 18 Hydrobius, 19 Hydrocanthus, 16 Hydrocharis, 18 Hydrochus, 18 Hydrophilidae, 18 Hydrophilini, 18 Hydrophilus, 18 Hydroporini, 16 Hydroporus, 16 Hygrotus, 16 Hylochares, 44 Hylocoetus, 56 Hymenorus, 64 Hypherpes, 8 Hyphidrus, 16 Hypocyptus, 22 Hypolithus, 45 Hypophloeini, 63 Hyporhagus, 31, 63 Hyporhagus, 64 Hypotelus, 27 Hypotrichia, 38 Hypulus, 66

Ichnea, 55
Ichthydion, 64
Ilybius, 17
Iphthimus, 61
Ipini, 30
Ips, 30
Irichroa, 3
Isarthrus, 44
Ischiodontus, 46
Isomalus, 27
Isomira, 64
Iulodini, 43

Laccobius, 19 Lacconotini, 70 Lacconotus, 70 Laccophilus, 16 Lachnocrepis, 11 Lachnophorus, 5 Lachnosterna, 38 Lacon, 45 Laemophloeus, 32 Lagarus, 8 Lagria, 64 Lagriidae, 64 Lamprias, 5 Lampyridae, 51 Lampyrini, 51 Lampyris, 50, 51, 52 Lara, 35 Laricobius, 56 Larini, 35 Lasconotus, 31 Lasioderma, 57 Lasiopus, 37 Lathridiidae, 33

Lathridius, 33 Lathrimaeum, 26 Lathrium, 26 Lathrobium, 24 Lebasiella, 56 Lebia, 5 Lebiini, 5 Leistotrophus, 23 Leistus, 2 Leptacinus, 24 Leptolinus, 24 Leptotrachelus, 5 Lesteva, 26 Leucoparyphus, 22 Lichnanthe, 37 Licinini, 10 Ligyrus, 40 Limnichini, 35 Limnichus, 35 Limnius, 35 Limonius, 47 Liocnemis, 9 Liodes, 20 Lionota, 27 Liozoum, 56 Liparocephalus, 25 Lirus, 10 Lispinus, 27 Lissomus, 44 Listrochelus, 39 Listrus, 54 Litargus, 33 Lithocaris, 25 Litochrus, 20 Litochrus, 29 Loberus, 32, 53 Lobiopa, 30 Lopha, 15 Lophoglossus, 9 Loricera, 2 Loricerini, 2 Loxandrus, 7 Lucanidae, 35 Lucanini, 35 Lucanus, 35 Lucernuta, 51 Lucidota, 51 Ludius, 46 Lutrochus, 35 Lycini, 51 Lyctidae, 58 Lyctus, 58 Lycus, 51 Lygerus, 53 Lygistopterus, 51 Lymexylidae, 56 Lymexylon, 56 Lymnaeum, 14 Lyperus, 9 Lyrosoma, 20 Lytta, 69 Lyttini, 68

Macrarthria, 65

Macratria, 65 Macratriini, 65 Macrobasis, 68 Macrodactylini, 38 Macrodactylus, 38 Macronychus, 35 Macrophyllini, 39 Macropogon, 50 Macropogonini, 50 Macrosiagon, 67 Macrotelus, 54 Malachidae, 53 Malachini, 53 Malachius, 53 Malthacus, 52 Malthinus, 53 Malthodes, 53 Manticorini, 1 Margarinotus, 27 Marginus, 34 Margus, 62 Marolia, 66 Matus, 16 Megacephala, 1 Megacephalini, 1 Megadeuterus, 53 Megalops, 25 Megalostylus, 7 Megapenthes, 46 Megarthrus, 26 Megasoma, 40 Megasternum, 19 Megetra, 68 Meladema, 17 Melanactes, 49 Melandriini, 66 Melandrya, 66 Melandryidae, 66 Melanophila, 42 Melanotus, 11 Melanotus, 47 Meloe, 68 Meloidae, 68 Meloini, 68 Melolonthidae, 37 Melolonthini, 38 Melasini, 44 Melasis, 44, 50 Meligethes, 30 Melyris, 54 Meracantha, 63 Meracanthini, 63 Merinus, 61 Metabletus, 5 Metaclisa, 63 Metonius, 44 Metriini, 3 Metrius, 3 Mezium, 56 Micralymma, 26 Micrixys, 4 Microcara, 50 Microlipus, 54

Micropeplidae, 27

Microphotus, 52 Microrhagus, 44 Microscapha, 66 Microschatia, 59 Microstemma, 20 Microtonus, 70 Miscodera, 11 Molops, 8 Molorchus, 53 Molosoma, 25 Monocerus, 65 Monocrepidius, 46 Monommidae, 64 Monophylla, 54 Monotoma, 30 Monotomidae, 30 Mordella, 67 Mordellidae, 66 Mordellistena, 67 Morio, 4, 11 Morionini, 4 Murmidiidae, 28 Murmidius, 28 Myas, 9 Mycetochares, 64 Mycetophagidae, 33 Mycetophagus, 33, 63, 66 Mycetophila, 64 Mycetoporus, 23 Mycteridae, 70 Mycterini, 70 Mycterus, 70 Myllaena, 22

Micropeplus, 27

Nacerdes, 70 Narthecius, 32 Nausibius, 32 Neatus, 62 Nebria, 2 Necrobia, 56 Necrodes, 19 Necrophila, 20 Necrophilus, 20 Necrophorus, 19 Necydalis, 70 Nelites, 63 Nematidium, 31 Nematodes, 44 Nematoplus, 64 Nemicelus, 32 Nemognatha, 68 Nemosoma, 31 Nemotarsus, 6 Neobium, 57 Neomida, 63 Nicagini, 37 Nicagus, 37 Nicobium, 57 Niptus, 56

Myodites, 68

Myoditini, 68

Myrmedonia, 22

Nitidula, 30 Nitidulidae, 29 Nitidulini, 30 Nomaretus, 3 Nomaspis, 68 Nomophloeus, 30 Noserus, 59 Nosodendron, 34 Nosodendridae, 34 Nosoderma, 59 Nosodes, 31 Notaphus, 14 Noterini, 16 Noterus, 16 Nothodes, 48 Nothopus, 11 Nothus, 66 Notibius, 61 Notiophilus, 2 Notoxus, 55, 65 Nyctobates, 61 Nyetoporini, 59 Nyctoporis, 59

Ochina, 50 Ochodaeus, 37 Ochthebius, 18 Ochthedromus, 14 Ocypus, 24 Odacanthini, 5 Odontaeus, 37 Odontium, 14 Odontomus, 42 Odontonyx, 50 Oedemera, 70 Oedemeridae, 69 Oedostethus, 45 Oestodes, 48 Oiceoptoma, 20 Olibrus, 29 Oligomerus, 56 Olisthaerus, 26 Olisthopus, 7 Olophrum, 26 Omala, 15 Omalium, 26 Omalini, 26 Omalisus, 51 Omalodes, 27 Omaseus, 9 Omethes, 52 Omophron, 2 Omophronini, 2 Omorgus, 37 Omosita, 30 Omus, 1 Oncerini, 37 Oncerus, 37 Onitis, 36 Onthophagus, 36 Onthophilus, 27 Onychodon, 44 Oochila, 59 Oodes, 11

Oophorus, 46 Opatrini, 61 Opatrinus, 60 Opatrum, 61 Opetiopalpus, 56 Ophonus, 12, 13 Opilus, 55 Opisthius, 2 Orchesia, 66 Oripa, 53 Orphilus, 34 Orphnini, 37 Orthopleura, 56 Orthostethus, 46 Orsonyx, 38 Osmoderma, 41 Osorius, 25 Othius, 24 Othniidae, 33 Othnius, 33 Oxacis, 70 Oxygonus, 48 Oxylaemus, 31 Oxyomus, 36 Oxypoda, 22 Oxyporus, 25 Oxytelini, 25 Oxytelus, 26

Ozaenidae, 4

Ozognathus, 56

Pachylopus, 28 Pachyurgus, 61 Pactostoma, 59 Paederini, 24 Paederus, 25 Palaminus, 25 Pallodes, 20, 30 Panagaeini, 4 Panagaeus, 4 Pandarus, 62 Pangus, 12 Paramecosoma, 33 Paratenetus, 62 Parnidae, 35 Parnini, 35 Paromalus, 28 Pasimachus, 3 Passalidae, 35 Passalus, 35 Passandridae, 32 Patrobus, 13 Paussus, 53 Pedetes, 48 Pediacus, 32 Pedilini, 64 Pedilophorus, 34 Pedilus, 65 Pedinini, 60 Pedinus, 60 Pelecotoma, 67 Pelecyphorus, 59 Pelidnota, 40 Pelonium, 56

Pelonomus, 35 Pelophila, 2 Pelosoma, 19 Peltastica, 31 Peltasticidae, 31 Peltidae, 31 Peltis, 31 Pentaphyllus, 62 Pentaria, 66 Penthe, 66 Percus, 9 Pericompsus, 15 Perilypus, 54 Perimecus, 47 Peristethus, 9 Perothopini, 44 Perothops, 44 Peryphus, 14 Petalium, 57 Phalacridae, 29 Phalacrus, 29 Phanaeus, 36 Phaiona, 66 Phaleria, 62 Phaleriini, 62 Phansis, 52 Phelister, 27 Phellidius, 62 Phellopsis, 59 Phengodes, 52 Phengodini, 52 Phenolia, 30 Phileurus, 40 Philhydrus, 19 Philodes, 13 Philonthus, 24 Philophuga, 6 Philotecnus, 6 Philotermes, 22 Philothermus, 32 Philoxylon, 56 Phlegon, 44 Phloeodes, 59 Phloeocharini, 26 Phloeonaeus, 26 Phloeopora, 22 Phloeopterus, 26 Phloeotrya, 66 Phobetus, 39 Phodaga, 69 Photinus, 51 Photuris, 51 Phryganophilus, 66 Phyconomus, 30 Phylethus, 63 Phyllobaenus, 55 Phyllophaga, 39 Physemus, 35 Phytosus, 22 Piesmus, 9 Piestidae, 26 Pimelia, 58, 60 Pinacodera, 6 Pinophilus, 25

Piosoma, 11 Pityobius, 48 Pityophagus, 30 Placusa, 22 Plastocerini, 49 Plastocerus, 49 Platycerus, 35 Platydema, 63 Platyderus, 8 Platynus, 6 Platysma, 9 Platysoma, 27 Platystethus, ?6 Plegaderus, 28 Pleocoma, 37 Pleocomini, 31 Pleotomus, 51 Pleuropompha, 38 Plochionus, 5 Plusiotis, 40 Pocadius, 30 Podabrus, 52 Poecilus, 8 Poecilonota, 42 Pogonini, 13 Pogonocerus, 64 Polemius, 53 Pollaclasis, 51 Polycaon, 58 Polycesta, 43 Polymoechus, 40 Polyphylla, 39 Polypleurus, 61 Pomphopoea, 69 Porrhodites, 26 Prateus, 63 Priocera, 50 Priognathus, 70 Prionocyphon, 50 Prionychus, 64 Pristilophus, 49 Pristodactyla. 6 Pristoscelis, 54 Probosca, 70 Prognatha, 26 Promecognathini, 3 Promecognathus, 3 Prometopia, 30 Promus, 60 Prosternon, 48 Proteinini, 26 Proteinus, 26 Prothalpia, 66 Protheca, 57 Psammodius, 37 Pselaphidae, 21 Pselaphini, 21 Pselaphus, 21 Psephenidae, 35 Psephenus, 35 Pseudochina, 57 Pseudoclerus, 55 Pseudomorphini, 4 Pseudomorphus, 4

Pseudophanini, 32 Pseudophanus, 32 Psilocnemis, 41 Psiloptera, 41 Psilopyga, 30 Psiloscelis, 27 Psoini, 58 Psorodes, 63 Psydrus, 11 Ptenidium, 29 Pteroloma, 20 Pterostichini, 6 Pterostichus, 8, 9 Pterotus, 52 Ptilinini, 57 Ptilium, 29 Ptilinus, 50, 57 Ptilodactyla, 50 Ptilodaetylini, 50 Ptinella, 29 Ptinidae, 56 Ptinini, 56 Ptinodes, 57 Ptinus, 56 Ptosima, 43 Pycnomerini, 32 Pycnomerus, 32 Pyrectomena, 51 Pyrectosoma, 51 Pyrochroa, 64 Pyrochroidae, 64 Pyrophorus, 49 Pyropyga, 51 Pyrota, 69 Pythidae, 70 Pythini, 70 Pytho, 70

Quedius, 23

Rembus, 10 Rhadalini, 54 Rhadalus, 54 Rhadine, 6 Rhaeboscelis, 43 Rhagodera, 31 Rhagonycha, 52 Rhantus, 17 Rhexius, 21 Rhinandrus, 61 Rhinosimus, 70 Rhipicera, 50 Rhipicerini, 50 Rhipidandrus, 62 Rhipiphorus, 67 Rhipiphoridae, 67 Rhizophagini, 30 Rhizophagus, 30 Rhizopertha, 58 Rhombodera, 6 Rugilus, 25 Rhyssemus, 37 Rhyssodes, 32 Rhyssodidae, 32

Rutelini, 39

Sacodes, 50 Salpingini, 70 Salpingus, 70 Sandalus, 50 Saprinus, 28 Scalopterus, 53 Scaphidema, 63 Scaphidiidae, 29 Scaphidium, 29 Scaphinotus, 3 Scaphiodactylus, 7 Scaphisoma, 29 Scaphium, 29 Scaptolenus, 49 Scarabaeidae, 36 Scarites, 3 Scaritini, 3 Schizogenius, 4 Schizopodidae, 50 Schizopus, 50 Schizotus, 64 Schoenicus, 59 Sclerodes, 50 Scolytus, 2 Scopaeus, 25 Scotobaenus, 61 Scraptia, 66 Scraptiini, 66 Scydmaenidae, 20 Scydmaenus, 20 Scyrtes, 50 Selenophorus, 13 Serica, 38 Sericini, 38 Sericoda, 7 Sericoidini, 38 Sericosomus, 48 Serropalpus, 66 Silenus, 44 Silis, 53 Silpha, 19 Silphidae, 19 Silphini, 19 Simplocaria, 34 Sinodendron, 35 Sinoxylon, 57 Sitodrepa, 57 Sitophagus, 63 Sosylus, 32 Spercheus, 19 Sperchopsis, 19 Sphaeritini, 20 Sphaeridiini, 19 Sphaeridium, 19 Sphaeriestes, 70 Sphaeroderma, 28 Sphaeroderus, 3 Sphaeromorphus, 37 Spheracra, 5 Spilota, 40 Spilotus, 66 Sphindidae, 58

Sphindus, 58° Spongopus 12 Staphylinidae, 22 Staphylinini, 23 Staphylinus, 23 Statira, 64 Stelidota, 30 Stene, 62 Stenelmis, 35 Stenini, 25 Stenochia, 64 Stenochidus, 64 Stenocolus, 50 Stenolophus, 13 Stenomorphus, 12 Stenosini, 59 Stenotrachelini, 66 Stenotrachelus, 66 Stenotrichus, 63 Stenous, 11 Stenuris, 41 Stenus, 25 Stenusa, 22 Stephanucha, 41 Stereocerus, 10 Stereopalpus, 65 Sternuchus, 20 Steropus, 9 Stethoxus, 18 Stigmatoma, 64 Stilicopsis, 25 Stilieus, 25 Strategus, 40 Strigoderma, 40 Strongyliini, 63 Strongylium, 63 Stylopidae, 68 Stylops, 68 Sunius, 25 Suphis, 16 Sylvanidae, 32 Sylvanus, 32 Symphora, 66 Syncalypta, 35 Synchita, 31 Synchitini, 31 Synchroa, 66 Syntomium, 26

Tachinus, 22
Tachyporini, 22
Tachyporus, 23
Tachypas, 5
Tachyta, 15
Tachys, 15
Tachys, 22
Tanaops, 53
Tanarthrus, 65
Tanyrhinus, 70
Taphrocerus, 43
Tarsostenus, 55
Tegrodera, 69
Telephanini, 32
Telephanidae, 32

Telephanus, 32 Telephoridae, 52 Telephorini, 52 Telephorus, 52 Telmatephilini, 32 Telmatophilus, 32 Temnochila, 31 Teretrius, 28 Tenebrionidae, 58, 60 Tenebrionini, 61 Tenebrio, 61 Tentyriidae, 58 Tentyriini, 58 Tetracha, 1 Tetragonoderus, 5 Tetratoma, 33, 66 Tetratomini, 66 Tetraonyx, 69 Teuchestes, 36, Thalpius, 5 Thanasimus, 55 Thaneroclerus, 55 Thanatophilus, 20 Tharsus, 62 Theca, 57 Thermonectes, 17 Thinopinus, 23 Thrincopyge, 43 Thrincopygini, 43 Throscidae, 44 Throscini, 44 Throseus, 44 Thyce, 39 Thymalus, 31 Thyreopterus, 5 Tillus, 54 Tmesiphorus, 21 Tomarus, 33 Tomicus, 57 Tomoderus, 65 Tomoxia, 67 Tostegoptera, 39 Toxidium, 29 Trachypachini, 2 Trachypachys, 2 Trachyscelini, 62 Trachyscelis, 62 Trechini, 14 Trechicus, 5 Trechus, 14 Triaena, 10 Tribrachys, 29 Tribalus, 27 Tribolium, 62 Trichesthes, 39 Trichius, 41 Trichocanthus, 23 Trichochrous, 54 Trichodesma, 57 Trichodes, 55 Trichopteryx, 29 Trichopterygidae, 29 Tricrepidius, 46 Trigonodemus, 26

INDEX.


Trigonogenius, 56 Trigonopeltastes, 41 Trigonophorus, 23 Tricrania, 68 Trimium, 21 Trimytis, 58 Triorophus, 58 Triphyllus, 33 Triplectrus, 12 Trogini, 37 Trogoderma, 34 Trogophloeus, 26 Trogosita, 31, 61


Trogositidae, 31 Trogoxylon, 58 Tropisternus, 18 Trotomma, 66 Trox, 37 Trypherus, 53 Trypopitys, 57 Tychus, 21 Tylistus, 57 Typhaea, 34 Tyrns, 21 Tytthonyx, 53

Uloma, 62

Ulomini, 62 Ulosonia, 62 Upis, 61 Valgus, 41 Volvulus, 19 Xanthochroa, 70 Xantholinus, 24 Xenos, 68 Xestobium, 56 Xestonotus, 12 Xylotrogus, 58 Xyletinus, 57, 62 Xylita, 66 Xylophilini, 65 Xylophilus, 65 Xylopinus, 61 Xyloryctes, 40 Xylotrogus, 32 Xystropus, 64

Zenoa, 50 Zenoini, 50 Zilora, 66 Zonitis, 69 Zopherini, 59 Zopherus, 59 Zuphium, 5





HOME USE	Main Libro	3	
4	5	6	
ALL BOOKS MAY BE 1-month loans may b 6-month loans may b Renewals and recharge	e renewed by calli e recharged by bri	ng 642-3405 nging books to C	irculation Desk ue date
DUE	AS STAMP	ED BELOV	N
rec'd circ. APR 1	1983		
INTERLIBRARY LO	AN		
JUL 1 4 198	3		
-UNIV. OF CALIF., B	FRK		
THE RESERVE THE PROPERTY OF THE PERSON NAMED IN	'83		
1111 1 0 100			
JUL 1 2 1984 EC CIP JUN 1 2 198			
EC CIP JOH 12 100			

FORM NO. DD6, 60m, 12/80 BERKELEY, CA 94720

GENERAL LIBRARY - U.C. BERKELEY

